## Assessment of application against relevant Development Codes

APPLICATION		PRE	MISES
FILE NO:	RAL/21/0017	ADDRESS:	27 Barron
			Falls Road,
			Kuranda
APPLICANT:	R Napier	RPD:	Lot 1 on
			RP726343
LODGED BY:	RPS Australia	AREA:	2,352m <sup>2</sup>
	East Pty Ltd		
DATE LODGED:	14 October 2021	OWNER:	R Napier &
			R Scott
TYPE OF APPROVAL:	Development Permi	t	
PROPOSED DEVELOPMENT:	Reconfiguring a Lot	- Subdivision	(1 into 2 Lots)
PLANNING SCHEME:	Mareeba Shire Cou	ncil Planning S	Scheme 2016
ZONE:	Low Density Residential zone		
LEVEL OF	Code Assessment		
ASSESSMENT:			
SUBMISSIONS:	n/a		

#### **APPLICATION DETAILS**

## **Relevant Development Codes**

The following Development Codes are considered to be applicable to the assessment of the application:

- 6.2.6 Low density residential zone code
- 9.4.2 Landscaping code
- 9.4.3 Parking and access code
- 9.4.4 Reconfiguring a lot code
- 9.4.5 Works, services and infrastructure code

#### 6.2.6 Low density residential zone code

#### 6.2.6.1 Application

- (1) This code applies to assessing development where:
  - (a) located in the Low density residential zone; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

#### 6.2.6.2 Purpose

- (1) The purpose of the Low density residential zone code is to provide for predominantly dwelling houses supported by community uses and small-scale services and facilities that cater for local residents.
- (2) Mareeba Shire Council's purpose of the Low density residential zone code is to:
  - (a) maintain the integrity of established residential areas, which are characterised primarily by Dwelling houses and Dual occupancy development;
  - (b) provide opportunities for other forms of residential development where existing character and amenity will not be compromised; and
  - (c) facilitate non-residential development that directly supports the day to day needs of the immediate residential community, in new residential areas.
- (3) The purpose of the code will be achieved through the following overall outcomes:
  - (a) The dominant form of development is detached dwelling houses, on a range of lot sizes;
  - (b) In greenfield areas, in proximity to activity centres, a wider range of higher density residential development may occur where existing low density residential amenity is not compromised;
  - (c) High quality Residential care facilities and Retirement facilities are located on larger sites;
  - (d) Development provides for an efficient land use pattern and is well connected to other developments;
  - (e) Development is designed to provide safe and walkable neighbourhoods that connect residents to desirable destinations including schools, parks, shops and community facilities;
  - (f) Development facilitates other small-scale uses that integrate personal employment and residential activities, provided they complement local residential amenity;
  - (g) Development maintains a high level of residential amenity avoiding uses that introduce impacts associated with noise, hours of operation, traffic, advertising devices, visual amenity, privacy, lighting, odour and emissions;
  - (h) Development reflects and enhances the existing low density scale and character of the area;
  - (i) Development is supported by necessary transport infrastructure which is designed to provide and promote safe and efficient public transport use, walking and cycling;
  - Development is supported by necessary community facilities, open space and recreational areas and appropriate infrastructure to meet the needs of the local community;
  - (k) Non-residential development may be supported in new residential areas where such uses directly support the day to day needs of the immediate residential community;
  - (I) Development takes account of the environmental constraints of the land; and

(m) Any unavoidable impacts are minimised through location, design, operation and management requirements.

#### 6.2.6.3 Criteria for assessment

 Table 6.2.6.3A—Low density residential zone code - For accepted development subject to requirements and assessable development

For accepted development subject to requirements and assessable development         Height         PO1         Building height takes into consideration and respects the following:       A01       Development has a maximum building height of.       n/a       Not applicable         (a)       the height of existing puremises;       (a)       8.5 metres; and (b)       n/a       Not applicable         (b)       the development potential, with respect to height, on adjoining premises;       (c)       the height of buildings in the vicinity of the site;       (c)       access to sunlight and daylight for the site and adjoining sites;       m/a       Not applicable         Outbuildings and respect         (f)       site area and street frontage length.       A02 Domestic outbuildings do not exceed:       n/a       Not applicable         PO2         Domestic outbuildings:       (a)       100m <sup>2</sup> in gross floor area; and       n/a       Not applicable         (b)       are consistent with the scale and character of development in the Low-density residential zone.       Stores in height area; and       n/a       Not applicable         Sting         Sting	Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
PO1 Building height takes into consideration and respects the following: <ul> <li>(a) the height of existing buildings on adjoining premises;</li> <li>(b) the development potential, with respect to height, on adjoining premises;</li> <li>(c) the height of buildings in the vicinity of the site;</li> <li>(d) access to sunlight and daylight for the sites;</li> <li>(e) privacy and overlooking; and</li> <li>(f) site area and street frontage length.</li> </ul> <li>Outbuildings and residential scale</li> <li>A01 Development has a maximum building height of:</li>	For a	accepted development su	bject to requirements and ass	sessable devel	opment
Building height takes into consideration and respects the following: (a) the height of existing buildings on adjoining premises; (b) the development potential, with respect to height, on adjoining premises;       Development has a maximum building height of: (a) 8.5 metres; and (b) 2 storeys above ground level.       Image: Storey above ground level.         (c) the height of buildings in the vicinity of the site; (d) access to sunlight and daylight for the sites;       Image: Storey above ground level.       Image: Storey above ground level.       Image: Storey above ground level.         Outbuildings and residential       Development potential, with respect to height of buildings and daylight for the sites;       Image: Storey above ground level.       Image: Storey above ground level.         Outbuildings and residential       Emage: Storey above ground level.       Image: Storey above ground level.       Image: Storey above ground level.         PO2 Domestic outbuildings: (a) do not dominate the lot on which they are located; and (b) are consistent with the scale and character of development in the Low-density residential zone.       Mo2 Domestic outbuildings do not exceed:       n/a       Not applicable	Heig	Iht			
PO2AO2n/aNot applicableDomestic outbuildings: (a)do not dominate the lot on which they are located; andDomestic outbuildings do not exceed: (a)n/aNot applicable(b)are consistent with the scale and character of development in the Low-density residential zone.(b)5.5 metres in height above natural ground level.n/aNot applicable	Build cons the f (a) (b) (c) (d) (c) (d) (e) (f)	sideration and respects ollowing: the height of existing buildings on adjoining premises; the development potential, with respect to height, on adjoining premises; the height of buildings in the vicinity of the site; access to sunlight and daylight for the site and adjoining sites; privacy and overlooking; and site area and street frontage length.	Development has a maximum building height of: (a) 8.5 metres; and (b) 2 storeys above ground level.	n/a	Not applicable
Domestic outbuildings: (a)Domestic outbuildings do not exceed:(a)do not dominate the lot on which they are located; andDomestic outbuildings do not exceed:(b)are consistent with the scale and character of development in the Low-density residential zone.(a)100m² in gross floor area; and(b)are consistent with the scale and character of development in the Low-density residential zone.(b)5.5 metres in height above natural ground level.					
Siting	Dom (a)	estic outbuildings: do not dominate the lot on which they are located; and are consistent with the scale and character of development in the Low-density	Domestic outbuildings do not exceed: (a) 100m <sup>2</sup> in gross floor area; and (b) 5.5 metres in height above natural	n/a	Not applicable
	Sitir				

Perfo	ormance outcomes	Acceptable outcomes	Complies	Comments
	elopment is sited in a ner that considers and ects: the siting and use of adjoining premises; access to sunlight and daylight for the site and adjoining sites;	AO3.1 Buildings and structures include a minimum setback of: (a) 6 metres from the primary road frontage; and (b) 3 metres from any secondary road frontage.	~	The established setback for the existing dwelling house on proposed Lot 1 will not be altered.
(c) (d) (e) (f) (g)	privacy and overlooking; opportunities for casual surveillance of adjoining public spaces; air circulation and access to natural breezes; and appearance of building bulk; and relationship with road corridors.	AO3.2 Buildings and structures include a minimum setback of 2 metres from side and rear boundaries.	~	The northern-most corner of existing dwelling house (within proposed Lot 1) will be sited approximately 1.35 metres from the side boundary with proposed Lot 2. This small point of reduced setback adjoins the access handle for proposed Lot 2, resulting in compliance with the criteria for PO3.
Acco	ommodation density			
<b>PO4</b> The	density of ommodation activities: contributes to housing choice and affordability; respects the nature and density of surrounding land use; does not cause amenity impacts beyond the reasonable expectation of accommodation density for the zone; and is commensurate to the scale and frontage of the site.	AO4 Development provides a maximum density for Accommodation activities in compliance with <b>Table</b> 6.2.6.3B.		The application is not seeking to allow more than one (1) dwelling house per lot.

Performance outcomes	Acceptable outcomes	Complies	Comments
Gross floor area			
<ul> <li>PO5 <ul> <li>Buildings and structures</li> <li>occupy the site in a manner that:</li> <li>(a) makes efficient use of land;</li> </ul> </li> <li>(b) is consistent with the bulk and scale of surrounding buildings; and</li> <li>(c) appropriately balances built and natural features.</li> </ul>	AO5 Gross floor area does not exceed 600m <sup>2</sup> .	n/a	Not applicable
For assessable developme	nt		
Building design			
<ul> <li>PO6 <ul> <li>Building facades are appropriately designed to:</li> <li>(a) include visual interest and architectural variation;</li> <li>(b) maintain and enhance the character of the surrounds;</li> <li>(c) provide opportunities for casual surveillance;</li> <li>(d) include a human scale; and</li> <li>(e) encourage occupation of outdoor space.</li> </ul> </li> </ul>	AO6 Buildings include habitable space, pedestrian entrances and recreation space facing the primary road frontage.	n/a	Not applicable
<b>PO7</b> Development complements and integrates with the established built character of the Low density residential zone, having regard to:	A07 No acceptable outcome is provided.	n/a	Not applicable

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>(a) roof form and pitch;</li> <li>(b) eaves and awnings;</li> <li>(c) building materials, colours and textures; and</li> <li>(d) window and door size and location.</li> </ul>			
Non-residential developme	nt		
<ul> <li>PO8 Non-residential development is only located in new residential areas and: <ul> <li>(a) is consistent with the</li> <li>scale of existing</li> <li>development;</li> </ul> </li> <li>(b) does not detract from</li> <ul> <li>the amenity of nearby</li> <li>residential uses;</li> </ul> <li>(c) directly supports the</li> <ul> <li>day to day needs of</li> <li>the immediate</li> <li>residential</li> <li>community; and</li> </ul> <li>(d) does not impact on</li> <ul> <li>the orderly provision</li> <ul> <li>of non-residential</li> <li>development in other</li> <li>locations in the shire.</li> </ul> </ul></ul>	AO8 No acceptable outcome is provided.	n/a	Not applicable
Amenity			
<ul> <li>PO9</li> <li>Development must not detract from the amenity of the local area, having regard to:</li> <li>(a) noise;</li> <li>(b) hours of operation;</li> <li>(c) traffic;</li> <li>(d) advertising devices;</li> <li>(e) visual amenity;</li> <li>(f) privacy;</li> <li>(g) lighting;</li> <li>(h) odour; and</li> <li>(i) emissions.</li> </ul>	AO9 No acceptable outcome is provided.	n/a	Not applicable
PO10	AO10	n/a	Not applicable

Performance outcomes	Acceptable outcomes	Complies	Comments
Development must take into account and seek to ameliorate any existing negative environmental impacts, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	No acceptable outcome is provided.		

### Table 6.2.6.3B—Maximum densities for Accommodation activities

Use	Maximum density		
Dual occupancy	1 dwelling per 400m <sup>2</sup> of site area		
Multiple dwelling	<ul> <li>(a) 1 dwelling per 400m<sup>2</sup> of site area; and</li> <li>(b) 1 bedroom per 200m<sup>2</sup> of site area.</li> </ul>		
Residential care facility	1 dwelling or accommodation unit per 250m <sup>2</sup> of site area.		
Retirement facility	1 dwelling or accommodation unit per 400m <sup>2</sup> of site area		

#### 9.4.2 Landscaping code

#### 9.4.2.1 Application

This code applies where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

#### 9.4.2.2 Purpose

- (1) The purpose of the Landscaping code is to ensure all development is landscaped to a standard that:
  - (a) complements the scale and appearance of the development;
  - (b) protects and enhances the amenity and environmental values of the site;
  - (c) complements and enhances the streetscape and local landscape character; and
  - (d) ensures effective buffering of incompatible land uses to protect local amenity.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Landscaping is a functional part of development design and is commensurate with the intended use;
  - (b) Landscaping accommodates the retention of existing significant on site vegetation where appropriate and practical;
  - (c) Landscaping treatments complement the scale, appearance and function of the development;
  - (d) Landscaping contributes to an attractive streetscape;
  - (e) Landscaping enhances the amenity and character of the local area;
  - (f) Landscaping enhances natural environmental values of the site and the locality;
  - (g) Landscaping provides effective screening both on site, if required, and between incompatible land uses;
  - (h) Landscaping provides shade in appropriate circumstances;
  - (i) Landscape design enhances personal safety and reduces the potential for crime and vandalism; and
  - (j) Intensive land uses incorporate vegetated buffers to provide effective screening of buildings, structures and machinery associated with the use.

#### 9.4.2.3 Criteria for assessment

Table 9.4.2.3A—Landscaping	code - For accepted development subject to requirements
and assessable development	

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development s	ubject to requirements and asses	sable developm	ent
<ul> <li>PO1 Development, other than in the Rural zone, includes landscaping that: <ul> <li>(a) contributes to the landscape character of the Shire;</li> <li>(b) compliments the character of the immediate surrounds;</li> <li>(c) provides an appropriate balance between built and natural elements; and</li> <li>(d) provides a source of visual interest.</li> </ul></li></ul>	<ul> <li>AO1 Development, other than in the Rural zone, provides: <ul> <li>(a) a minimum of 10% of the site as landscaping;</li> <li>(b) planting in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species;</li> <li>(c) for the integration of retained significant vegetation into landscaping areas;</li> <li>(d) on-street landscaping Works in accordance with the Design Guidelines set out in Section D9 <ul> <li>Landscaping, of the Planning Scheme Policy 4 - FNQROC Regional Development Manual.</li> </ul> </li> </ul></li></ul>	n/a	Not applicable. The development is for a 1 into 2 lot subdivision in Kuranda. The provision of landscaping or boundary treatments at time of development is not considered necessary.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
the land	elopment, other than in Rural zone, includes scaping along site ages that: creates an attractive streetscape; compliments the character of the immediate surrounds; assists to break up and soften elements of built form; screen areas of limited visual interest or servicing; provide shade for pedestrians; and includes a range and variety of planting.	<ul> <li>AO2 Development, other than in the Rural zone, includes a landscape strip along any site frontage: <ul> <li>(a) with a minimum width of 2 metres where adjoining a car parking area;</li> <li>(b) with a minimum width of 1.5 metres in all other locations; and</li> <li>(c) in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.</li> </ul> Note—Where development is setback from a frontage less than 1.5 metres, the setback area is provided as a landscape strip</li></ul>	n/a	Not applicable see comment for AO1.
land alon	elopment includes scaping and fencing	AO3.1 Development provides landscape treatments along side and rear boundaries in accordance with <b>Table</b> 9.4.2.3B.	n/a	Not applicable see comment for AO1.
(b) (c) (d) (e)	land uses; assists to break up and soften elements of built form; screens areas of limited visual interest; preserves the amenity of sensitive land uses; and includes a range and variety of planting.	<ul> <li>AO3.2</li> <li>Shrubs and trees provided in landscape strips along side and rear boundaries: <ul> <li>(a) are planted at a maximum spacing of 1 metre;</li> <li>(b) will grow to a height of at least 2 metres;</li> <li>(c) will grow to form a screen of no less than 2 metres in height; and</li> <li>(d) are mulched to a minimum depth of 0.1 metres with organic mulch.</li> </ul> </li> </ul>	n/a	Not applicable see comment for AO1.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO3.3 Any landscape strip provided along a side or rear boundary is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Not applicable see comment for AO1.
<ul> <li>PO4</li> <li>Car parking areas are improved with a variety of landscaping that:</li> <li>(a) provides visual interest;</li> <li>(b) provides a source of shade for pedestrians;</li> <li>(c) assists to break up and soften elements; and</li> <li>(d) improves legibility.</li> </ul>	<ul> <li>AO4.1</li> <li>Landscaping is provided in car parking areas which provides: <ul> <li>(a) a minimum of 1 shade tree for every 4 parking spaces, or part thereof, where the car parking area includes 12 or more spaces;</li> <li>(b) a minimum of 1 shade tree for every 6 parking spaces, or part thereof, otherwise; and</li> <li>(c) where involving a car parking area in excess of 500m<sup>2</sup>: <ul> <li>(i) shade structures are provided for 50% of parking spaces; and</li> <li>(ii) a minimum of 10% of the parking area as landscaping.</li> </ul> </li> </ul></li></ul>	n/a	Not applicable see comment for AO1.
	AO4.2 Landscaping in car parking areas is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Not applicable see comment for AO1.
<b>PO5</b> Landscaping areas include a range and variety of planting that:	A05.1 Plant species are selected from the Plant Schedule in Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Not applicable see comment for AO1.

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>(a) is suitable for the intended purpose and local conditions;</li> <li>(b) contributes to the natural character of the Shire;</li> <li>(c) includes native species;</li> <li>(d) includes locally endemic species, where practical; and</li> <li>(e) does not include invasive plants or weeds.</li> </ul>	AO5.2 <u>A minimum of 25% of (new and existing) plants is provided as larger, advanced stock with a minimum plant height of 0.7 metres and mulched to a minimum depth of 0.1 metres with organic mulch.</u>	n/a	Not applicable see comment for AO1.
<b>PO6</b> Landscaping does not impact on the ongoing provision of infrastructure and services to the Shire.	<ul> <li>AO6.1</li> <li>Tree planting is a minimum of         <ul> <li>(a) 2 metres from any underground water, sewer, gas, electricity or telecommunications infrastructure; and</li> <li>(b) 4 metres from any inspection chamber.</li> </ul> </li> </ul>	n/a	Not applicable see comment for AO1.
	<b>AO6.2</b> Vegetation below or within 4 metres of overhead electricity lines and power poles has a maximum height of 3.5 metres at maturity.	n/a	Not applicable see comment for AO1.
	<ul> <li>AO6.3</li> <li>Vegetation adjoining an electricity substation boundary, at maturity, will have:</li> <li>(a) a height of less than 4 metres; and</li> <li>(b) no foliage within 3 metres of the substation boundary, unless the substation has a solid wall along any boundary.</li> </ul>	n/a	Not applicable see comment for AO1.
For assessable development			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO7 Landscaping areas are designed to: (a) be easily maintained throughout the ongoing use of the site;	AO7 No acceptable outcome is provided.	n/a	Not applicable see comment for AO1.
<ul> <li>(b) allow sufficient area and access to sunlight and water for plant growth;</li> <li>(c) not cause a nuisance to occupants of the site</li> </ul>			
<ul> <li>or members of the public; and</li> <li>(d) maintain or enhance the safety of pedestrians through the use of Crime Prevention Through Environmental Design principles.</li> </ul>			

able 9.4.2.3B—Side and rear boundary landscape treatments			
Location or use	Landscape Strip Minimum Width	Screen Fencing Minimum Height	Extent of treatment
Where car parking, servicing or manoeuvring areas adjoin a side or rear boundary	1 metre	Not applicable	To the extent these areas adjoin the boundary
Where involving a use other than a dwelling house on a site with a common boundary with land in the Low density residential zone, the Medium density residential zone or the Rural residential zone:	1.5 metres	1.8 metres	Along the common boundary.
Development for an industrial activity which has a common boundary with land not within the Industry zone	2 metres	1.8 metres	Along the common boundary
<ul> <li>Development involving</li> <li>(a) Tourist park not in the Rural zone</li> <li>(b) Sales office</li> <li>(c) Multiple dwelling</li> <li>(d) Residential care facility; or</li> <li>(e) Dual occupancy</li> </ul>	Not applicable	1.8 metres	Along all side and rear boundaries and between dwellings for a Dual occupancy.
Development involving (a) Tourist park in the Rural zone (b) Service station (c) Car wash; or (d) Utility installation	2 metres	Not applicable	Along all side and rear boundaries
For: (a) waste storage; (b) equipment; (c) servicing areas; and (d) private open space and site facilities associated with Caretaker's accommodation.	Not applicable	1.8 metres	To prevent visibility

#### Table 9.4.2.3B—Side and rear boundary landscape treatments

Note—Where more than one landscape treatment is applicable to a development in the above table, the development is to provide a landscape treatment that satisfies all applicable minimum specifications.

#### 9.4.3 Parking and access code

#### 9.4.3.1 Application

This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

#### 9.4.3.2 Purpose

- (1) The purpose of the Parking and access code is to ensure:
  - (a) parking areas are appropriately designed, constructed and maintained;
  - (b) the efficient functioning of the development and the local road network; and
  - (c) all development provides sufficient parking, loading/service and manoeuvring areas to meet the demand generated by the use.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Land uses have a sufficient number of parking and bicycle spaces designed in a manner to meet the requirements of the user;
  - (b) Parking spaces and associated manoeuvring areas are safe, functional and provide equitable access;
  - (c) Suitable access for all types of vehicles likely to utilise a parking area is provided in a way that does not compromise the safety and efficiency of the surrounding road network;
  - (d) Premises are adequately serviced to meet the reasonable requirements of the development; and
  - (e) End of trip facilities are provided by new major developments to facilitate alternative travel modes.

#### 9.4.3.3 Criteria for assessment

# Table 9.4.3.3A—Parking and access code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development subject to requirements and assessable development					
Car parking spaces					

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO1 <ul> <li>Development provides</li> <li>sufficient car parking to</li> <li>accommodate the demand</li> <li>likely to be generated by the</li> <li>use, having regard to the:</li> <li>(a) nature of the use;</li> <li>(b) location of the site;</li> <li>(c) proximity of the use to public transport services;</li> <li>(d) availability of active transport infrastructure; and</li> <li>(e) accessibility of the use to to all members of the community.</li> </ul></li></ul>	AO1 The number of car parking spaces provided for the use is in accordance with <b>Table</b> <b>9.4.3.3B</b> . Note—Car parking spaces provided for persons with a disability are to be considered in determining compliance with AO1.	n/a	Not applicable. The provision of car parking is not considered relevant at time of subdivision. Any future dwelling on proposed vacant lot 2 will be required to be provided with an undercover car parking space.
Vehicle crossovers			
<ul> <li>PO2</li> <li>Vehicle crossovers are provided to::</li> <li>(a) ensure safe and efficient access between the road and premises;</li> <li>(b) minimize interference with the function and operation of roads; and</li> </ul>	AO2.1 Vehicular access to/from Council roads is designed and constructed in accordance with the Standard drawings in Planning Scheme Policy 4 - FNQROC Regional Development Manual.	~	Will be conditioned to comply.
(c) minimise pedestrian to vehicle conflict.	AO2.2 Development on a site with two or more road frontages provides vehicular access from: (a) the primary frontage where involving Community activities or Sport and recreation activities, unless the primary road frontage is a State-controlled road; or (b) from the lowest order road in all other instances.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO2.3 Vehicular access for particular uses is provided in accordance with Table 9.4.3.3E.	n/a	Not applicable.
<ul> <li>PO3</li> <li>Access, manoeuvring and car parking areas include appropriate pavement treatments having regard to:</li> <li>(a) the intensity of anticipated vehicle movements;</li> <li>(b) the nature of the use that they service; and</li> <li>(c) the character of the surrounding locality.</li> </ul>	AO3 Access, manoeuvring and car parking areas include pavements that are constructed in accordance with <b>Table</b> 9.4.3.3C.	n/a	Not applicable.
For assessable development	t		
Parking area location and de	sign	1	
<ul> <li>PO4</li> <li>Car parking areas are located and designed to:</li> <li>(a) ensure safety and efficiency in operation; and</li> <li>(b) be consistent with the</li> </ul>	AO4.1 Car parking spaces, access and circulation areas have dimensions in accordance with AS/NZS 2890.1 Off- street car parking.	n/a	Not applicable.
character of the surrounding locality.	AO4.2 Disabled access and car parking spaces are located and designed in accordance with AS/NZS 2890.6 Parking facilities - Off-street parking for people with disabilities.	n/a	Not applicable.
	<b>AO4.3</b> The car parking area includes designated pedestrian routes that provide connections to building entrances.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	<ul> <li>AO4.4</li> <li>Parking and any set down areas are: <ul> <li>(a) wholly contained within the site;</li> </ul> </li> <li>(b) visible from the street where involving Commercial activities, Community activities, Industrial activities or a use in the Recreation and open space zone;</li> <li>(c) are set back behind the main building line where involving a Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility; and</li> <li>(d) provided at the side or rear of a building in all other instances.</li> </ul>	n/a	Not applicable.
Site access and manoeuvrin	g		

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
with	ess to, and manoeuvring in, the site is designed located to: ensure the safety and efficiency of the external road network; ensure the safety of pedestrians; provide a functional and convenient layout; and accommodate all vehicles intended to use the site.	AO5.1 Access and manoeuvrability is in accordance with : (a) AS28901 – Car Parking Facilities (Off Street Parking); and (b) AS2890.2 – Parking Facilities (Off-street Parking) Commercial Vehicle Facilities. Note—Proposal plans should include turning circles designed in accordance with AP34/95 (Austroads 1995) Design Vehicles and Turning Path Templates.	n/a	Not applicable.
		AO5.2 Vehicular access has a minimum sight distance in accordance with Part 5 of AUSTROADS. AO5.3 Vehicular access is located and designed so that all vehicles enter	~	Will comply.
		and exit the site in a forward gear. <b>AO5.4</b> Pedestrian and cyclist access to the site: (a) is clearly defined; (b) easily identifiable; and (c) provides a connection between the site frontage and the entrance to buildings and end of trip facilities (where provided).	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO6</li> <li>Development that involves an internal road network ensures that it's design:</li> <li>(a) ensure safety and efficiency in operation;</li> <li>(b) does not impact on the amenity of residential</li> </ul>	AO6.1 Internal roads for a Tourist park have a minimum width of: (a) 4 metres if one way; or (b) 6 metres if two way.	n/a	Not applicable.
<ul> <li>uses on the site and on adjoining sites, having regard to matters of: <ul> <li>(i) hours of operation;</li> <li>(ii) noise</li> <li>(iii) light; and</li> <li>(iv) odour;</li> </ul> </li> <li>(c) accommodates the nature and volume of vehicle movements anticipated to be generated by the use;</li> <li>(d) allows for convenient access to key on-site features by pedestrians, cyclists and motor vehicles;</li> </ul>	AO6.2 For a Tourist park, internal road design avoids the use of cul-de- sacs in favour of circulating roads, where unavoidable, cul-de- sacs provide a full turning circle for vehicles towing caravans having: (a) a minimum approach and departure curve radius of 12 metres; and (b) a minimum turning circle radius of 8 metres.	n/a	Not applicable.
and (e) in the Rural zone, avoids environmental degradation.	AO6.3 Internal roads are imperviously sealed and drained, apart from those for an Energy and infrastructure activity or Rural activity.	n/a	Not applicable.
	AO6.4 Speed control devices are installed along all internal roads, apart from those for an Energy and infrastructure activity or Rural activity, in accordance with Complete Streets.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO6.5 Internal roads, apart from those for an Energy and infrastructure activity or Rural activity, are illuminated in accordance with AS 4282 (as amended) - Control of Obtrusive effects of outdoor lighting.	n/a	Not applicable.
	AO6.6 Where involving an accommodation activity, internal roads facilitate unobstructed access to every dwelling, accommodation unit, accommodation site and building by emergency services vehicles.	n/a	Not applicable.
	AO6.7 For an Energy and infrastructure activity or Rural activity, internal road gradients: (a) are no steeper than 1:5; or (b) are steeper than 1:5 and are sealed.	n/a	Not applicable.
Servicing	•	•	

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO7         Development provides access, maneuvering and servicing areas on site that:         <ul> <li>(a) accommodate a service vehicle commensurate with the likely demand generated by the use;</li> <li>(b) do not impact on the safety or efficiency of internal car parking or maneuvering areas;</li> <li>(c) do not adversely impact on the safety or efficiency of efficiency of the road</li> </ul> </li> </ul>	<ul> <li>A07.1</li> <li>All unloading, loading, service and waste disposal areas are located:</li> <li>(a) on the site;</li> <li>(b) to the side or rear of the building, behind the main building line;</li> <li>(c) not adjacent to a site boundary where the adjoining property is used for a sensitive use.</li> </ul>	n/a	Not applicable.
<ul> <li>network;</li> <li>(d) provide for all servicing functions associated with the use; and</li> <li>(e) are located and designed to minimise their impacts on</li> </ul>	AO7.2 Unloading, loading, service and waste disposal areas allow service vehicles to enter and exit the site in a forward gear.	n/a	Not applicable.
adjoining sensitive land uses and streetscape quality.	AO7.3 Development provides a servicing area, site access and maneuvering areas to accommodate the applicable minimum servicing vehicle specified in Table 9.4.3.3B.	n/a	Not applicable.
Maintenance			
<b>PO8</b> Parking areas are used and maintained for their intended purpose.	AO8.1 Parking areas are kept and used exclusively for parking and are maintained in a suitable condition for parking and circulation of vehicles.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO8.2 All parking areas will be compacted, sealed, drained, line marked and maintained until such time as the development ceases.	n/a	Not applicable.
End of trip facilities		•	
<b>PO9</b> Development within the Centre zone; Industry zone or Emerging community zone provides facilities for active transport users that:	AO9.1 The number of bicycle parking spaces provided for the use is in accordance with Table 9.4.3.3D.	n/a	Not applicable.
<ul> <li>(a) meet the anticipated demand generated from the use;</li> <li>(b) comprise secure and convenient bicycle parking and storage; and</li> </ul>	AO9.2 End of trip facilities are provided in accordance with <b>Table 9.4.3.3D</b> .	n/a	Not applicable.
(c) provide end of trip facilities for all active transport users.			
If for Educational establish vehicle movements per day or Tourist park			
PO10 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.	AO10 A traffic impact report is prepared by a suitably qualified person that identifies: (a) the expected traffic movements to be generated by the facility; (b) any associated impacts on the road network; and (c) any works that will be required to address the identified impacts.	n/a	Not applicable.
If for Educational establish vehicle movements per day or Tourist park			-

Performance outcomes	Acceptable outcomes	Complies	Comments
PO11 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.	<ul> <li>AO11 <ul> <li>A traffic impact report is prepared by a suitably qualified person that identifies:</li> <li>(d) the expected traffic movements to be generated by the facility;</li> <li>(e) any associated impacts on the road network; and</li> <li>(f) any works that will be required to address the identified impacts.</li> </ul> </li> </ul>	n/a	Not applicable.

#### 9.4.4 Reconfiguring a lot code

#### 9.4.4.1 Application

- (1) This code applies to assessing development where:
  - (a) for Reconfiguring a lot; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

#### 9.4.4.2 Purpose

- (1) The purpose of the Reconfiguring a lot code is to ensure that land is:
  - (a) arranged in a manner which is consistent with the intended scale and intensity of development within the area;
  - (b) provided with access to appropriate movement and open space networks; and
  - (c) contributes to housing diversity and accommodates a range of land uses.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Subdivision of land achieves the efficient use of land and the efficient provision of infrastructure and transport services;
  - (b) Lots are of a suitable size and shape for the intended or potential use having regard to the purpose and overall outcomes of the relevant zone or precinct.
  - Subdivision of land creates lots with sufficient area and dimensions to accommodate the ultimate use, meet user requirements, protect environmental features and account for site constraints;
  - (d) A range and mix of lot sizes is provided to facilitate a variety of industry and housing types;
  - (e) Subdivision design incorporates a road network that provides connectivity and circulation for vehicles and provide safe and efficient access for pedestrians, cyclists and public transport;
  - (f) Subdivision design provides opportunities for walking and cycling for recreation and as alternative methods of travel;
  - (g) Subdivision of land provides and integrates a range of functional parkland, including local and district parks and open space links for the use and enjoyment of the residents of the locality and the shire;
  - (h) Subdivision of land contributes to an open space network that achieves connectivity along riparian corridors and between areas with conservation values;
  - (i) Subdivision within the Rural zone maintains rural landholdings in viable parcels;
  - (j) Land in historical townships is not reconfigured to be used for urban purposes; and
  - (k) Residential subdivision and greenfield development is designed to consider and respect:
    - i. topography;
    - ii. climate responsive design and solar orientation;
    - iii. efficient and sustainable infrastructure provision;
    - iv. environmental values;
    - v. water sensitive urban design;
    - vi. good quality agricultural land; and
    - vii. the character and scale of surrounding development.

#### 9.4.4.3 Criteria for assessment

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
Area	a and frontage of lots			
PO1 Lots front (a) (b) (c)		AO1.1 Lots provide a minimum area and frontage in accordance with Table 9.4.4.3B.	~	Complies.
(d)	and works associated with the intended land use; allow the site to be provided with sufficient			
(e)	access; considers the proximity of the land to: (i) centres; (ii) public transport services; and			
(f)	<ul> <li>(iii) open space; and allows for the protection of environmental features; and</li> </ul>			
(g)	accommodates site constraints.			
Exis	ting buildings and easem	ents		
conta exist	onfiguring a lot which ains existing land uses or	AO2.1 Each land use and associated infrastructure is contained within its individual lot.	~	Complies.
(b)	area and dimensions to accommodate existing land uses, buildings and structures; and any continuing use is not compromised by the reconfiguration.	AO2.2 All lots containing existing buildings and structures achieve the setback requirements of the relevant zone.	~	Complies.

## Table 9.4.4.3A—Reconfiguring a lot code – For assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO3 Reconfiguring a lot which contains an existing easement ensures: <ul> <li>(a) future buildings, structures and accessways are able to be sited to avoid the easement; and</li> <li>(b) the reconfiguration does not compromise the purpose of the easement or the continued operation of any infrastructure contained within the easement. </li> </ul></li></ul>	AO3 No acceptable outcome is provided.	n/a	Not applicable.
Boundary realignment			
<b>PO4</b> The boundary realignment retains all attendant and existing infrastructure connections and potential connections.	AO4 No acceptable outcome is provided.	n/a	Not applicable.
Access and road network			
PO5 Access to a reconfigured lot (including driveways and paths) must not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; (d) privacy of adjoining premises; and (e) service provision.	AO5 No acceptable outcome is provided.	~	Complies.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
that provi (a) (b) (c) Note- should	onfiguring a lot ensures access to a lot can be ided that: is consistent with that provided in the surrounding area; maximises efficiency and safety; and is consistent with the nature of the intended use of the lot.	AO6 Vehicle crossover and access is provided in accordance with the design guidelines and specifications set out in Planning Scheme Policy 4 – FNQROC Regional Development Manual.	~	Complies.
desig (a) (b) (c) (d) Note- should	ds in the Industry zone are gned having regard to: the intended use of the lots; the existing use of surrounding land; the vehicular servicing requirements of the intended use; the movement and turning requirements of B-Double vehicles.	A07 No acceptable outcome is provided.	n/a	Not applicable.
Rear	· lots			
(a)	Tots are designed to: provide a high standard of amenity for residents and other users of the site; provide a high standard	AO8.1 Rear lots are designed to facilitate development that adjoins or overlooks a park or open space.	~	Complies with PO8.
(b) (c)	provide a high standard of amenity for adjoining properties; and not adversely affect the safety and efficiency of	AO8.2 No more than two rear lots are created behind any lot with a road frontage.	~	Complies.

Performance outcomes	Acceptable outcomes	Complies	Comments
the road from which access is gained.	AO8.3 Access to lots is via an access strip with a minimum width of: (a) 4 metres where in the Low density residential zone or Medium density residential zone; or (b) 8 metres otherwise.	~	Will be conditioned to comply
	AO8.4 A single access strip is provided to a rear lot along one side of the lot with direct frontage to the street. Note—Figure A provides further guidance in relation to the	~	Complies.
	AO8.5 No more than 1 in 10 lots created in a new subdivision are rear lots.	n/a	Not applicable - development is infill and not greenfield.
	AO8.6 Rear lots are not created in the Centre zone or the Industry zone.	~	Complies.
Crime prevention and commu	unity safety		

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO9 Development includes design features which enhance public safety and seek to prevent opportunities for crime, having regard to: <ul> <li>(a) sightlines;</li> <li>(b) the existing and intended pedestrian movement network;</li> <li>(c) the existing and intended land use pattern; and</li> <li>(d) potential entrapment locations.</li> </ul></li></ul>	AO9 No acceptable outcome is provided.	~	Complies where relevant.
Pedestrian and cycle moveme	ent network		
<b>PO10</b> Reconfiguring a lot must assist in the implementation of a Pedestrian and cycle movement network to achieve safe, attractive and efficient pedestrian and cycle networks.	AO10 No acceptable outcome is provided.	n/a	Not applicable for infill development proposed at this scale (1 additional lot).
Public transport network			
<ul> <li>PO11</li> <li>Where a site includes or adjoins a future public transport corridor or future public transport site identified through a structure planning process, development:         <ul> <li>(a) does not prejudice the future provision of the identified infrastructure;</li> <li>(b) appropriately treats the common boundary with the future corridor; and</li> <li>(c) provides opportunities to integrate with the adjoining corridor where a it will include an element which will attract pedestrian movement.</li> </ul> </li> <li>Residential subdivision</li> </ul>	AO11 No acceptable outcome is provided.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
PO1 Resi (a)	2 dential lots are: provided in a variety of sizes to accommodate housing choice and diversity; and located to increase variety and avoid large areas of similar lot sizes.	AO12 No acceptable outcome is provided.	~	Complies.
Rura	al residential zone			
the wher the hecta hecta	lots are only created in Rural residential zone re land is located within 4,000m <sup>2</sup> precinct, the 1 are precinct or the 2 are precinct.	AO13 No acceptable outcome is provided.	n/a	Not applicable.
Add	itional provisions for gree	enfield development only	y	
with	4 subdivision design ides the new community a local identity by onding to: site context site characteristics setting landmarks natural features; and views.	AO14 No acceptable outcome provided.	n/a	Not applicable.
to p conn circu publi	<b>5</b> road network is designed provide a high level of nectivity, permeability and lation for local vehicles, ic transport, pedestrians cyclists.	AO15 No acceptable outcome provided.	n/a	Not applicable.


Perfor	mance outcomes	Acceptable outcomes	Complies	Comments
to: (a) n (b) p (b) p c r s (c) ir s Note—Fig	ad network is designed ninimise the number of cul-de-sacs; provide walkable catchments for all esidents in cul-de- sacs; and nclude open cul-de- sacs heads. gure B provides further guidance n to the desired outcome.	AO16 No acceptable outcome provided.	n/a	Not applicable.
safe ar	figuring a lot provides nd convenient access to sisting or future public prt network.	AO17 The subdivision locates 90% of lots within 400 metres walking distance of a future public transport route.	n/a	Not applicable.
reconfi deliver	staging of the lot guration prioritises y of link roads to te efficient bus routes.	AO18 No acceptable outcome provided.	n/a	Not applicable.
open s (a) n o	on is made for sufficient pace to: neet the needs of the occupiers of the lots and	AO19.1 A minimum of 10% of the site area is dedicated as open space.	n/a	Not applicable.
e s (b) re a p b a	o ensure that the environmental and cenic values of the trea are protected; etain riparian corridors, ignificant vegetation and habitat areas and provides linkages between those areas; and	AO19.2 A maximum of 30% of the proposed open space can consist of land identified as significant vegetation or riparian corridor buffer.	n/a	Not applicable.
a o	neet regional, district ind neighbourhood ipen space equirements.			


Perfe	ormance outcomes	Acceptable outcomes	Complies	Comments
	<b>0</b> network of parks and munity land is provided:	AO20 No acceptable outcome is provided.	n/a	Not applicable.
(a)	to support a full range of recreational and sporting activities;			
(b)	to ensure adequate pedestrian, cycle and vehicle access;			
(c)	which is supported by appropriate infrastructure and embellishments;			
(d)	to facilitate links between public open spaces;			
(e)	which is co-located with other existing or proposed community infrastructure;			
(f)	which is consistent with the preferred open space network; and			
(g)	which includes a diversity of settings;			

## Table 9.4.4.3B—Minimum area and dimensions for Reconfiguring a lot


Zone	Туре	Minimum area	Minimum frontage
Centre	All lots	800m <sup>2</sup>	20 metres
Community facilities	All lots	Not specified	Not specified
Conservation	All lots	Not specified	Not specified
Emerging community	All lots	10 hectares	100 metres
Low density residential	Where greenfield	development a	and connected to
	reticulated water and sewerage		
	Rear lot	800m <sup>2</sup>	5 metres
	All other lots	350m <sup>2</sup>	10 metres
	Where connected to reticulated water and sewerage		
	Rear lot	800m <sup>2</sup>	5 metres
	All other lots	600m <sup>2</sup>	16 metres
	Where connected to reticulated water		
	Rear lot	1,000m <sup>2</sup>	5 metres
	All other lots	800m <sup>2</sup>	16 metres
Medium density	Rear lot	600m <sup>2</sup>	5 metres
residential	All other lots	400m <sup>2</sup>	10 metres
Industry	All lots	1,500m <sup>2</sup>	45 metres

Zone		Туре	Minimum area	Minimum frontage	
Recreation and space	open	All lots	Not specified	Not specified	
Rural		All lots	60 hectares	400 metres	
Rural residential		2 hectare precinct	Ĺ		
		All lots	2 hectares	60 metres	
		1 hectare precinct			
		All lots	1 hectare	40 metres	
		4,000m <sup>2</sup> precinct			
		All lots	4,000m <sup>2</sup>	40 metres	





## Figure B – Example of cul-de-sac design



### 9.4.5 Works, services and infrastructure code

### 9.4.5.1 Application

(1) This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

### 9.4.5.2 Purpose

- (1) The purpose of the Works, services and infrastructure code is to ensure that all development is appropriately serviced by physical infrastructure, public utilities and services and that work associated with development is carried out in a manner that does not adversely impact on the surrounding area.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development provides an adequate, safe and reliable supply of potable, fire-fighting and general use water in accordance with relevant standards;
  - (b) Development provides for the treatment and disposal of wastewater and ensures there are no adverse impacts on water quality, public health, local amenity or ecological processes;
  - (c) Development provides for the disposal of stormwater and ensures that there are no adverse impacts on water quality or ecological processes;
  - (d) Development connects to the road network and any adjoining public transport, pedestrian and cycle networks while ensuring no adverse impacts on the safe, convenient and efficient operation of these networks;
  - (e) Development provides electricity and telecommunications services that meet its desired requirements;
  - (f) Development is connected to a nearby electricity network with adequate capacity without significant environment, social or amenity impact;
  - (g) Development does not affect the efficient functioning of public utility mains, services or installations;
  - (h) Infrastructure dedicated to Council is cost effective over its life cycle;
  - (i) Work associated with development does not cause adverse impacts on the surrounding area; and
  - (j) Development prevents the spread of weeds, seeds or other pests.

## 9.4.5.3 Criteria for assessment

# Table 9.4.5.3 - Works, services and infrastructure code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development subject to requirements and assessable development					
Water supply					

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO1 Each lot has an adequate volume and supply of water that: <ul> <li>(a) meets the needs of users;</li> <li>(b) is adequate for fire-fighting purposes;</li> <li>(c) ensures the health, safety and convenience of the community; and</li> <li>(d) minimises adverse impacts on the receiving environment.</li> </ul></li></ul>	<ul> <li>AO1.1 Development is connected to a reticulated water supply system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located: <ul> <li>(a) in the Conservation zone, Rural zone or Rural residential zone; and</li> <li>(b) outside a reticulated water supply service area.</li> </ul></li></ul>	~	The development will be conditioned to comply.
	<ul> <li>AO1.2 Development, where located outside a reticulated water supply service area and in the Conservation zone, Rural zone or Rural residential zone is provided with: <ul> <li>(a) a bore or bores are provided in accordance with the Design Guidelines set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; or</li> <li>(b) on-site water storage tank/s: <ul> <li>(i) with a minimum capacity of 90,000L;</li> <li>(ii) fitted with a 50mm ball valve with a camlock fitting; and</li> <li>(iii) which are installed and connected prior to the occupation or use of the development.</li> </ul> </li> </ul></li></ul>	n/a	Not applicable.
Wastewater disposal			

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO2</li> <li>Each lot provides for the treatment and disposal of effluent and other waste water that:</li> <li>(a) meets the needs of users;</li> <li>(b) is adequate for fire-fighting purposes;</li> <li>(c) ensures the health, safety and convenience of the community; and</li> <li>(d) minimises adverse impacts on the receiving environment.</li> </ul>	<ul> <li>AO2.1</li> <li>Development is connected to a reticulated sewerage system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located:</li> <li>(a) in the Conservation zone, Rural zone or Rural residential zone; and</li> <li>(b) outside a reticulated sewerage service area.</li> </ul>	~	The development will be conditioned to comply.
	<ul> <li>AO2.2</li> <li>An effluent disposal system is provided in accordance with ASNZ 1547 On-Site Domestic</li> <li>Wastewater Management (as amended) where development is located:</li> <li>(a) in the Conservation zone, Rural zone or Rural residential zone; and</li> <li>(b) outside a reticulated sewerage service area.</li> </ul>	n/a	Not applicable.
Stormwater infrastructure			
<b>PO3</b> Stormwater infrastructure is designed and constructed to collect and convey the design storm event to a lawful point of discharge in a manner that mitigates impacts on life and property.	AO3.1 Where located within a Priority infrastructure area or where stormwater infrastructure is available, development is connected to Council's stormwater network in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	<ul> <li>AO3.2         On-site drainage systems are constructed:         <ul> <li>(a) to convey stormwater from the premises to a lawful point of discharge; and</li> <li>(b) in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.         </li> </ul> </li></ul>	~	The development will be conditioned to comply.
Electricity supply			
PO4 Each lot is provided with an adequate supply of electricity	AO4 The premises: (a) is connected to the electricity supply network; or (b) has arranged a connection to the transmission grid; or (c) where not connected to the network, an independent energy system with sufficient capacity to service the development (at near average energy demands associated with the use) may be provided as an alternative to reticulated electricity where: (i) it is approved by the relevant regulatory authority; and (ii) it can be demonstrated that no air or noise emissions; and (iii) it can be demonstrated that no adverse impact on visual amenity will occur.		The development will be conditioned to comply.
Telecommunications infrastru	ucture		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 Each lot is provided with an adequate supply of telecommunication infrastructure	AO5 Development is provided with a connection to the national broadband network or telecommunication services.	~	The development will be conditioned to comply.
Existing public utility servi	ces		
PO6 Development and associated works do not affect the efficient functioning of public utility mains, services or installations.	AO6 Public utility mains, services are relocated, altered or repaired in association with the works so that they continue to function and satisfy the relevant Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	~	The development will be conditioned to comply.
Excavation or filling			
<b>PO7</b> Excavation or filling must not have an adverse impact on the: (a) streetscape;	<b>A07.1</b> Excavation or filling does not occur within 1.5 metres of any site boundary.	n/a	Not applicable - no significant excavation or filling required or proposed.
<ul> <li>(d) Streetseape,</li> <li>(b) scenic amenity;</li> <li>(c) environmental values;</li> <li>(d) slope stability;</li> <li>(e) accessibility; or</li> </ul>	A07.2 Excavation or filling at any point on a lot is to be no greater than 1.5 metres above or below natural ground level.	n/a	Not applicable.
(f) privacy of adjoining premises.	<ul> <li>A07.3</li> <li>Earthworks batters: <ul> <li>(a) are no greater than 1.5 metres in height;</li> <li>(b) are stepped with a minimum width 2 metre berm;</li> </ul> </li> <li>(c) do not exceed a maximum of two batters and two berms (not greater than 3.6 metres in total height) on any one lot;</li> <li>(d) have a slope no greater than 1 in 4; and</li> <li>(e) are retained.</li> </ul>	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	<ul> <li>AO7.4</li> <li>Soil used for filling or spoil from excavation is not stockpiled in locations that can be viewed from: <ul> <li>(a) adjoining premises; or</li> <li>(b) a road frontage, for a period exceeding 1 month from the commencement of the filling or excavation.</li> </ul> </li> </ul>	n/a	Not applicable.
	A07.5 All batters and berms to be constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.
	A07.6 Retaining walls have a maximum height of 1.5 metres and are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
	AO7.7 Excavation or filling at any point on a lot is to include measures that protect trees at the foot or top of cut or fill batters by the use of appropriate retaining methods and sensitive earth removal or placement and in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
For assessable development			
Transport network			

Performance outcomes	Acceptable outcomes	Complies	Comments
<b>PO8</b> The development has access to a transport network of adequate standard to provide for the safe and efficient movement of vehicles, pedestrians and cyclists.	utilities and landscaping to the frontage/s of the site are	~	The development will be conditioned to comply.
	AO8.2 Development provides footpath pavement treatments in accordance with Planning Scheme Policy 9 – Footpath Paving.	n/a	Not applicable.
Public infrastructure			
<b>PO9</b> The design, construction and provision of any infrastructure that is to be dedicated to Council is cost effective over its life cycle and incorporates provisions to minimise adverse impacts.	AO9 Development is in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	~	The development will be conditioned to comply.
Stormwater quality			

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>PO10 Development has a non-worsening effect on the site and surrounding land and is designed to: <ul> <li>(a) optimise the interception, retention and removal of waterborne pollutants, prior to the discharge to receiving waters;</li> <li>(b) protect the interception interception interception is possible to be addressed by the possib</li></ul></li></ul>	AO10.1 The following reporting is prepared for all Material change of use or Reconfiguring a lot proposals: (a) a Stormwater Management Plan and Report that meets or exceeds the standards of design and construction set out in the Queensland Urban Drainage Manual (QUDM) and the Design Guidelines and	n/a	Not considered relevant for the scale of development proposed.
<ul> <li>environmental values of waterbodies affected by the development, including upstream, on-site and downstream waterbodies;</li> <li>(c) achieve specified water quality objectives;</li> </ul>	<ul> <li>Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; and</li> <li>(b) an Erosion and Sediment Control Plan that meets or exceeds the Soil Erosion and Sedimentation Control Guidelines (Institute of</li> </ul>		
<ul> <li>(d) minimise flooding;</li> <li>(e) maximise the use of natural channel design principles;</li> </ul>	Engineers Australia), including: (i) drainage control; (ii) erosion control;		
<ul> <li>(f) maximise community benefit; and</li> <li>(g) minimise risk to public safety.</li> </ul>	<ul> <li>(iii) sediment control; and</li> <li>(iv) water quality outcomes.</li> </ul>		

Performance outcomes	Acceptable outcomes	Complies	Comments
	<ul> <li>AO10.2</li> <li>For development on land greater than 2,500m<sup>2</sup> or that result in more than 5 lots or more than 5 dwellings or accommodation units, a Stormwater Quality Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) is prepared that demonstrates that the development: <ul> <li>(a) meets or exceeds the standards of design and construction set out in the Urban Stormwater Quality Planning Guideline and the Queensland Water Quality Guideline;</li> <li>(b) is consistent with any local area stormwater water management planning;</li> <li>(c) accounts for development type, construction phase, local climatic conditions and design objectives; and</li> <li>(d) provides for stormwater quality treatment measures reflecting land use constraints, such as soil type, landscape features (including landform), nutrient hazardous areas, acid sulfate soil and rainfall erosivity.</li> </ul> </li> </ul>	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO11Storageareasforstormwaterdetentionandretention:(a)protect or enhance(a)protect or enhancethe environmentalvalues of receivingwaters;(b)achieve specifiedwater qualityobjectives;(c)where possible,provide forrecreational use;(d)maximise communitybenefit; and(e)minimise risk topublic safety.	AO11 No acceptable outcome is provided.	n/a	Not applicable.
<b>PO12</b> Traffic generated by filling or excavation does not impact on the amenity of the surrounding area.	AO12.1 Haul routes used for transportation of fill to or from the site only use major roads and avoid residential areas. AO12.2 Transportation of fill to or from	n/a n/a	Not applicable.
	<ul> <li>the site does not occur:</li> <li>(a) within peak traffic times; and</li> <li>(b) before 7am or after 6pm Monday to Friday;</li> <li>(c) before 7am or after 1pm Saturdays; and</li> <li>(d) on Sundays or Public Holidays.</li> </ul>		

Performance outcomes	Acceptable outcomes	Complies	Comments
<b>PO13</b> Air pollutants, dust and sediment particles from	AO13.1 Dust emissions do not extend beyond the boundary of the site.	n/a	Not applicable.
excavation or filling, do not cause significant environmental harm or nuisance impacts.	AO13.2 No other air pollutants, including odours, are detectable at the boundary of the site.	n/a	Not applicable.
	AO13.3 A management plan for control of dust and air pollutants is prepared and implemented.	n/a	Not applicable.
PO14 Access to the premises (including driveways and paths) does not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; and (d) privacy of adjoining premises.	<ul> <li>AO14</li> <li>Access to the premises (including all works associated with the access): <ul> <li>(a) must follow as close as possible to the existing contours;</li> <li>(b) be contained within the premises and not the road reserve, and</li> <li>(c) are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.</li> </ul> </li> </ul>	n/a	Not applicable.
Weed and pest manageme	nt		
PO15 Development prevents the spread of weeds, seeds or other pests into clean areas or away from infested areas.	AO15 No acceptable outcome is provided.	n/a	Not applicable.
Contaminated land			

Performance outcomes	Acceptable outcomes	Complies	Comments
<b>PO16</b> Development is located and designed to ensure that users and nearby sensitive land uses are not exposed to unacceptable levels of contaminants	AO16 Development is located where: (a) soils are not contaminated by pollutants which represent a health or safety risk to users; or (b) contaminated soils are remediated prior to plan sealing, operational works permit, or issuing of building works permit.	n/a	Not applicable.
Fire services in developme	ents accessed by common priva	te title	
<b>PO17</b> Fire hydrants are located in positions that will enable fire services to access water safely, effectively and efficiently.	<ul> <li>AO17.1</li> <li>Fire hydrants are located in accessways or private roads held in common private title at a maximum spacing of:</li> <li>(a) 120 metres for residential development; and</li> <li>(b) 90 metres for any other development.</li> </ul>	n/a	Not applicable.
	<b>AO17.2</b> Fire hydrants are located at all intersections of accessways or private roads held in common private title.	n/a	Not applicable.