# <u>Assessment of application against relevant Development Codes</u>

### **APPLICATION DETAILS**

APPLICATION		PREI	MISES
FILE NO:	RAL/21/0027	ADDRESS:	1302
			Kennedy
			Highway,
			Kuranda
APPLICANT:	M Rutherford	RPD:	Lot 1 on
			NR7544 &
			Lot 12 on
			SP146289
LODGED BY:	M Rutherford	AREA:	Lot 1 -
			4,629m2
			Lot 12 -
			2.419ha
DATE LODGED:	17 December	OWNER:	M
	2021		Rutherford
TYPE OF APPROVAL:	Development Per	mit	
PROPOSED DEVELOPMENT:	Reconfiguring a	Lot - Creating	ng an Access
	Easement		
PLANNING SCHEME:	Mareeba Shire	Council Plan	ning Scheme
	2016		
ZONE:	Rural zone		
LEVEL OF	Code Assessment		
ASSESSMENT:			
SUBMISSIONS:	n/a		

## **Relevant Development Codes**

The following Development Codes are considered to be applicable to the assessment of the application:

- 6.2.9 Rural zone code
- 7.2.1 Kuranda local plan code
- 8.2.4 Environmental significance overlay code
- 8.2.6 Flood hazard overlay code
- 8.2.8 Hill and slope overlay code
- 8.2.11 Scenic amenity overlay code
- 9.4.2 Landscaping code
- 9.4.3 Parking and access code
- 9.4.4 Reconfiguring a lot code
- 9.4.5 Works, services and infrastructure code

#### 6.2.9 Rural zone code

### 6.2.9.1 Application

- (1) This code applies to assessing development where:
  - (a) located in the Rural zone; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

### 6.2.9.2 Purpose

- (1) The purpose of the Rural zone code is to:
  - (a) provide for rural uses including cropping, intensive horticulture, intensive animal industries, animal husbandry, animal keeping and other primary production activities:
  - (b) provide opportunities for non-rural uses that are compatible with agriculture, the environmental features, and landscape character of the rural area where the uses do not compromise the long-term use of the land for rural purposes;
  - (c) protect or manage significant natural resources and processes to maintain the capacity for primary production.
- (2) Mareeba Shire Council's purpose of the Rural zone code is to recognise the importance of primary production to the economy of the region and to maintain and strengthen the range of primary industries which contribute to the rural economy.

The purpose of the Rural zone code is to:

- (a) recognise the diversity of rural uses that exists throughout the region;
- (b) protect the rural character of the region;
- (c) provide facilities for visitors and tourists that are accessible and offer a unique experience;
- (d) protect the infrastructure of the Mareeba-Dimbulah Irrigation Scheme Area from development which may compromise long term use for primary production;
- (e) maintain distinct boundaries between the rural areas and the villages, towns and urban areas of the region;
- (f) provide for a range of uses, compatible and associated with rural or ecological values including recreational pursuits and tourist activities;
- (g) prevent adverse impacts of development on ecological values;
- (h) preserve land in large holdings; and
- (i) facilitate the protection of strategic corridors across the landscape which link remnant areas of intact habitat and transport corridors.
- (3) The purpose of the Rural zone code will be achieved through the following overall outcomes:
  - (a) Areas for use for primary production are conserved and fragmentation below economically viable lot sizes is avoided;
  - (b) The establishment of a wide range of rural pursuits is facilitated, including cropping, intensive horticulture, forestry, intensive animal industries, animal husbandry and animal keeping and other compatible primary production uses;
  - (c) The establishment of extractive industries, mining and associated activities and alternative forms of energy generation is appropriate where environmental impacts and land use conflicts are minimised;
  - (d) Uses that require isolation from urban areas as a consequence of their impacts such as noise or odour may be appropriate where land use conflicts are minimised;

- (e) Development is reflective of and responsive to the environmental constraints of the land:
- (f) Residential and other development is appropriate only where directly associated with the rural nature of the zone:
- (g) Low-impact tourism and recreation activities do not compromise the long-term use of the land for rural purposes;
- (h) The viability of both existing and future rural uses and activities is protected from the intrusion of incompatible uses;
- (i) Visual impacts of clearing, building, materials, access ways and other aspects of development are minimised or appropriately managed;
- (j) Adverse impacts of development both on-site and from adjoining areas are avoided and any impacts are minimised through location, design, operation and management; and
- (k) Natural features such as creeks, gullies, waterways, wetlands and bushland are retained, managed, enhanced and separated from adjacent development.

#### 6.2.9.3 Criteria for assessment

Table 6.2.9.3—Rural zone code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development su	bject to requirements and ass	sessable developme	nt
Height			
PO1 Building height takes into consideration and respects the following: (a) the height of existing buildings on adjoining premises; (b) the development	AO1.1 Development, other than buildings used for rural activities, has a maximum building height of:  (a) 8.5 metres; and (b) 2 storeys above ground level.	n/a	This application is for an access easement only.
potential, with respect to height, on adjoining premises;  (c) the height of buildings in the vicinity of the site;  (d) access to sunlight and daylight for the site and adjoining sites;  (e) privacy and overlooking; and  (f) site area and street frontage length.	AO1.2 Buildings and structures associated with a rural activity including machinery, equipment, packing or storage buildings do not exceed 10 metres in height.	n/a	This application is for an access easement only.
Siting, where not involving  Note—Where for Dwelling house, the se	•	t Code apply.	

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
man	elopment is sited in a ner that considers and ects: the siting and use of adjoining premises; access to sunlight and daylight for the site and adjoining sites;	AO2.1  Buildings and structures include a minimum setback of:  (a) 40 metres from a frontage to a Statecontrolled road; and  (b) 10 metres from a boundary to an adjoining lot.	n/a	This application is for an access easement only.
(c) (d) (e) (f)	privacy and overlooking; air circulation and access to natural breezes; appearance of building bulk; and relationship with road	AO2.2 Buildings and structures, where for a Roadside stall, include a minimum setback of 0 metres from a frontage to a road that is not a State-controlled road.	n/a	This application is for an access easement only.
	corridors.	AO2.3  Buildings and structures, expect where a Roadside stall, include a minimum setback of:  (a) 10 metres from a frontage to a sealed road that is not a State-controlled road; and  (b) 100 metres from a frontage to any other road that is not a State-controlled road;	n/a	This application is for an access easement only.
Acc	ommodation density			
PO3 The Acco	density of ommodation activities: respects the nature	AO3.1 Residential density does not exceed one dwelling house per lot.	n/a	This application is for an access easement only.
(b)	and density of surrounding land use; is complementary and subordinate to the rural and natural landscape values of the area; and is commensurate to the scale and frontage of the site.	AO3.2 Residential density does not exceed two dwellings per lot and development is for:  (a) a secondary dwelling; or  (b) Caretaker's accommodation and includes building work or minor building work with a maximum gross floor area of 100m²; or  (c) Rural worker's accommodation.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
For assessable developme	nt		
Site cover			
PO4 Buildings and structures occupy the site in a manner that:  (a) makes efficient use of land;  (b) is consistent with the bulk and scale of buildings in the surrounding area; and  (c) appropriately balances built and natural features.	AO4 No acceptable outcome is provided.	n/a	This application is for an access easement only.
PO5 Development complements and integrates with the established built character of the Rural zone, having regard to: (a) roof form and pitch; (b) eaves and awnings; (c) building materials, colours and textures; and (d) window and door size and location.	AO5 No acceptable outcome is provided.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments		
Amenity	Amenity				
PO6 Development must not detract from the amenity of the local area, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO6 No acceptable outcome is provided.	n/a	This application is for an access easement only.		
PO7 Development must take into account and seek to ameliorate any existing negative environmental impacts, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO7 No acceptable outcome is provided.	n/a	This application is for an access easement only.		

### 7.2.1 Kuranda local plan code

### 7.2.1.1 Application

- (1) This code applies to assessing development where:
  - (a) located in the Kuranda local plan area; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

### 7.2.1.2 Purpose

- (1) The purpose of the Kuranda local plan code is to:
  - (a) maintain the distinctive "village in the rainforest" theme of Kuranda;
  - (b) maintain the character and pedestrian scale of Kuranda's village heart;
  - (c) maintain a vibrant and diverse village frame which accommodates a cluster of uses including tourism attractions and mixed-use facilities; and
  - (d) ensure points of arrival into Kuranda are developed sensitively.
- (2) Three precincts are identified within the local plan in order to achieve this purpose:
  - (a) The Village heart precinct focuses on the fig tree lined section of Upper Coondoo Street and adjoining Thongon and Therwine Streets. The purpose of this precinct is to maintain the distinctive landscaping, paving schemes, active shop fronts and pedestrian scale of development in the Village heart as the focal point of activity within Kuranda.
  - (b) The Village frame precinct consists of a variety of commercial and community uses, characterised by varying scales and formats, including the markets, zoos and some mixed use commercial/residential developments and community facilities. The purpose of the precinct is to accommodate a wider variety of uses which still contribute to the rainforest character and theme of the Kuranda village.
  - (c) The Green belt precinct contains a mix of tenures and land uses which contribute to the distinctive rainforest belt enveloping Kuranda village. The purpose of the precinct is to maintain the rainforest theme of the village. The Green belt precinct also protects the visual amenity around points of arrival into Kuranda village.
- (3) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development provides high standards of amenity and compliments the surrounding natural and built environment;
  - (b) Development is integrated sensitively into the built and natural environment;
  - (c) Development maintains the streetscape amenity and pedestrian scale of Upper Coondoo, Thongon and Therwine St;
  - (d) Development maintains a mixed use commercial area framing Kuranda's village heart accommodating a range of formats and scales of development and contributing to the established character of Kuranda:
  - (e) Development preserves and enhances a rainforest belt around the Kuranda village;
  - (f) Development protects Kuranda village from visually obtrusive development; and
  - (g) Development maintains a streetscape theme within the village through consistent landscape treatments and paving schemes.

## 7.2.1.3 Criteria for assessment

Table 7.2.1.3A—Kuranda local plan – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted developmen	t subject to requirements ar	nd assessable dev	elopment
PO1 Advertising devices are compatible with the established character of the Kuranda local plan area, having regard to the:  (a) dominance of natural elements;	AO1.1 Advertising devices: (a) are not illuminated or flashing; and (b) do not use fluorescent colours or reflective surfaces.	n/a	This application is for an access easement only.
(b) scale of built elements; (c) nature of existing development in identified precincts; and (d) scale, location and prominence of existing advertising devices.  Note—Refer to Planning Scheme Policy 1 – Character Area Design Guidelines for additional guidance in relation to the development outcomes sought.	Where in the Village heart precinct or the Village frame precinct, advertising devices are limited to:  (a) those attached to buildings;  (b) a maximum of two permanent advertising devices per business; and  (c) a combined surface area of no greater 2m².	n/a	This application is for an access easement only.
	Where in the Green belt precinct, advertising devices are:  (a) limited to a surface area of 0.5m²;  (b) located a minimum of 300 metres from the closest freestanding advertising device; and  (c) located to not obstruct the windows or architectural features of a building or structure to which they are attached.	n/a	This application is for an access easement only.
Where in the Village frame	precinct		
PO2 Buildings are sited in a manner which is consistent	AO2.1 Site cover does not exceed 60%.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
with the established scale and form of buildings within the precinct, having regard to:	AO2.2 Buildings are set back a minimum of 3 metres from the primary street frontage.	n/a	This application is for an access easement only.
<ul> <li>(a) proximity to the street;</li> <li>(b) the existing relationship between built and natural features; and</li> <li>(c) treatment of corner sites.</li> </ul>	AO2.3  Buildings are set back a minimum of 2 metres from any secondary street frontage.	n/a	This application is for an access easement only.
Note—Refer to Planning Scheme Policy 1 – Character Area Design Guidelines for additional guidance in relation to the development outcomes sought.			
PO3 Car parking and service areas do not dominate the streetscape.	AO3.1  No more than 50% of provided car parking is to be located between the building and the primary street frontage.	n/a	This application is for an access easement only.
	AO3.2 Servicing areas, excluding driveways, are not visible from the primary street frontage.	n/a	This application is for an access easement only.
Where in Green belt precir	nct		
PO4 Where located on a site identified as a 'point of arrival', development reinforces a positive image of Kuranda and upholds the "village in the rainforest" theme.		n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 The natural landscape character of the Green belt precinct is maintained and enhanced through on-site landscaping that: (a) promotes the dominance of natural elements; (b) screens built elements from view; (c) includes species consistent with those found in the precinct;	AO5.1  Development provides and maintains landscaping:  (a) along the full frontage of the site (excluding any access ways);  (b) with a minimum width of 3 metres; and  (c) contains rainforest planting in accordance with Table 7.2.1.3B.	n/a	This application is for an access easement only.
and (d) includes an appropriate depth of planting from the frontage.	AO5.2 Existing mature native vegetation that is visible from public open space and streets within the Green belt precinct is retained.	n/a	This application is for an access easement only.
For assessable developme	ent	I	
PO6 Development fronting Rob Veivers Drive, Barron Falls Road or the southern portion of the Kennedy Highway maintains and enhances the natural rainforest appearance of land adjoining these corridors through the retention and addition of existing native vegetation.	AO6.1  Existing vegetation is retained at a depth of a minimum of:  (a) 20 metres from the lot frontage for properties fronting the southern side of Rob Veivers Drive; or  (b) 3 metres from the lot frontage for properties fronting the northern side of Rob Veivers Drive; or  (c) 10 metres from the lot frontage for properties fronting either side of Barron Falls Road; or  (d) 10 metres from the lot frontage for properties fronting either side of the portion of the Kennedy Highway to the south of the Barron River.	n/a	This application is for an access easement only.  Any future development of Lot 12 will need to comply with planning scheme.  Approximately 35 metres depth of vegetation remains within the Kennedy Highway road reserve adjacent to the proposed easement.

Performance outcomes	Acceptable outcomes	Complies	Comments
	Where an area of a frontage described in AO6.1 does not contain any vegetation for a distance greater than 2 metres, this area is replanted:  (a) to the depth specified in AO6.1; and  (b) in accordance with Table 7.2.1.3B.	n/a	Not applicable.
	AO6.3  Where the site has a frontage to a road described in AO6.1, other than Barron Falls Road, advertising devices:  (a) are limited to a surface area of 0.5m²;  (b) do not use fluorescent colours or reflective surfaces;  (c) do not involve illumination; and  (d) are spaced a minimum of 300 metres apart from the closest existing freestanding advertising device.	n/a	Not applicable.
Where in Village frame pre	cinct and Village heart pred	inct	

Performance outcomes	Acceptable outcomes	Complies	Comments
PO7 Development in the Village frame precinct and Village heart precinct is undertaken in a manner that respects the place's local character having regard to:  (a) building height, scale, bulk, mass and proportion;  (b) building materials, patterns, textures, colours, and decorative elements;  (c) floor to ceiling height;  (d) roof form and pitch;  (e) facade articulation, detailing, stairways, and window and door proportions;  (f) verandahs, awnings and eaves;  (g) access ways, driveway crossovers, fence style and alignment;  (h) ancillary buildings; and  (i) other local character elements of the streetscape.  Note—Refer to Planning Scheme Policy 1 – Character Area Design Guidelines for additional guidance in relation to the development outcomes sought.	AO7 No acceptable outcome is provided.	n/a	This application is for an access easement only.
Where in Village heart pre-	cinct		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO8 Frontage works contribute to and extend established streetscape themes and landscape treatments, having regard to: (a) the location of street trees; (b) the provision of mature trees near the frontage; (c) the provision of raised planters; (d) established paving schemes; (e) the permeability of surface treatments; and (f) opportunities for public art.  Note—Refer to Planning Scheme Policy 1 – Character Area Design Guidelines for additional guidance in relation to the development outcomes sought.	AO8 No acceptable outcome is provided.	n/a	This application is for an access easement only.
Where in Village frame pre	cinct		
PO9 Landscaping along the site frontage of a site in the Village frame precinct reinforces and enhances the natural character of the precinct by providing:  (a) a sufficient depth of planting to ensure natural elements are prominent; and  (b) species that are consistent with those found in the precinct.	AO9 A landscape strip is provided adjacent to the full length of any road frontage: (a) with a minimum width of 2 metres; and (b) landscaped in accordance with the Table 7.2.1.3B.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 Buildings incorporate materials and design features that are consistent with the established style and form of development within the precinct, having regard to:  (a) roofing; (b) window placement; and (c) privacy screening.	Buildings incorporate the following design characteristics:  (a) roofing materials with a traditional profile corrugated iron;  (b) fenestration which has a vertical emphasis;  (c) avoidance of large glazed areas in otherwise blank walls; and  (d) privacy screens which consist of lattice or battens and are less than 50% transparent.  Note—Refer to Planning Scheme Policy 1 – Character Area Design Guidelines for additional guidance in relation to the development outcomes sought.	n/a	This application is for an access easement only.

Table 7.2.1.3B - Kuranda local plan precincts preferred plant species

			•
Village heart precinct	Village frame precinct	Green belt precinct	Residential areas (local scenic routes)
Street trees  F. hillii  F. microcarpa var. latifolia (preferable attainable)	Street trees  Elaeocarpus bancrofti  Flindersia pimenteliana  Grevillea baileyana  Syzgium kuranda	Signature species  Agathis robusta (Kauri Pine)	<ul> <li>Trees (street plantings)</li> <li>Archontophoenix myolensis (Myola Palm)</li> <li>Backhousea citriodora</li> <li>Bauhinia variegate var. candida</li> <li>Cassis javanica x fistula</li> </ul>
Shrubs  Acalypha lyonsii Cordyline terminalis Graptophllum ilicifolia	<ul><li>Alpinia arctiflora</li><li>Alpinia caerulea</li></ul>	Shrubs  Alyxia ruscifolia  Austromyrtus sp. Goldsborough (syn.	<ul> <li>Saraca thiapingensis</li> <li>Shrubs (verge plantings)</li> <li>Centradenia rosea</li> <li>Calliandra spp.</li> </ul>
	<ul> <li>Cryptocarya laevigata</li> <li>Diospyros cupulosa</li> <li>Memecylon pauciflorum</li> </ul>	Eugenia sp. Mulgrave River)  Banksia spinulosa Hibbertia velutina Leptospermum polygalifolium	Camana opp.
Groundcover		Groundcover	Groundcover
competition)  Acmena smithii  Adiantum hispidulum Asplenium longcornutum  Hemigraphis repanda  Impatiens repens  Philodendron 'Imperial Red'	<ul><li>confusa</li><li>Macrothelypteris torresiana</li></ul>		<ul> <li>Calliandra tweedi 'Red Flash'</li> <li>Rosa cv. 'Flower Carpet Red'</li> </ul>
Groundcover (other)		Small trees/ large shrubs	
<ul> <li>Acalyppha reptans</li> <li>Cuphea sp. 'Tiny Mice'</li> <li>Torenia 'Blue Magic' Viola hederacea</li> </ul>	<ul> <li>Ficus pleurocarpa</li> <li>Sundacarpus amara</li> <li>Syzgium Kuranda         \Elaeocarpus         bancrofti (Kuranda         Satinash)     </li> </ul>	<ul> <li>Acmena smithii</li> <li>Archontophoenix myolensis, (Myola Palm)</li> <li>Baekea frutescens</li> <li>Callistemon recurvis</li> <li>Callitris macleayana</li> <li>Casuarina torulosa</li> </ul>	

Source: Kuranda Plant Palette prepared by Siteplan Cairns Pty Ltd (Landscape Architects for Mareeba Shire Council) 2000

#### 8.2.4 Environmental significance overlay code

### 8.2.4.1 Application

- (1) This code applies to assessing development where:
  - (a) land the subject of development is affected by a constraint category identified on the **Environmental significance overlay maps (OM-004a-z)**; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Biodiversity and Water quality are appropriately reflected in Overlay Map 4 and is required to be mapped by State Government in response to Environment and Heritage State Interests.

### 8.2.4.2 Purpose

(1) The purpose of the Environmental significance overlay code is to identify and protect matters of environmental significance, which include matters of state environmental significance (MSES) as defined under the state planning policy.

The Environmental significance overlay code ensures that:

- (a) waterways and high ecological significance wetlands are protected and enhanced to maintain ecosystem services and hydrological processes and provide aquatic habitat for flora and fauna; and
- (b) the environmental values of regulated vegetation, wildlife habitat, protected areas and legally secured offset areas are protected and managed.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) the biodiversity values, ecosystem services and climate change resilience of areas of environmental significance are protected, managed, enhanced and rehabilitated;
  - (b) the biodiversity values of protected areas and legally secured offset areas are protected from development unless overriding community need is demonstrated;
  - (c) development is located, designed and managed to minimise the edge effects of development on areas of regulated vegetation and wildlife habitat;
  - (d) areas of regulated vegetation and wildlife habitat are managed to minimise biodiversity losses;
  - development maintains, protects and enhances a regional network of vegetated corridors that assist in wildlife movement and contribute to the maintenance of habitat and biological diversity;
  - (f) development is appropriately setback from waterways and high ecological significance wetlands to minimise direct and indirect impacts on water quality and biodiversity; and
  - (g) riparian vegetation and vegetation associated with high ecological significance wetlands is protected and enhanced to improve water quality and natural ecosystem function.

## 8.2.4.3 Criteria for assessment

Table 8.2.4.3A - Environmental significance overlay code - For accepted development subject to requirements and assessable development

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
For	accepted development sub	pject to requirements and as	sessable developme	ent
Reg	ulated vegetation			
map vege Env Sigi (OM unle (a)  (b)	it is demonstrated that the area does not support regulated vegetation as mapped; the loss or reduction in regulated vegetation is for community infrastructure and associated access facilities that cannot be avoided; wildlife interconnectivity is maintained or enhanced at a local and regional scale; and the loss or reduction in regulated vegetation is minimised and any residual impacts are offset.	AO1.1 No clearing of native vegetation is undertaken within areas of 'Regulated vegetation' identified on the Environmental Significance Overlay Maps (OM-004a-o).	n/a	The proposed easement is not within an area affected by the environmental significance overlay.
to ar vege Envi	elopment on sites adjacent eas of 'Regulated etation' identified on the ironmental Significance rlay Maps (OM-004a-o) ects the environmental ficance of regulated etation and: does not interrupt, interfere, alter or otherwise impact on underlying natural ecosystem processes such as water quality, hydrology,	AO2 Development (excluding roads, earthworks, drainage infrastructure and underground infrastructure) is not located within 20 metres of 'Regulated vegetation' areas identified on the Environmental Significance Overlay Maps (OM-004a-o).	n/a	The proposed easement is not within an area affected by the environmental significance overlay.

Performance outcomes	Acceptable outcomes	Complies	Comments
geomorphology and biophysical processes; (b) does not negatively impact the movement of wildlife at a local or regional scale; and (c) avoids noise, light, vibration or other edge affects, including weed and pest incursion on identified environmental values.  Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 — Ecological Assessment Reports.			
Regulated vegetation interse	ecting a watercourse		
PO3  Vegetation clearing in areas mapped as 'Regulated vegetation intersecting a watercourse', identified as 'Waterway' and 'Waterway buffer' on the Environmental Significance - Waterway Overlay Maps (OM-004p-z) is avoided unless wildlife interconnectivity between habitats is maintained or enhanced at a local and regional scale, to the extent that migration or normal movement of significant species between habitats or	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z)  AO3.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p-z).	n/a	The proposed easement is not within an area affected by the environmental significance overlay.
normal gene flow between populations is not inhibited.  Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z)  AO3.2  No clearing of native vegetation is undertaken within the minimum setback identified at AO3.1.	n/a	The proposed easement is not within an area affected by the environmental significance overlay.
Waterways and wetlands			

Performance outcomes	Acceptable outcomes	Complies	Comments
'High ecological significance wetlands' identified on the Environmental Significance Overlay Maps (OM-004a-o) and 'Waterways' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) and are protected by:  (a) maintaining adequate separation distances between waterways/wetlands	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) AO4.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway	n/a	The proposed easement is not within an area affected by the environmental significance overlay.
and development; (b) maintaining and enhancing aquatic and terrestrial habitat including vegetated corridors to allow for native fauna (terrestrial and aquatic) movement; (c) maintaining waterway bank stability by minimising bank erosion and slumping; (d) maintaining water quality by providing buffers to allow filtering of sediments,	Overlay Maps (OM-004p-z).  Where within a 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.2  A minimum buffer of 200 metres is provided between development and the edge of a 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).	n/a	The proposed easement is not within an area affected by the environmental significance overlay.
nutrients and other pollutants; and  (e) retaining and improving existing riparian vegetation and existing vegetation associated with a wetland.  Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.3  No stormwater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).  Note— An alternative outcome is required to demonstrate that the ecological impacts of stormwater discharge to a 'Waterway' or 'High ecological significance wetland'	n/a	The proposed easement is not within an area affected by the environmental significance overlay.

Performance outcomes	Acceptable outcomes	Complies	Comments
	are mitigated in accordance with PO3 through appropriate stormwater management / treatment (where possible).		
	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.4  No wastewater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Map (OM-004a-z).	n/a	The proposed easement is not within an area affected by the environmental significance overlay.
	Note— A alternative outcome is required to demonstrate that the ecological impacts of wastewater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate wastewater management / treatment (where possible).		
For assessable developmen	nt		
Wildlife Habitat			
PO5 Development within a 'Wildlife habitat' area identified on the Environmental Significance Overlay Maps (OM-004a-o):  (a) protects and enhances the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance;  (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the	AO5 No acceptable outcome is provided	n/a	The proposed easement is not within an area affected by the environmental significance overlay.
development site; (c) maintains or enhances wildlife interconnectivity			

Performance outcomes	Acceptable outcomes	Complies	Comments
at a local and regional scale; and (d) mitigates the impact of other forms of potential disturbance (such as presence of vehicles, pedestrian use, increased exposure to domestic animals, noise and lighting impacts) to protect critical life stage ecological processes (such as feeding, breeding or roosting).  Note—Development applications must identify any EVNT species or their habitats that may be affected by the proposal. In particular, applications are to identify and describe how the development avoids adverse impacts on ecological processes within or adjacent to the development area.  Note—A supporting Ecological Assessment Report is prepared in	Acceptable outcomes	Complies	Comments
accordance with Planning Scheme Policy 2 – Ecological Assessment			
Reports.			
Legally secured offset area PO6	AO6	n/a	The proposed
Development within a 'Legally secured offset area' identified on the Environmental Significance Overlay Maps (OM-004a-o) or other known Legally Secured Offset Area is consistent with the binding requirements of the offset and does not prejudice, undermine, or negatively impact the inherent ecological values, including all naturally occurring native flora, fauna and their habitat within the Legally Secured Offset Area.  Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 — Ecological Assessment Reports.	No acceptable outcome is provided.		The proposed easement is not within an area affected by the environmental significance overlay.
Protected areas			1
PO7 Development within a  'Protected area' identified on  the Environmental		n/a	The proposed easement is not within an area affected by the environmental

Performance outcomes	Acceptable outcomes	Complies	Comments
Significance Overlay Maps (OM-004a-o) is consistent with the values of the Protected Area and: (a) supports the inherent ecological and community values of the Protected Area asset;			significance overlay.
(b) maintains or enhances wildlife interconnectivity at a local and regional scale; and			
(c) does not prejudice, undermine, or negatively impact the inherent ecological values, including all naturally occurring native flora, fauna and their habitat within the Protected Area.			
Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
Eco	logical corridors and Ha	abitat linkages		
PO8		AO8	n/a	The proposed
	in the Conservation zone, Emerging community zone, Recreation and open space zone, Rural zone or Rural residential zone; and within an 'Ecological corridor' or a 'Habitat linkage' identified on the Environmental Significance Overlay Maps (OM-004a-o)	No acceptable outcome is provided		easement is not within an area affected by the environmental significance overlay.
	- p - \ - ··· - · · · · · · · · · · · · · ·			
prov conr corri	s not compromise the rision of habitat nectivity of the idor/linkage, having and to: the environmental values of the area of the site identified in the			
(b)	'Ecological corridor' or 'Habitat linkage'; the environmental values of adjoining and nearby land within the 'Ecological corridor' or			
(c)	'Habitat linkage'; the extent of any modification proposed to the natural environment including (but not limited to) vegetation and topography;			
(d)	the location and design of proposed improvements that may impact on the functions of the 'Ecological corridor' or 'Habitat linkage' including (but not limited to) buildings, structures, fences, lighting, vehicle movement areas and infrastructure services; and			
(e)	the ability for the 'Ecological corridor' or 'Habitat linkage' to be enhanced to improve ecological connectivity.			

Performance outcomes	Acceptable outcomes	Complies	Comments
Note—A supporting Ecological Assessment Report prepared in accordance with Planning Scheme			
Policy 2 – Ecological Assessment Reports may be appropriate to demonstrate compliance with PO8.			

Table 8.2.4.3B - Setback and buffer distances from waterways

Stream order	Setback and buffer from waterways
1	10 metres from top of high bank
2-4	25 metres from top of high bank
5 or more	50 metres from top of high bank

Note—The steam order of a 'waterway' is to be determined on a case by case basis.

#### 8.2.6 Flood hazard overlay code

### 8.2.6.1 Application

- (1) This code applies to assessing development where:
  - (a) land the subject of development is located within a Flood hazard area identified on the Flood hazard overlay maps (OM-006a-o); and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Natural hazards are appropriately reflected in Overlay Maps 3, 6 and 8 and are required to be mapped by State Government in response to Hazard and Safety State Interests.

Note—where new information, including flood studies or flood modelling supersedes the Flood hazard overlay maps (OM-006a-o) Council may have regard to this new information in the application of the Flood hazard overlay code in the interests of the precautionary principle and the safety of persons and property.

#### 8.2.6.2 Purpose

- (1) The purpose of the Flood hazard overlay code is to manage development outcomes in flood hazard areas identified on the Flood hazard overlay maps (OM-006a-o) so that risk to life, property, community and the environment during flood events is minimised, and to ensure that development does not increase the potential for flood damage on site or to other property.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development in the 'Extreme flood hazard area':
    - i. maintains and enhances the hydrological function of the land;
    - ii. does not involve filling (earthworks) or changes to existing landform or drainage lines that results in a loss of the flood conveyance and flood storage capacity of the land;
    - iii. is limited to:
      - A. flood proofed Sport and recreation activities;
      - B. Rural activities where for Animal husbandry, Cropping or Permanent plantation:
      - C. flood proofed Utility installations, Substations or Major electricity infrastructure;
      - D. conservation and natural area management; and
      - E. replacement of existing lawful development, including Accommodation activities where habitable rooms are elevated above the defined flood level and include freeboard;

Where there is no increase to the number of persons at risk of flood and where development reduces existing or potential risks to life and property.

- (b) Development in the 'High flood hazard area':
  - i. maintains the hydrological function of the land;
  - ii. does not involve filling (earthworks) or changes to the existing landform or drainage lines that results in a loss of the flood conveyance and flood storage capacity of the land;
  - iii. is limited to:
    - A. flood proofed Sport and recreation activities and Club uses;
    - B. Non-resident workforce accommodation, Relocatable home park, Resort complex, Rooming accommodation, Short term accommodation and Tourist park uses where these uses comprise permanent on-site management and a flood evacuation management plan ensures the health and safety of persons during a flood event;

- C. a Dwelling house only where the lot existed or had a lawful reconfiguring a lot approval at the commencement of the planning scheme and the land is included in a Residential zone or the Centre zone or where for minor intensification of existing Dwelling houses:
- D. Rural activities where for Animal husbandry, Cropping or Permanent plantation;
- E. Industrial activities and Commercial activities where it is accepted development that flood damage is incurred as an operational cost and where flood sensitive elements of the development or use are elevated above the defined flood level, including freeboard;
- F. flood proofed Utility installations, Substations or Major electricity infrastructure:
- G. conservation and natural area management; and
- H. replacement of existing lawful development;

where there is no increase to the number of persons at risk of flood and where development reduces existing or potential risks to life and property.

- iv. protects surrounding land and land uses from increased flood hazard impacts;
- v. elevates habitable rooms for all accommodation activities (including where for minor building work) above the defined flood level, including freeboard.
- (c) Development in the 'Significant flood hazard area':
  - minimises risk to life and property from flood events;
  - ii. involves changes to the existing landform and drainage lines in this area only where detrimental impacts to the flood hazard risk of surrounding areas is avoided:
  - iii. is limited to:
    - A. Sport and recreation activities;
    - B. Industrial activities and Commercial activities where it is accepted development that flood damage is incurred as an operational cost and where flood sensitive elements of the development or use are elevated above the defined flood level, including freeboard;
    - C. Rural activities:
    - D. Accommodation activities, excluding Residential care facility and Retirement facility:
    - E. flood proofed Community activities, excluding Child care centre, Hospital and Community use where a flood emergency evacuation plan ensures the safety of people during a flood event;
    - F. flood proofed Utility installations, Substations or Major electricity infrastructure:
    - G. conservation and natural area management;
  - iv. locates habitable rooms for all accommodation activities above the defined flood level, including freeboard; and
  - v. locates the minimum floor level for all buildings other than accommodation activities, industrial activities and business activities above the defined flood level.
- (d) Development in the 'Low flood hazard area':
  - i. minimises risk to life and property from flood events;
  - ii. locates habitable rooms for all Accommodation activities above the defined flood level, including freeboard; and
  - iii. locates the minimum floor level for all buildings other than Accommodation activities above the defined flood level, including freeboard.

- (e) Development in the 'Potential flood hazard area':
  - i. maintains the safety of people on the development site from flood events and minimises the potential damage from flooding to property;
  - ii. does not result in adverse impacts on people's safety, the environment or the capacity to use land within the floodplain;
  - iii. locates habitable rooms for all Accommodation activities above a 1% Annual Exceedance Probability (AEP), including freeboard; and
  - iv. locates the minimum floor level for all building work other than Accommodation activities above the 1% AEP flood level, including freeboard.

### 8.2.6.3 Criteria for assessment

Table 8.2.6.3A - Flood hazard overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted developmen	t subject to requirements and	assessable deve	elopment
All flood hazard areas			
PO1 Development prevents the carriage or dispersal of contaminants or pollutants into the receiving environment.		n/a	This application is for an access easement only.
Essential community infrastructure is able to function effectively during and immediately after flood events.	must comply with the flood immunity standards specified in Table 8.2.6.3.B and Table 8.2.6.3.C where within a flood hazard area identified on the Flood hazard overlay maps (OM-006a-o).	n/a	This application is for an access easement only.
Extreme flood hazard area			

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
		-	•	
PO3		AO3.1	n/a	This application is for an access
1	elopment, where	Uses within the following		easement only.
invo	•	activity groups are not located within an 'Extreme		
1	nge of use within an reme flood hazard			
_	eme flood hazard on the <b>Flood hazard</b>	flood hazard area identified'		
		on the Flood hazard overlay		
1	rlay maps (OM006a-	maps (OM006a-o):		
	is appropriate to the land hazard risk having	(a) Accommodation		
1	rd to the:	activities; (b) Commercial activities;		
_	likelihood and			
(a)	frequency of	(c) Community activities except where for a Club		
	flooding;	with a maximum gross		
(b)	flood risk	floor area of 100m <sup>2</sup> ;		
(b)	acceptability of	(d) Industrial activities;		
	development;	(e) Rural activities, except		
(c)	vulnerability of and	where for Animal		
(6)	safety risk to	husbandry, Cropping,		
	persons associated	or Permanent		
	with the use;	plantation.		
(d)	associated	AO3.2	n/a	This application is
(4)	consequences of	Sport and recreation activities	1,,,	for an access
	flooding in regard to	are not located within an		easement only.
	impacts on	'Extreme flood hazard area'		
	proposed buildings,	identified on the <b>Flood</b>		
	structures, and	hazard overlay maps		
	supporting	(OM006a-o) except where		
	infrastructure; and	for:		
(e)	associated	(a) Environment facility;		
` ′	consequences of	(b) Park; or		
	flooding in respect to	(c) Outdoor sport and		
	undue burden on	recreation (excluding		
	disaster response	the provision of		
	recovery capacity	ancillary facilities or		
	and capabilities.	amenities conducted		
		within a building).		
PO4		AO4.1	n/a	This application is
Dev	elopment is located	Buildings, including		for an access
and	designed to:	extensions to existing		easement only.
(a)	maintain and	buildings, are:		
	enhance the flood	(a) not located within an		
	conveyance	'Extreme flood hazard		
	capacity of the	area' identified on the		
	premises;	Flood hazard overlay		
(b)	not increase the	<b>maps (OM006a-o)</b> ; or		
	number of people	(b) elevated above the		
	calculated to be at	defined flood level, with		
	risk from flooding;	0.3 metres freeboard		
(c)	not increase the	from the defined flood		
	flood impact on	level provided for		
	adjoining premises;	habitable rooms within		
		a dwelling.		

(d) ensure the safety of all persons by ensuring that  Acceptable outcomes  AO4.2  All building work must b set and retains the	Complies n/a	Comments
all persons by  All building work must b	n/a	
development levels are set above the defined flood level; reduce property damage; and storage and conve capacity of the premise Note—Building work must be ce a qualified structural engineer to proof including the ability to we	flood yance S. rtified by be flood vithstand	This application is for an access easement only.
immune access to buildings.  Note—Buildings may be constructed from flood resistant, waterproof materials below the defined flood level where certified by a qualified structural engineer to be flood proof (including the ability to withstand damage from floodwater and debris) and where an alternative outcome to AO4.1-AO4.4 is also demonstrated.  Note—In the event that a lawful building or structure is destroyed by  AO4.3  New buildings are prowith flood free pedestriate vehicle evacuation as between the building and	n/a pvided an and access and a pad.  le road ified as within a tial flood d hazard overlay	This application is for an access easement only.
flood or other event the building may be replaced in situ where there is no increase in:  i. gross floor area; or ii. the number of dwellings or bedrooms on the premises.  AO4.4  Development does increase the number of the 'Extreme flood harea' identified on the	nazard Flood maps ere for	This application is for an access easement only.
PO5 Development involving earthworks in a Flood hazard area below the defined flood level must  AO5 Filling above ground lead not undertaken in 'Extreme flood hazard identified on the	the	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO6 Development, where for a Material change of use within a 'High flood hazard area' identified on the Flood hazard overlay maps (OM-006a-o), is appropriate to the flood hazard risk having regard to the:  (a) likelihood and frequency of flooding;  (b) flood risk acceptability of development;  (c) vulnerability of and safety risk to persons associated with the use;  (d) associated consequences of	AO6.1 Uses within the following activity groups are not located within a 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o):  (a) Accommodation activities, except where for Dwelling house and only where the lot existed or had a lawful reconfiguring a lot approval at the commencement of the planning scheme and the land is included in a Residential zone or the Centre zone;  (b) Community activities except where for a Club with a maximum gross	n/a	Comments  This application is for an access easement only.
flooding in regard to impacts on proposed buildings, structures and supporting infrastructure; and	floor area of 100m²; (c) Rural activities, except where for Animal husbandry, Cropping or Permanent plantation.		
(e) associated consequences of flooding in respect to undue burden on disaster response recovery capacity and capabilities.	AO6.2	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
P07	AO7.1	n/a	This application is
Development is located and designed to:  (a) maintain	Buildings, including extensions to existing buildings are:		for an access easement only.
hydrological function of the premises; (b) not increase the number of people	(a) not located within the 'High flood hazard area' identified on the Flood hazard overlay		
calculated to be at risk from flooding; (c) minimises the flood	maps (OM006a-o); or (b) elevated above the defined flood level, with		
impact on adjoining premises; (d) ensure the safety of	0.3 metres freeboard from the defined flood level provided for habitable rooms within		
all persons by ensuring that an appropriate proportion of	a dwelling. OR A07.2	n/a	This application is
buildings are set above the defined flood level;	Buildings used for Commercial activities or Industrial activities include a		for an access easement only.
(e) reduce the carriage of debris in flood waters;	minimum floor level of 0.3 metres above the defined flood where for the following		
(f) reduce property damage; and (g) provide flood	components of the use: (a) administrative areas; or (b) services, plant and		
immune access to buildings.	equipment associated with the building.		
Note—Buildings may be constructed from flood resistant, waterproof materials below the defined flood level where certified by a qualified structural positions to be flood proof.	Note—AO8.2 accepts that the cost of flood impact is an operational cost of the Commercial activity or Industrial activity.		
structural engineer to be flood proof (including the ability to withstand damage from floodwater and debris) and where an alternative outcome to AO8.1-AO8.9 is also demonstrated.	a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris.	7/2	This position is
7.55.1 7.65.5 is also demonstrated.	AO7.3 All building work below the defined flood level must be high set (comprising pier and	n/a	This application is for an access easement only.
	beam construction) and retains the flood storage and conveyance capacity of the premises.		

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO7.4  New buildings are provided with flood free pedestrian and vehicle evacuation access between the building and a flood safe accessible road.  Note—A flood safe accessible road	n/a	This application is for an access easement only.
	includes a road where identified as outside a flood hazard area or within a 'Low flood hazard area', 'Potential flood hazard area' or 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o).		
	AO7.5 New temporary, relocatable or impermanent buildings and structures are to be anchored with the ability to withstand transportation by floodwater.	n/a	This application is for an access easement only.
	Note—Building work must be certified by a qualified structural engineer.  AO7.6	n/a	This application is
	Dwellings do not exceed four bedrooms.		for an access easement only.
	AO7.7 Building work on an existing dwelling does not comprise additional bedrooms.	n/a	This application is for an access easement only.
	AO7.8  Building work on an existing dwelling is limited to a maximum increase of 20 percent of the lawfully approved gross floor area of the existing dwelling.	n/a	This application is for an access easement only.
	AO7.9 Development does not increase the number of lots in the 'High flood hazard area; as identified on the Flood hazard overlay maps (OM006a-o) except where for the purposes of public open space.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO8 Development involving earthworks in a Flood hazard area below the defined flood level must protect life and property on premises and off premises through maintaining:  (a) flood storage capacity of land;  (b) flood conveyance function of land;  (c) flood and drainage channels;  (d) overland flow paths; and	Filling above ground level is not undertaken in the 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o).	n/a	This application is for an access easement only.
(e) flood warning times.	<u> </u>		
PO9 Development, involving a Material change of use, within a 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o) is appropriate to the flood hazard risk having regard to the:  (a) likelihood and frequency of flooding;  (b) flood risk acceptability of development;  (c) vulnerability of and safety risk to persons associated with the use;  (d) associated consequences of flooding in regard to impacts on proposed buildings, structures and supporting infrastructure; and  (e) associated consequences of flooding in respect to undue burden on disaster response recovery capacity and capabilities.	The following uses are not located within a 'Significant flood hazard area' identified on the Flood hazard overlay maps (OM006a-o):  (a) Residential care facility; (b) Retirement facility; (c) Child care centre; (d) Hospital; or (e) Community use.	n/a	This application is for an access easement only.
Significant flood hazard a	rea, Low flood hazard area or	Potential flood ha	azard area

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 Development, where involving a Material change of use or Building work, is located and designed to: (a) maintain hydrological function of the premises; (b) not increase the number of people calculated to be at risk from flooding; (c) minimises the flood impact on adjoining premises;	AO10.1 Buildings, including extensions to existing buildings are:  (a) elevated above the defined flood level; and  (b) the defined flood event does not exceed a depth of 600mm; and  (c) elevated above the defined flood level plus 0.3 metres freeboard where for habitable rooms within a dwelling.	n/a	This application is for an access easement only.
(d) ensure the safety of all persons by ensuring that a proportion of buildings are set above the defined flood level;  (e) reduce the carriage of debris in flood waters;  (f) reduce property damage; and  (g) provide flood immune access to buildings.  Note—Where the development is located in a 'Potential flood hazard area' identified on the Flood hazard area' identified on the Flood hazard	AO10.2  Buildings used for Commercial activities or Industrial activities include a minimum floor level of 0.3 metres above the defined flood where for the following components of the use:  (a) administrative areas; or  (b) services, plant and equipment associated with the building.  Note—AO10.2 accepts that the cost of flood impact is an operational cost of the Commercial activity or Industrial activity.  Note—Building work must be certified by a qualified structural engineer to be flood proof including the ability to withstand	n/a	This application is for an access easement only.
overlay maps (OM006a-o) and there is no defined flood level a hydraulic (flood hazard assessment) report prepared by a RPEQ is required in substantiation of an alternative outcome is required or the defined flood level from the adjacent representative hazard zone is used.	damage from floodwater and debris.  AO10.3  All building work below the defined flood level must be high set (comprising pier and beam construction) and retains the flood storage and conveyance capacity of the premises.  Note—Building work must be certified by a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris.	n/a	This application is for an access easement only.

## For assessable development

Where for Material change of use or Reconfiguring a lot that involves new gross floor area or increases the number of persons living, working or residing in the Extreme flood hazard area, High flood hazard area or Significant flood hazard area other than a Dwelling house.

Performance outcomes	Acceptable outcomes	Complies	Comments
Flood risk management minimises the impact on property and appropriately protects the health and safety of persons at risk of Extreme, high or significant flood hazard, and:  (a) indicates the position and path of all safe evacuation routes off the site; and  (b) if the site contains or is within 100 metres of a flood hazard area, hazard warning signage and depth indicators are provided at key hazard points, such as at floodway crossings.	AO12 No acceptable outcome is provided.	n/a	This application is for an access easement only.
Note—A Material change of use or Reconfiguring a lot that involves new gross floor area or increases the number of persons living, working or residing in the 'Extreme flood hazard area' identified on the Flood hazard overlay map (OM006a-o) is supported by a Flood Emergency Evacuation Plan prepared by suitably qualified persons having regard to Floodplain Management in Australia: Best Practice Principles and Guidelines (2000), prepared by Standing Committee on Agriculture and Resource Management (SCARM), CSIRO.			

Performance outcomes	Acceptable outcomes	Complies	Comments
Significant flood hazard area, Low flood hazard area or Potential flood hazard area			
PO13 Development, where involving Reconfiguring a lot, is located and designed to:  (a) maintain hydrological function of the premises;  (b) not increase the number of people calculated to be at risk from flooding;	AO13  No acceptable outcome is provided.	n/a	This application is for an access easement only.
(c) minimises the flood impact on adjoining premises; (d) ensure the safety of all persons by ensuring that a proportion of buildings are set above the defined flood level; (e) reduce the carriage of debris in flood waters;			
(f) reduce property damage; and (g) provide flood immune access to buildings.  Note—Where the development is located in a 'Potential flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) and there is no defined flood level a hydraulic (flood hazard assessment) report prepared by a RPEQ is required in substantiation of an alternative outcome is required or the defined flood level from the adjacent representative hazard zone is used.			

Table 8.2.6.3B Flood immunity levels

Development Category	Minimum design floor or pavement levels (mAHD)
Category A	1% AEP + 0.5 metres
Category B	1% AEP + 0.3 metres
Category C	1% AEP
Category D	1% AEP
Category E	2% AEP

Note—Refer Table 8.2.6.3D for building classification by Category.

Table 8.2.6.3C Community infrastructure flood immunity levels

Development Type	Minimum design floor or pavement levels (mAHD)
Emergency services, where for:	
Emergency Shelters	0.1% AEP
Police facilities	0.5% AEP
Other Emergency services	0.1% AEP + 0.5 metres
Hospital	0.1% AEP+ 0.5 metres
Community use (where for the storage of valuable records or items of historic or cultural significance including libraries and museums)	0.5% AEP
Special industry (where for power station)	0.5% AEP
Substations	0.5% AEP
Utility installation (where for a sewage treatment plant)	Defined flood level
Utility installation (where for a water treatment plant)	0.5% AEP
Utility installation (other)	Alternative outcome required.
Air services	Alternative outcome required.

Table 8.2.6.3D Development category

Building Code of Australia Building classification <sup>(1)</sup>		Category – refer to Table 8.2.6.3B for flood planning levels	
Class 1–4	Habitable room	Category A	
	Non-habitable room including patio and courtyard	Category B	
	Non-habitable part of a Class 2 or Class 3 building excluding the essential services(2) control room	Category B	
	Parking located in the building undercroft of a multiple dwelling	Category C	
	Carport, unroofed car park; vehicular manoeuvring area	Category D	
	Essential electrical services <sup>(2)</sup> of a Class 2 or Class 3 building only	Category A	
	Basement parking entry	Category C + 0.3 metres	
Class 5,	Building floor level	Category C	
Class 6, or Class 8	Garage or car park located in the building undercroft	Category C	
	Carport or unroofed car park	Category D	
	Vehicular access and manoeuvring areas	Category D	
	Basement parking entry	Category C	
	Essential electrical services <sup>(2)</sup>	Class 8 – Category Class 5 & 6 – Category A	
Class 7a	Refer to the relevant building class specified in this table		
Class 7b	Building floor level	Category C	

Building Code of Australia Building classification <sup>(1)</sup>		Category – refer to Table 8.2.6.3B for flood planning levels
	Vehicular access and manoeuvring area	Category D
	Essential electrical services <sup>(2)</sup>	Category C
Class 9	Building floor level	Category A
	Building floor level for habitable rooms in Class 9a or 9c where for a Residential care facility	0.2% AEP flood
	Building floor level for habitable rooms in Class 9b where involving children, such as a child care centre	0.2% AEP flood
	Garage or car park located in the building undercroft	Category C
	Carport or unroofed car park	Category D
	Vehicular access and manoeuvring areas	Category D
	Essential electrical services(2)	Category A
Class 10a	Car parking facility	Refer to the relevant building class specified in this table
	Shed or the like	Category D
Class 10b	Swimming pool	Category E
	Associated mechanical and electrical pool equipment	Category C
	Other structures	Flood planning levels do not apply

<sup>&</sup>lt;sup>(1)</sup> Refer to the Building Code of Australia for definitions of building classifications.

<sup>&</sup>lt;sup>(2)</sup> Essential electrical services include any area or room used for fire control panel, telephone PABX, sensitive substation equipment including transformers, low voltage switch gear, high voltage switch gear, battery chargers, protection control and communication equipment, low voltage cables, high voltage cables, and lift or pump controls.

### 8.2.8 Hill and slope overlay code

## 8.2.8.1 Application

- (1) This code applies to assessing development where:
  - (a) land the subject of development is located within a 'Hill and slope area' identified on the **Hill and slope overlay maps (OM-008a-o)**; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Natural hazards are appropriately reflected in Overlay Maps 3, 6 and 8 and are required to be mapped by State Government in response to Hazard and Safety State Interests.

## 8.2.8.2 Purpose

- (1) The purpose of the Hill and slope overlay code is to ensure the ongoing stability of land within a hill and slope area to prevent risk to people or property.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development is located to avoid sloping land where practical; and
  - (b) Development on sloping land maintains slope stability and does not increase the potential for erosion or landslide.

# 8.2.8.3 Criteria for assessment

Table 8.2.8.3 - Hill and slope overlay code - For assessable development

Performance outcomes	Acceptable outcomes	Complies	Comment
For assessable development			
Slope stability			

Performance outcomes	Acceptable outcomes	Complies	Comment
PO1 Where clearing of vegetation, building work or filling or excavation occurs on land within a 'Hill and slope area' identified on the Hill and slope overlay maps (OM-008a-o), a geotechnical report is prepared in accordance with Planning Scheme Policy 5 - Preparation of Geotechnical Reports that demonstrates:  (a) the long term stability of the development site;  (b) development will not be adversely affected by landslide activity originating on sloping land above the development site; and  (c) development will not adversely affect other property outside the development site through landslide activity or alterations to surface or groundwater.	AO1 No acceptable outcome is provided.	n/a	This application is for an access easement only.
PO2 Development is designed and located to ensure that the use can appropriately function in the 'Hill and slope area' identified on the Hill and slope overlay maps (OM-008a-o) having regard to:  (a) the nature and scale of the proposed use;  (b) the gradient of the land;	AO2.1 Development for a Child care centre or Educational establishment is not located on land in a 'Hill and slope area' identified on the Hill and slope overlay maps (OM-008a-o).	n/a	This application is for an access easement only.
(c) the extent of land disturbance proposed; (d) stormwater discharge and its potential for	AO2.2 Development is not located on land with a gradient of greater than 25%.	n/a	This application is for an access easement only.
erosion.	AO2.3  No lot less than 2,000m² is created in a 'Hill and slope area' identified on the Hill and slope overlay maps (OM-008a-o).	n/a	This application is for an access easement only.
Community infrastructure and	Note – Where a minimum lot size of less than 2,000m² applies under the Reconfiguring a lot code, the lot size requirements of the Hill and slope overlay code prevail.		

Performance outcomes	Acceptable outcomes	Complies	Comment
PO3 Community infrastructure and essential services located within a 'Hill and slope area' identified on the Hill and slope overlay maps (OM-008a-o) are able to function effectively during and immediately after landslide events.	AO3 No acceptable outcome is provided.	n/a	This application is for an access easement only.

### 8.2.11 Scenic amenity overlay code

## 8.2.11.1 Application

- (1) This code applies to assessing development where:
  - (a) land the subject of development is located within identified on the **Scenic amenity** overlay maps (OM-011a-b); and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

## 8.2.11.2 Purpose

- (1) The purpose of the Scenic amenity overlay code is to protect and enhance the scenic qualities and character of the shire.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Scenic routes are protected from development that could compromise their contribution to the character of the shire;
  - (b) Scenic routes are enhanced through development that is consistent with the existing landscape character of the route; and
  - (c) The visibility of Iconic landscape features from public areas of the shire is protected and enhanced.

#### 8.2.11.3 Criteria for assessment

Table 8.2.11.3 – Scenic amenity overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments	
For accepted development subject to requirements and assessable development				
Where adjoining a Local scen	nic route			
PO1 'Local scenic routes' identified on Scenic amenity overlay map (OM-011b) are maintained and enhanced to: (a) achieve a high level of amenity when	AO1.1  Development with frontage to a 'Local scenic route' identified on Scenic amenity overlay map (OM-011b) retains existing mature native vegetation within 3 metres of the site frontage	n/a	Not applicable.	
viewed from the street; (b) contribute to the development of natural features within the streetscape; and (c) compliment the character of the local area.	Development, other than for a Dwelling house, with frontage to a 'Local scenic route' identified on Scenic amenity overlay map (OM-011b):  (a) provides a landscaped strip that:  (i) is a minimum of 3 metres; and  (ii) contains species which comply with the relevant acceptable outcomes of the	n/a	Not applicable.	

Performance outcomes	Acceptable outcomes	Complies	Comments
	Landscaping code and any applicable local plan code; and (b) does not involve a freestanding permanent advertising device.		
For assessable developm	ent		
Iconic landscape features			
The visibility of the 'Chillagoe Smelters iconic landscape feature' and the 'Mount Mulligan iconic landscape feature' identified on Scenic amenity overlay map (OM-011a) are not compromised by buildings or structures located within the:  (a) 'Chillagoe Smelters iconic landscape feature'; or  (b) 'Chillagoe Smelters 500 metre buffer'; or  (c) 'Mount Mulligan iconic landscape feature'; or  (d) 'Mount Mulligan 12 kilometre buffer'.	No acceptable outcome is provided.	n/a	Not applicable.
Where within the Shire scen	c route 500 metre buffer		
'Shire scenic routes' identified on Scenic amenity overlay map (OM-011b) are maintained and enhanced: (e) to contribute to the rural landscape character of the shire; (f) to promote the appreciation of the natural environment; (g) through the sensitive location and design of land uses, buildings and structures; and (h) through the retention and enhancement of	AO3 No acceptable outcome is provided.	•	This application is for an access easement only.  Any future development of Lot 12 will need to comply with planning scheme.  Approximately 35 metres depth of vegetation remains within the Kennedy Highway road reserve adjacent to the proposed easement.

Performance outcomes	Acceptable outcomes	Complies	Comments
the attributes or values which give rise to the attractiveness of the subject site.			
If for Extractive industry or T	elecommunications facility		
PO4 The Extractive industry or Telecommunications facility is not visible from a 'Local scenic route' or a 'Shire scenic route' identified on Scenic amenity overlay map (OM-011b).	AO4 No acceptable outcome is provided.	n/a	Not applicable.

# 9.4.2 Landscaping code

## 9.4.2.1 Application

This code applies where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

## 9.4.2.2 Purpose

- (1) The purpose of the Landscaping code is to ensure all development is landscaped to a standard that:
  - (a) complements the scale and appearance of the development;
  - (b) protects and enhances the amenity and environmental values of the site;
  - (c) complements and enhances the streetscape and local landscape character; and
  - (d) ensures effective buffering of incompatible land uses to protect local amenity.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Landscaping is a functional part of development design and is commensurate with the intended use;
  - (b) Landscaping accommodates the retention of existing significant on site vegetation where appropriate and practical;
  - (c) Landscaping treatments complement the scale, appearance and function of the development;
  - (d) Landscaping contributes to an attractive streetscape;
  - (e) Landscaping enhances the amenity and character of the local area;
  - (f) Landscaping enhances natural environmental values of the site and the locality;
  - (g) Landscaping provides effective screening both on site, if required, and between incompatible land uses;
  - (h) Landscaping provides shade in appropriate circumstances;
  - (i) Landscape design enhances personal safety and reduces the potential for crime and vandalism; and
  - (j) Intensive land uses incorporate vegetated buffers to provide effective screening of buildings, structures and machinery associated with the use.

# 9.4.2.3 Criteria for assessment

Table 9.4.2.3A—Landscaping code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments	
For accepted development s	For accepted development subject to requirements and assessable development			
PO1 Development, other than in the Rural zone, includes landscaping that:  (a) contributes to the landscape character of the Shire;  (b) compliments the character of the immediate surrounds;  (c) provides an appropriate balance between built and natural elements; and  (d) provides a source of visual interest.	AO1 Development, other than in the Rural zone, provides:  (a) a minimum of 10% of the site as landscaping;  (b) planting in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species;  (c) for the integration of retained significant vegetation into landscaping areas;  (d) on-street landscaping works in accordance with the Design Guidelines set out in Section D9 Landscaping, of the Planning Scheme Policy 4 - FNQROC Regional Development Manual.  Note—Where development exceeds a site cover of 90%, areas of landscaping may be provided above ground level to achieve a total supply of landscaping equivalent to 10% of the site area.	n/a	The subject land is within the Rural zone and is already densely vegetated.	

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Development, other than in the Rural zone, includes landscaping along site frontages that: (a) creates an attractive streetscape; (b) compliments the character of the immediate surrounds; (c) assists to break up and soften elements of built form; (d) screen areas of limited visual interest or servicing; (e) provide shade for pedestrians; and (f) includes a range and variety of planting.	Development, other than in the Rural zone, includes a landscape strip along any site frontage:  (a) with a minimum width of 2 metres where adjoining a car parking area;  (b) with a minimum width of 1.5 metres in all other locations; and  (c) in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.  Note—Where development is setback from a frontage less than 1.5 metres, the setback area is provided as a landscape strip	n/a	The subject land is within the Rural zone and is already densely vegetated.
PO3 Development includes landscaping and fencing along side and rear boundaries that:  (a) screens and buffer	AO3.1  Development provides landscape treatments along side and rear boundaries in accordance with Table 9.4.2.3B.	n/a	Not applicable.
land uses; (b) assists to break up and soften elements of built form; (c) screens areas of limited visual interest; (d) preserves the amenity of sensitive land uses; and (e) includes a range and variety of planting.	AO3.2 Shrubs and trees provided in landscape strips along side and rear boundaries:  (a) are planted at a maximum spacing of 1 metre;  (b) will grow to a height of at least 2 metres;  (c) will grow to form a screen of no less than 2 metres in height; and  (d) are mulched to a minimum depth of 0.1 metres with organic mulch.	n/a	Not applicable.
	AO3.3 Any landscape strip provided along a side or rear boundary is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO4 Car parking areas are improved with a variety of landscaping that: (a) provides visual interest; (b) provides a source of shade for pedestrians; (c) assists to break up and soften elements; and (d) improves legibility.	Landscaping is provided in car parking areas which provides:  (a) a minimum of 1 shade tree for every 4 parking spaces, or part thereof, where the car parking area includes 12 or more spaces;  (b) a minimum of 1 shade tree for every 6 parking spaces, or part thereof, otherwise; and  (c) where involving a car parking area in excess of 500m²:  (i) shade structures are provided for 50% of parking spaces; and  (ii) a minimum of 10% of the parking area as landscaping.  Note—Where a shade structure is provided over part of a car parking area, shade tree planting is not required in this area of the car parking area.	n/a	Not applicable.
	AO4.2 Landscaping in car parking areas is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Not applicable.
PO5 Landscaping areas include a range and variety of planting that:	AO5.1 Plant species are selected from the Plant Schedule in Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
<ul> <li>(a) is suitable for the intended purpose and local conditions;</li> <li>(b) contributes to the natural character of the Shire;</li> <li>(c) includes native species;</li> <li>(d) includes locally endemic species, where practical; and</li> <li>(e) does not include invasive plants or weeds.</li> </ul>	AO5.2  A minimum of 25% of (new and existing) plants is provided as larger, advanced stock with a minimum plant height of 0.7 metres and mulched to a minimum depth of 0.1 metres with organic mulch.	n/a	Not applicable.
PO6 Landscaping does not impact on the ongoing provision of infrastructure and services to the Shire.	AO6.1  Tree planting is a minimum of  (a) 2 metres from any underground water, sewer, gas, electricity or telecommunications infrastructure; and  (b) 4 metres from any inspection chamber.	n/a	Not applicable.
	AO6.2 Vegetation below or within 4 metres of overhead electricity lines and power poles has a maximum height of 3.5 metres at maturity.	n/a	Not applicable.
	AO6.3  Vegetation adjoining an electricity substation boundary, at maturity, will have:  (a) a height of less than 4 metres; and  (b) no foliage within 3 metres of the substation boundary, unless the substation has a solid wall along any boundary.	n/a	Not applicable.
For assessable developmen	t		

Performance outcomes	Acceptable outcomes	Complies	Comments
P07	A07	n/a	Not applicable.
Landscaping areas are	No acceptable outcome is		
designed to:	provided.		
(a) be easily			
maintained			
throughout the ongoing use of the			
site;			
(b) allow sufficient area			
and access to			
sunlight and water			
for plant growth;			
(c) not cause a			
nuisance to			
occupants of the			
site or members of			
the public; and			
(d) maintain or enhance			
the safety of			
pedestrians through the use of Crime			
Prevention Through			
Environmental			
Design principles.			

Table 9.4.2.3B—Side and rear boundary landscape treatments

Fable 9.4.2.3B—Side and rear boundary landscape treatments				
Location or use	Landscape Strip Minimum Width	Screen Fencing Minimum Height	Extent of treatment	
Where car parking, servicing or manoeuvring areas adjoin a side or rear boundary	1 metre	Not applicable	To the extent these areas adjoin the boundary	
Where involving a use other than a dwelling house on a site with a common boundary with land in the Low density residential zone, the Medium density residential zone or the Rural residential zone:	1.5 metres	1.8 metres	Along the common boundary.	
Development for an industrial activity which has a common boundary with land not within the Industry zone	2 metres	1.8 metres	Along the common boundary	
Development involving (a) Tourist park not in the Rural zone (b) Sales office (c) Multiple dwelling (d) Residential care facility; or (e) Dual occupancy	Not applicable	1.8 metres	Along all side and rear boundaries and between dwellings for a Dual occupancy.	
Development involving (a) Tourist park in the Rural zone (b) Service station (c) Car wash; or (d) Utility installation	2 metres	Not applicable	Along all side and rear boundaries	
For:  (a) waste storage;  (b) equipment;  (c) servicing areas; and  (d) private open space and site facilities associated with Caretaker's accommodation.	Not applicable	1.8 metres	To prevent visibility	

Note—Where more than one landscape treatment is applicable to a development in the above table, the development is to provide a landscape treatment that satisfies all applicable minimum specifications.

# 9.4.3 Parking and access code

## 9.4.3.1 Application

This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

# 9.4.3.2 Purpose

- (1) The purpose of the Parking and access code is to ensure:
  - (a) parking areas are appropriately designed, constructed and maintained;
  - (b) the efficient functioning of the development and the local road network; and
  - (c) all development provides sufficient parking, loading/service and manoeuvring areas to meet the demand generated by the use.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Land uses have a sufficient number of parking and bicycle spaces designed in a manner to meet the requirements of the user;
  - (b) Parking spaces and associated manoeuvring areas are safe, functional and provide equitable access;
  - (c) Suitable access for all types of vehicles likely to utilise a parking area is provided in a way that does not compromise the safety and efficiency of the surrounding road network;
  - (d) Premises are adequately serviced to meet the reasonable requirements of the development; and
  - (e) End of trip facilities are provided by new major developments to facilitate alternative travel modes.

## 9.4.3.3 Criteria for assessment

Table 9.4.3.3A—Parking and access code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments				
For accepted development su	For accepted development subject to requirements and assessable development						
Car parking spaces							
PO1 Development provides sufficient car parking to accommodate the demand likely to be generated by the use, having regard to the: (a) nature of the use; (b) location of the site; (c) proximity of the use to public transport services; (d) availability of active transport infrastructure; and (e) accessibility of the use to all members of the community.	AO1 The number of car parking spaces provided for the use is in accordance with Table 9.4.3.3B.  Note—Car parking spaces provided for persons with a disability are to be considered in determining compliance with AO1.	n/a	This application is for an access easement only.				
Vehicle crossovers							

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Vehicle crossovers are provided to:: (a) ensure safe and efficient access between the road and premises; (b) minimize interference with the function and operation of roads; and	AO2.1 Vehicular access to/from Council roads is designed and constructed in accordance with the Standard drawings in Planning Scheme Policy 4 - FNQROC Regional Development Manual.	n/a	Access is obtained to/from State controlled road (Kennedy Highway).
(c) minimise pedestrian to vehicle conflict.	AO2.2  Development on a site with two or more road frontages provides vehicular access from:  (a) the primary frontage where involving Community activities or Sport and recreation activities, unless the primary road frontage is a State-controlled road; or  (b) from the lowest order road in all other instances.	n/a	Not applicable.
	AO2.3 Vehicular access for particular uses is provided in accordance with Table 9.4.3.3E.	n/a	Not applicable.
PO3 Access, manoeuvring and car parking areas include appropriate pavement treatments having regard to: (a) the intensity of anticipated vehicle movements; (b) the nature of the use that they service; and (c) the character of the surrounding locality.	AO3 Access, manoeuvring and car parking areas include pavements that are constructed in accordance with Table 9.4.3.3C.		The development will be conditioned to comply.
For assessable development			
Parking area location and des	sign		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO4 Car parking areas are located and designed to: (a) ensure safety and efficiency in operation; and (b) be consistent with the	AO4.1 Car parking spaces, access and circulation areas have dimensions in accordance with AS/NZS 2890.1 Off-street car parking.	n/a	This application is for an access easement only.
character of the surrounding locality.	AO4.2 Disabled access and car parking spaces are located and designed in accordance with AS/NZS 2890.6 Parking facilities - Off-street parking for people with disabilities.	n/a	This application is for an access easement only.
	AO4.3 The car parking area includes designated pedestrian routes that provide connections to building entrances.	n/a	This application is for an access easement only.
	AO4.4 Parking and any set down areas are: (a) wholly contained within the site; (b) visible from the street where involving Commercial activities, Community activities, Industrial activities or a use in the Recreation and open space zone;	n/a	This application is for an access easement only.
	(c) are set back behind the main building line where involving a Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility; and		
	(d) provided at the side or rear of a building in all other instances.		

Performance outcomes	Acceptable outcomes	Complies	Comments		
Site access and manoeuvring	Site access and manoeuvring				
PO5 Access to, and manoeuvring within, the site is designed and located to:  (a) ensure the safety and efficiency of the external road network;  (b) ensure the safety of pedestrians;  (c) provide a functional and convenient layout; and  (d) accommodate all vehicles intended to use the site.	AO5.1  Access and manoeuvrability is in accordance with:  (a) AS28901 – Car Parking Facilities (Off Street Parking); and  (b) AS2890.2 – Parking Facilities (Off-street Parking) Commercial Vehicle Facilities.  Note—Proposal plans should include turning circles designed in accordance with AP34/95 (Austroads 1995) Design Vehicles and Turning Path Templates.	n/a	This application is for an access easement only.		
	AO5.2 Vehicular access has a minimum sight distance in accordance with Part 5 of AUSTROADS.	n/a	This application is for an access easement only.		
	AO5.3 Vehicular access is located and designed so that all vehicles enter and exit the site in a forward gear.	n/a	This application is for an access easement only.		
	AO5.4 Pedestrian and cyclist access to the site: (a) is clearly defined; (b) easily identifiable; and (c) provides a connection between the site frontage and the entrance to buildings and end of trip facilities (where provided).	n/a	This application is for an access easement only.		
PO6 Development that involves an internal road network ensures that it's design:  (a) ensure safety and efficiency in operation;  (b) does not impact on the amenity of residential	AO6.1 Internal roads for a Tourist park have a minimum width of: (a) 4 metres if one way; or (b) 6 metres if two way.	n/a	This application is for an access easement only.		

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
(c)	uses on the site and on adjoining sites, having regard to matters of:  (i) hours of operation;  (ii) noise  (iii) light; and  (iv) odour; accommodates the nature and volume of vehicle movements anticipated to be generated by the use; allows for convenient access to key on-site features by pedestrians, cyclists and motor vehicles; and	For a Tourist park, internal road design avoids the use of cul-desacs in favour of circulating roads, where unavoidable, cul-de-sacs provide a full turning circle for vehicles towing caravans having:  (a) a minimum approach and departure curve radius of 12 metres; and  (b) a minimum turning circle radius of 8 metres.	n/a	This application is for an access easement only.
(e)	in the Rural zone, avoids environmental degradation.	AO6.3 Internal roads are imperviously sealed and drained, apart from those for an Energy and infrastructure activity or Rural activity.	n/a	This application is for an access easement only.
		AO6.4  Speed control devices are installed along all internal roads, apart from those for an Energy and infrastructure activity or Rural activity, in accordance with Complete Streets.	n/a	This application is for an access easement only.
		AO6.5 Internal roads, apart from those for an Energy and infrastructure activity or Rural activity, are illuminated in accordance with AS 4282 (as amended) - Control of Obtrusive effects of outdoor lighting.	n/a	This application is for an access easement only.

	I		
Performance outcomes	Acceptable outcomes	Complies	Comments
	AO6.6 Where involving an accommodation activity, internal roads facilitate unobstructed access to every dwelling, accommodation unit, accommodation site and building by emergency services vehicles.	n/a	This application is for an access easement only.
	AO6.7 For an Energy and infrastructure activity or Rural activity, internal road gradients:  (a) are no steeper than 1:5; or  (b) are steeper than 1:5 and are sealed.	n/a	This application is for an access easement only.
Servicing			
PO7 Development provides access, maneuvering and servicing areas on site that:  (a) accommodate a service vehicle commensurate with the likely demand generated by the use;  (b) do not impact on the safety or efficiency of internal car parking or maneuvering areas;  (c) do not adversely impact on the safety or efficiency of the road network;	AO7.1  All unloading, loading, service and waste disposal areas are located:  (a) on the site; (b) to the side or rear of the building, behind the main building line;  (c) not adjacent to a site boundary where the adjoining property is used for a sensitive use.	n/a	This application is for an access easement only.
(d) provide for all servicing functions associated with the use; and (e) are located and designed to minimise their impacts on adjoining sensitive land	AO7.2 Unloading, loading, service and waste disposal areas allow service vehicles to enter and exit the site in a forward gear.	n/a	This application is for an access easement only.

		<u></u>	
Performance outcomes	Acceptable outcomes	Complies	Comments
uses and streetscape quality.	AO7.3  Development provides a servicing area, site access and maneuvering areas to accommodate the applicable minimum servicing vehicle specified in Table 9.4.3.3B.	n/a	This application is for an access easement only.
Maintenance			
PO8 Parking areas are used and maintained for their intended purpose.	AO8.1 Parking areas are kept and used exclusively for parking and are maintained in a suitable condition for parking and circulation of vehicles.	n/a	This application is for an access easement only.
	AO8.2 All parking areas will be compacted, sealed, drained, line marked and maintained until such time as the development ceases.	n/a	This application is for an access easement only.
End of trip facilities			
PO9 Development within the Centre zone; Industry zone or Emerging community zone provides facilities for active transport users that:	AO9.1 The number of bicycle parking spaces provided for the use is in accordance with Table 9.4.3.3D.	n/a	This application is for an access easement only.
<ul> <li>(a) meet the anticipated demand generated from the use;</li> <li>(b) comprise secure and convenient bicycle parking and storage; and</li> <li>(c) provide end of trip facilities for all active transport users.</li> </ul>	AO9.2 End of trip facilities are provided in accordance with Table 9.4.3.3D.	n/a	This application is for an access easement only.

If for Educational establishment or Child care centre where involving more than 100 vehicle movements per day or Renewable energy facility, Sport and recreation activities or Tourist park

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.  If for Educational establishment we hicle movements per day or Tourist park			
PO11 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.	AO11 A traffic impact report is prepared by a suitably qualified person that identifies: (d) the expected traffic movements to be generated by the facility; (e) any associated impacts on the road network; and (f) any works that will be required to address the identified impacts.	n/a	This application is for an access easement only.

Table 9.4.3.3B—Vehicle Parking and Service Vehicle Space Requirements

Table 9.4.3.3B—Vehicle	Parking an	d Service	Vehicl	e Space Re	
Definition	Minimum spaces	number	of Ca	ar parking	Minimum Service Vehicle Space Provision
Adult store	GFA up to per 20m² of 400m².  Outside the One space GFA up to	e per 50m <sup>2</sup> 400m <sup>2</sup> GF or part then e Centre zo e per 25m <sup>2</sup> 400m <sup>2</sup> GF	or par FA, and reof of one: or par FA, and	t thereof of one space GFA above t thereof of one space GFA above	
Agricultural supplies store	GFA up to per 15m <sup>2</sup> of 400m <sup>2</sup> . <u>Outside the One space</u> GFA up to per 10m <sup>2</sup> of 400m <sup>2</sup> .  Queuing	e per 50m <sup>2</sup> 400m <sup>2</sup> GF or part then e Centre zo e per 30m <sup>2</sup> 400m <sup>2</sup> GF or part then for 3 vel	or par FA, and reof of one: or par FA, and reof of	t thereof of one space of one space GFA above should be reater than	
Air services	requiremen	e per 90m² area; or	ment: or par	subject to	development
Animal husbandry	If accepte requirement One space  If assessation As determined accepted requirement of the requirement of th	nts : ble develop	ment:	subject to	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Animal keeping	Minimum of three spaces or one space per 200m² of use area, whichever is greater.	One SRV space.
Aquaculture	If accepted development subject to requirements:  In the rural or rural residential zones - two spaces; or  Enclosed within a building - one space per 90m² of net lettable area.  If assessable development: As determined by Council.	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.
Brothel	As determined by Council.	As determined by Council.
Bulk landscape supplies	Minimum of five spaces or one space per 250m² of use area, whichever is greater.	One AV if the site has an area of greater than 2,000m²; or One HRV space.
Car wash	Minimum of two parking spaces plus 1 car queuing space for each car wash or service bay and parking at rates applicable to ancillary use/s.	One AV space.
Caretaker's accommodation	One space per dwelling unit.	Nil.
Cemetery	As determined by Council.	As determined by Council.
Child care centre	A minimum of 3 spaces will be required to be used for setting down and picking up of children, plus one space per 10 children for staff parking.	One SRV space.
Club	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space; and One HRV space if greater than 500m <sup>2</sup> .
Community care centre	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space.
Community residence	Three spaces.	Nil.
Community use	Minimum of 5 spaces per use or one space per 50m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space if greater than 500m <sup>2</sup> GFA.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Crematorium	One space per 30m <sup>2</sup> GFA or part thereof.	As determined by Council.
Cropping	If accepted development subject to requirements: Two spaces.  If assessable development: As determined by Council.	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.
Detention facility	As determined by Council.	As determined by Council.
Dual occupancy	One covered space per dwelling; and One visitor space.	Nil.
Dwelling house	One covered space per dwelling house. One space per secondary dwelling.	Nil.
Dwelling unit	One covered space per dwelling unit.  A minimum of 0.25 spaces per dwelling is to remain in common property for visitor use.	Nil
Educational establishment	For all establishments:  1 space per every10 students plus 1 space per employee, and  Provision for 3 vehicles for loading and unloading of passengers in addition to the requirements above.	For accepted development subject to requirements: One HRV space; and One SRV space; and A minimum of 3 Bus / coach parking / set down areas.  For assessable development: As determined by Council.
Emergency services	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	As determined by Council.
Environment facility	As determined by Council.	As determined by Council.
Extractive industry	As determined by Council.	As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Food and drink outlet	Accepted in an existing building within the Centre zone.	One HRV space.
	Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA and one space per 15m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA and one space per 10m² or part thereof of GFA above 400m².  Drive-through: Queuing spaces for 6 passenger vehicles within the site boundaries.  One service vehicle space per use or one service vehicle space per 1,000m²	
Function facility	GFA, whichever is greater.  One space per 30m² or part thereof of	One SRV space.
	GFA.	
Funeral parlour	Accepted in an existing building within the Centre zone.  Inside the Centre zone: One space per 20m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One SRV space.
Garden centre	A minimum of 5 spaces for customer parking or one space per 150m² or part thereof of use area, whichever is greater.  One service vehicle space per use or one service vehicle space per 800m² use area, whichever is greater.	One AV if the site has an area of greater than 2,000m², otherwise One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Hardware and trade supplies	Accepted in an existing building within the Centre zone.	One AV if the site has an area of greater than
	Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per or part thereof of GFA above 400m². Outside the Centre zone: One space per or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	2,000m², otherwise One HRV space.
Health care services	Accepted in an existing building within the Centre zone.	One SRV space per 500m <sup>2</sup> GFA.
	Inside the Centre zone: One space per 40m² or part thereof of net lettable area. Outside the Centre zone: One space per 20m² of or part thereof of net lettable area.	
High impact industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Home based business	Bed and breakfasts: One space per guest room.	Nil.
	Other home based business: One space for home based business and one covered space for the dwelling.	
Hospital	One space per 6 residential care beds. One space per 4 hostel unit beds. Visitor parking at 30% of resident parking requirements.	One HRV space. One SRV for every 800m² of GFA and part thereof; and One space for an emergency vehicle.
Hotel	One space per 10m <sup>2</sup> or part thereof of GFA per bar, beer garden and other public area. One space per 50m <sup>2</sup> or part thereof of GFA per bulk liquor sales area. One space per guest room.	One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Indoor sport and recreation	If accepted development subject to requirements: One space per 25m² of net lettable area. If assessable development: As determined by Council.	An internal bus set down and pick up area that enables the bus to be in a forward motion at all times whilst onsite  Internal dedicated taxi bays provided within 200 metres of the site entrance.
Intensive animal industries	If accepted development subject to requirements: Two spaces.	One SRV space.
	If assessable development: As determined by Council.	
Intensive horticulture	If accepted development subject to requirements: Two spaces.	If accepted development subject to requirements:
	If assessable development: As determined by Council.	If assessable development: As determined by Council.
Landing	As determined by Council.	As determined by Council.
Low impact industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Major electricity infrastructure	As determined by Council.	As determined by Council.
Major sport, recreation and entertainment facility	As determined by Council.	As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space
	spaces	Provision
Marine industry	One space per 90m <sup>2</sup> GFA or part thereof.	One HRV space if the site has an area greater than 1,000m², otherwise One SRV space.
Market	As determined by Council.	As determined by Council.
Medium impact industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Motor sport facility	As determined by Council.	As determined by Council.
Multiple dwelling	One covered space per dwelling.	Nil.
	One dedicated vehicle wash-down bay for premises containing 5 or more dwellings.  A minimum of 0.25 spaces per dwelling	
	is to remain in common property for visitor use.	
Nature-based tourism	One space per dwelling; or 0.75 spaces per guest room if in dormitory or shared facilities.	As determined by Council.
Nightclub entertainment facility	One space per 60m <sup>2</sup> GFA or part thereof.	Nil.
Non-resident workforce accommodation	One space per dwelling unit.	Nil.
Office	Accepted in an existing building within the Centre zone.  Inside the Centre zone: One space per 20m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One SRV space.

		Minimum
Definition	Minimum number of Car parking spaces	Service Vehicle Space Provision
Outdoor sales	A minimum of 5 spaces for customer parking or one space per 150m² of use area, whichever is greater.  One service vehicle space per use or one service vehicle space per 800m², whichever is greater.	One AV if the site has an area of greater than 2,000m², otherwise One HRV space.
Outdoor sport and recreation	Coursing, horse racing, pacing or trotting:  One space per five seated spectators; plus  One space per 5m² of other spectator areas.  Football:  50 spaces per field.  Lawn bowls:  30 spaces per green.  Swimming pool:  15 spaces; plus  One space per 100m² of useable site area.  Tennis or other Court:  Four spaces per court.  Golf Course:  Four spaces per tee on the course; plus  One space per 50m² of net lettable area.  Any other use:  As determined by council.	An internal bus set down and pick up area that enables the bus to be in a forward motion at all times whilst onsite  Internal dedicated taxi bays provided within 200 metres of the site entrance.
Park	As determined by Council.	As determined by Council.
Parking station	Not applicable	Nil.
Permanent plantation	If accepted development subject to requirements: Two spaces.  If assessable development: As determined by Council.	If accepted development subject to requirements: Nil.  If assessable development:
Diago of war 1:	Minimum of 5	As determined by Council.
Place of worship	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space.
Port services	As determined by Council.	As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space
Relocatable home park	One space for each home site plus 1 space for each 5 home sites or part thereof for visitors.	One HRV space.
Renewable energy facility	As determined by Council.	As determined by Council.
Research and technology industry	One space per 90m <sup>2</sup> GFA or part thereof.	One HRV space if the site has an area greater than 1,000m², otherwise One SRV space.
Residential care facility	One space per 4 hostel unit beds. Visitor parking at 30% of resident parking requirements.	One SRV space; and One space for an emergency vehicle.
Resort complex	As determined by Council.	As determined by Council.
Retirement facility	One covered space per unit and 0.5 spaces for visitors parking.	One SRV space; and One space for an emergency vehicle.
Roadside stall	One space per stall.	Nil.
Rooming accommodation	Inside the Centre zone: One space per 15 beds. Outside the Centre zone: One space per 8 beds.	One SRV space. One space for a 20 seater bus.
Rural industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space.
Rural workers' accommodation	If accepted development subject to requirements: Nil	If accepted development subject to requirements:
	If Assessable development: As determined by Council.	If Assessable development: As determined by Council.
Sales office	One space per 25m <sup>2</sup> GFA or part thereof.	Nil.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space
Service industry	Accepted where in an existing building within the Centre zone.  Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One HRV space if the site is greater than 2,000m², otherwise One SRV space.
Service station	Minimum of four spaces plus car parking at rates applicable to ancillary use/s.	One AV space.
Shop	Accepted where in an existing building within the Centre zone.  Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One HRV space if the site is greater than 2,000m², otherwise One SRV space.
Shopping centre	Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA and one space per 25m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA and one space per 15m² or part thereof of GFA above 400m².	One AV space per 1,000m²; and One SRV space per 500m²; or One SRV space per every 2 specialty uses, whichever the greater.
Short-term accommodation	One space per unit.	One HRV space if involves the serving of food or beverage; otherwise One SRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Showroom	Accepted in an existing building within the Centre zone.  Inside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One AV space and One SRV space if the site is greater than 2,000m²; or One HRV space; and One SRV Space.
Special industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Substation	If assessable development: As determined by Council.	As determined by Council.
Telecommunication s facility	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.
Theatre	One space per 15m <sup>2</sup> or part thereof of net lettable area, or one space per 5 seated spectators whichever is the greater.	One SRV space.
Tourist attraction	As determined by Council.	As determined by Council.
Tourist park	One space within each accommodation site plus 1 additional visitor space per 10 accommodation sites.  Queuing for 2 vehicles towing caravans and 1 holding bay for a vehicle towing a caravan plus additional queuing for 1 vehicle towing a caravan per 40 accommodation sites.	One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Transport depot	One space per 125m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Utility installation	If accepted development subject to requirements: Nil.	If accepted development subject to requirements:
	If assessable development: As determined by Council.	If assessable development: As determined by Council.
Veterinary services	Accepted in an existing building within the Centre zone.  Inside Centre zone: One space per 40m² or part thereof of net lettable area. Outside Centre zone: One space per 20m² or part thereof of net lettable area.	One HRV space if greater than 500m² GFA; and One SRV space per 500m² GFA.
Warehouse	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Wholesale nursery	As determined by Council.	As determined by Council.
Winery	As determined by Council.	As determined by Council.

Note—Any use not herein defined - as determined by Council.

Table 9.4.3.3C—Pavement Standards for Access, Manoeuvring and Car Parking areas

Zone	Compacted Gravel Base (minimum thickness)	Surfacing Options		
All development other than dwelling house				
All zones other than the Conservation zone or the	75mm	Reinforced concrete with a minimum thickness of:  • 100mm for parking areas; and • 150mm for access ways.		
Rural zone	150mm	Asphalt with a minimum thickness of 25mm		
	150mm	Two coat sprayed bitumen seal		
	150mm	Concrete pavers		
Conservation zone or Rural zone	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free		
<b>Dwelling house</b>				
All zones	75mm	Reinforced concrete with a minimum thicknes of:  • 100mm for parking areas; and  • 150mm for access ways.		
	150mm	Asphalt with a minimum thickness of 25mm		
	150mm	Two coat sprayed bitumen seal		
	150mm	Concrete pavers		
	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free		

Note—Where more than one surfacing option is listed, any one of the treatments listed may be provided.

Table 9.4.3.3D—Bicycle Parking and End of Trip Facility Requirements

able 9.4.3.3D—Bicycle Parking and End of Trip Facility Requirements				
Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities		
Commercial activities	New or redeveloped commercial activities buildings (other than a shopping centre), provide:  • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • visitor facilities: - one bicycle rack space per 750m² NLA or part thereof; and - bicycle parking, signposted; and adjacent to a major public entrance to the building.	New or redeveloped commercial activities buildings (other than a shopping centre), provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.		
Community use	Four spaces per 1,500m <sup>2</sup> GFA.	As determined by Council.		

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Educational establishment	New or redeveloped education facilities, provide:  • For employees - secure bicycle storage for 8% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • For students:  - minimum of 8% of the peak number of students using the building at any one time (with 75% occupancy); and  - bicycle storage within 100m of the building front entrance(s); or added to the campus central bicycle storage area.	New or redeveloped education facilities, provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Food & drink outlet	One space per 100m <sup>2</sup> GFA.	As determined by Council.
Function facility	One space per 300m <sup>2</sup> GFA.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities	
Health care services	New or redeveloped healthcare facilities, provide the following facilities:  • For employees - secure bicycle storage for 5% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • For visitors:  - facilities with inpatient accommodation provide one space per each 30 beds;  - facilities without inpatient accommodation provide one space per each 4 practitioners;  - aged care facilities provide one space per each 60 beds;  - In every instance above, provide a minimum of 5 bicycle parking spaces; and  - bicycle parking provided: in an accessible location, signposted and within 10m a major public entrance to the building.	New or redeveloped healthcare facilities, provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.	
Hospital	As determined by Council.	As determined by Council.	
Indoor sport and recreation	One space per employee plus 1 space per 200m² GFA	As determined by Council.	
Park	As determined by Council.	As determined by Council.	
Rooming accommodation	One space per 4 letting rooms.	As determined by Council.	
Short term accommodation	One space per 4 letting rooms.	As determined by Council.	

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Shopping centre	New or redeveloped shopping centres, provide:  • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • visitor facilities:  - one space per 500m² GLA or part thereof for centres under 30,000m²; or  - one space per 750m² GLA or part thereof for centres between 30,000m² and 50,000m²; and  - bicycle parking is signposted and within 10m of a major public entrance to the building.	New or redeveloped shopping centres, provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.
Theatre	One space per 100m <sup>2</sup> GFA.	As determined by Council.

Table 9.4.3.3E—Vehicular Access for Specific Uses

Use	Design	
Dwelling house	A secondary dwelling shares a vehicle crossover with the Dwelling house.	
Car wash	Site access involves:  (a) a maximum width of 9 metres of any vehicle crossover across a footpath;	
Service station	<ul> <li>(b) a minimum separation of 12 metres between any vehicle crossover and a road intersection;</li> <li>(c) a separate entrance and exit; and</li> <li>(d) a minimum separation between vehicle crossovers of 14 metres.</li> </ul>	
Industrial activities	Each lot is provided with no more than one access point every 15 metres.	
Roadside stall	A single vehicular access point is provided to the site.	
Tourist park	<ul><li>(a) a single vehicular access point is provided to the site; and</li><li>(b) no accommodation site has individual vehicular access.</li></ul>	

#### 9.4.4 Reconfiguring a lot code

## 9.4.4.1 Application

- (1) This code applies to assessing development where:
  - (a) for Reconfiguring a lot; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

## 9.4.4.2 Purpose

- (1) The purpose of the Reconfiguring a lot code is to ensure that land is:
  - (a) arranged in a manner which is consistent with the intended scale and intensity of development within the area;
  - (b) provided with access to appropriate movement and open space networks; and
  - (c) contributes to housing diversity and accommodates a range of land uses.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Subdivision of land achieves the efficient use of land and the efficient provision of infrastructure and transport services;
  - (b) Lots are of a suitable size and shape for the intended or potential use having regard to the purpose and overall outcomes of the relevant zone or precinct.
  - (c) Subdivision of land creates lots with sufficient area and dimensions to accommodate the ultimate use, meet user requirements, protect environmental features and account for site constraints;
  - (d) A range and mix of lot sizes is provided to facilitate a variety of industry and housing types;
  - (e) Subdivision design incorporates a road network that provides connectivity and circulation for vehicles and provide safe and efficient access for pedestrians, cyclists and public transport:
  - (f) Subdivision design provides opportunities for walking and cycling for recreation and as alternative methods of travel;
  - (g) Subdivision of land provides and integrates a range of functional parkland, including local and district parks and open space links for the use and enjoyment of the residents of the locality and the shire;
  - (h) Subdivision of land contributes to an open space network that achieves connectivity along riparian corridors and between areas with conservation values;
  - (i) Subdivision within the Rural zone maintains rural landholdings in viable parcels;
  - (j) Land in historical townships is not reconfigured to be used for urban purposes;
     and
  - (k) Residential subdivision and greenfield development is designed to consider and respect:
    - i. topography;
    - ii. climate responsive design and solar orientation;
    - iii. efficient and sustainable infrastructure provision;
    - iv. environmental values;
    - v. water sensitive urban design;
    - vi. good quality agricultural land; and
    - vii. the character and scale of surrounding development.

# 9.4.4.3 Criteria for assessment

Table 9.4.4.3A—Reconfiguring a lot code – For assessable development

	9.4.4.3A—Reconfiguring a			Commonts
Pert	ormance outcomes	Acceptable outcomes	Complies	Comments
Area	and frontage of lots			
PO1 Lots front (a)	age that: is consistent with the design of lots in the surrounding area; allows the desired	AO1.1 Lots provide a minimum area and frontage in accordance with Table 9.4.4.3B.	n/a	This application is for an access easement only.  There is no change to the area or frontage of both existing lots.
(c)	amenity of the zone to be achieved; is able to accommodate all buildings, structures and works associated with the intended land			
(d)	use; allow the site to be provided with sufficient access;			
(e)	considers the proximity of the land to: (i) centres; (ii) public transport services; and			
(f)	(iii) open space; and allows for the protection of environmental features; and			
(g)	accommodates site constraints.			
Exis	ting buildings and easeme	ents		
conta	ctures ensures: new lots are of sufficient	AO2.1 Each land use and associated infrastructure is contained within its individual lot.	~	The development complies.
(b)	area and dimensions to accommodate existing land uses, buildings and structures; and any continuing use is not compromised by the reconfiguration.	AO2.2 All lots containing existing buildings and structures achieve the setback requirements of the relevant zone.	~	The development complies.

			•
Performance outcomes	Acceptable outcomes	Complies	Comments
PO3 Reconfiguring a lot which contains an existing easement ensures: (a) future buildings, structures and accessways are able to be sited to avoid the easement; and (b) the reconfiguration does not compromise the purpose of the easement or the continued operation of any infrastructure contained within the easement.	AO3 No acceptable outcome is provided.	n/a	Not applicable.
Boundary realignment			
PO4 The boundary realignment retains all attendant and existing infrastructure connections and potential connections.	AO4 No acceptable outcome is provided.	n/a	Not applicable.
Access and road network			
PO5 Access to a reconfigured lot (including driveways and paths) must not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; (d) privacy of adjoining premises; and (e) service provision.	AO5 No acceptable outcome is provided.	•	The development will be conditioned to comply.
PO6 Reconfiguring a lot ensures that access to a lot can be provided that:  (a) is consistent with that provided in the surrounding area;  (b) maximises efficiency and safety; and  (c) is consistent with the nature of the intended use of the lot.  Note—The Parking and access code should be considered in demonstrating compliance with PO6.	Vehicle crossover and access is provided in accordance with the design guidelines and specifications set out in Planning Scheme Policy 4 – FNQROC Regional Development Manual.		The development will be conditioned to comply.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
desig(a) (b) (c) (d)  Note—should	ds in the Industry zone are gned having regard to: the intended use of the lots; the existing use of surrounding land; the vehicular servicing requirements of the intended use; the movement and turning requirements of B-Double vehicles.  The Parking and access code be considered in demonstrating	AO7 No acceptable outcome is provided.	n/a	Not applicable.
Rear	ance with PO7.			
PO8	lots are designed to: provide a high standard of amenity for residents and other users of the	AO8.1 Rear lots are designed to facilitate development that adjoins or overlooks a park or open space.	n/a	Not applicable.
(b)	site; provide a high standard of amenity for adjoining properties; and not adversely affect the	AO8.2  No more than two rear lots are created behind any lot with a road frontage.	n/a	Not applicable.
	safety and efficiency of the road from which access is gained.	AO8.3 Access to lots is via an access strip with a minimum width of:  (a) 4 metres where in the Low density residential zone or Medium density residential zone; or  (b) 8 metres otherwise.	n/a	Not applicable.
		AO8.4 A single access strip is provided to a rear lot along one side of the lot with direct frontage to the street.  Note—Figure A provides further guidance in relation to the desired outcome.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO8.5 No more than 1 in 10 lots created in a new subdivision are rear lots.	n/a	Not applicable.
	AO8.6 Rear lots are not created in the Centre zone or the Industry zone.	n/a	Not applicable.
Crime prevention and commu	nity safety		
PO9 Development includes design features which enhance public safety and seek to prevent opportunities for crime, having regard to: (a) sightlines; (b) the existing and intended pedestrian movement network; (c) the existing and intended land use pattern; and (d) potential entrapment locations.	AO9 No acceptable outcome is provided.	n/a	Not applicable.
Pedestrian and cycle moveme	ent network		
PO10 Reconfiguring a lot must assist in the implementation of a Pedestrian and cycle movement network to achieve safe, attractive and efficient pedestrian and cycle networks.	AO10 No acceptable outcome is provided.	n/a	Not applicable.
Public transport network			

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
corri trans a st	ere a site includes or ins a future public transport	AO11 No acceptable outcome is provided.	n/a	Not applicable.
PO1	idential subdivision  2 idential lots are:   provided in a variety of sizes to accommodate housing choice and diversity; and located to increase variety and avoid large areas of similar lot sizes.	AO12 No acceptable outcome is provided.	n/a	Not applicable.
Rura	al residential zone			
Rura land 4,00	lots are only created in the al residential zone where is located within the $0m^2$ precinct, the 1 hectare inct or the 2 hectare	AO13 No acceptable outcome is provided.	n/a	Not applicable.
	itional provisions for gree			
with	subdivision design ides the new community	AO14 No acceptable outcome provided.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
PO15 The road network is designed to provide a high level of connectivity, permeability and circulation for local vehicles, public transport, pedestrians and cyclists.		AO15 No acceptable outcome provided.	n/a	Not applicable.
to: (a) (b)	road network is designed minimise the number of cul-de-sacs; provide walkable catchments for all residents in cul-de-sacs; and include open cul-de-sacs heads.	AO16 No acceptable outcome provided.	n/a	Not applicable.
PO1: Reco	-Figure B provides further guidance tion to the desired outcome.  7  Infiguring a lot provides and convenient access to existing or future public port network.	AO17 The subdivision locates 90% of lots within 400 metres walking distance of a future public transport route.	n/a	Not applicable.
deliv	staging of the lot of the staging of the lot of stage of the stage of	AO18 No acceptable outcome provided.	n/a	Not applicable.
1	ision is made for sufficient space to: meet the needs of the occupiers of the lots and	AO19.1 A minimum of 10% of the site area is dedicated as open space.	n/a	Not applicable.
(b)	to ensure that the environmental and scenic values of the area are protected; retain riparian corridors, significant vegetation and habitat areas and provides linkages between those areas; and meet regional, district and neighbourhood open space requirements.	AO19.2  A maximum of 30% of the proposed open space can consist of land identified as significant vegetation or riparian corridor buffer.	n/a	Not applicable.

Per	formance outcomes	Acceptable outcomes	Complies	Comments
PO2	20	AO20	n/a	Not applicable.
	network of parks and	No acceptable outcome		
	nmunity land is provided:	is provided.		
(a)	to support a full range of recreational and sporting activities;			
(b)	to ensure adequate			
(2)	pedestrian, cycle and			
	vehicle access;			
(c)	which is supported by			
	appropriate infrastructure			
	and embellishments;			
(d)	to facilitate links between			
(0)	public open spaces; which is co-located with			
(e)	other existing or			
	proposed community			
	infrastructure;			
(f)	which is consistent with			
	the preferred open space			
	network; and			
(g)	which includes a			
	diversity of settings;			

Table 9.4.4.3B—Minimum area and dimensions for Reconfiguring a lot

Zone	Туре	Minimum area	Minimum frontage	
Centre	All lots	800m <sup>2</sup>	20 metres	
Community facilities	All lots	Not specified	Not specified	
Conservation	All lots	Not specified	Not specified	
Emerging community	All lots	10 hectares	100 metres	
Low density residential	Where greenfield	development a	and connected to	
	reticulated water a	nd sewerage		
	Rear lot	800m <sup>2</sup>	5 metres	
	All other lots	350m <sup>2</sup>	10 metres	
	Where connected	to reticulated wat	er and sewerage	
	Rear lot	800m <sup>2</sup>	5 metres	
	All other lots	600m <sup>2</sup>	16 metres	
	Where connected to reticulated water			
	Rear lot	1,000m <sup>2</sup>	5 metres	
	All other lots	800m <sup>2</sup>	16 metres	
Medium density	Rear lot	600m <sup>2</sup>	5 metres	
residential	All other lots	400m <sup>2</sup>	10 metres	
Industry	All lots	1,500m <sup>2</sup>	45 metres	
Recreation and open	All lots	Not specified	Not specified	
space				
Rural	All lots	60 hectares	400 metres	
Rural residential	2 hectare precinct			
	All lots	2 hectares	60 metres	
	1 hectare precinct			

Zone	Туре	Minimum area	Minimum frontage
	All lots	1 hectare	40 metres
	4,000m <sup>2</sup> precinct		
	All lots	4.000m <sup>2</sup>	40 metres

Figure A – Examples of access to rear lots





Figure B – Example of cul-de-sac design



#### 9.4.5 Works, services and infrastructure code

#### 9.4.5.1 Application

(1) This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

### 9.4.5.2 Purpose

- (1) The purpose of the Works, services and infrastructure code is to ensure that all development is appropriately serviced by physical infrastructure, public utilities and services and that work associated with development is carried out in a manner that does not adversely impact on the surrounding area.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development provides an adequate, safe and reliable supply of potable, fire-fighting and general use water in accordance with relevant standards;
  - (b) Development provides for the treatment and disposal of wastewater and ensures there are no adverse impacts on water quality, public health, local amenity or ecological processes;
  - (c) Development provides for the disposal of stormwater and ensures that there are no adverse impacts on water quality or ecological processes;
  - (d) Development connects to the road network and any adjoining public transport, pedestrian and cycle networks while ensuring no adverse impacts on the safe, convenient and efficient operation of these networks;
  - (e) Development provides electricity and telecommunications services that meet its desired requirements;
  - (f) Development is connected to a nearby electricity network with adequate capacity without significant environment, social or amenity impact;
  - (g) Development does not affect the efficient functioning of public utility mains, services or installations:
  - (h) Infrastructure dedicated to Council is cost effective over its life cycle;
  - (i) Work associated with development does not cause adverse impacts on the surrounding area; and
  - (j) Development prevents the spread of weeds, seeds or other pests.

## 9.4.5.3 Criteria for assessment

Table 9.4.5.3 - Works, services and infrastructure code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments			
For accepted development subject to requirements and assessable development						
Water supply						

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1 Each lot has an adequate volume and supply of water that:  (a) meets the needs of users;  (b) is adequate for firefighting purposes;  (c) ensures the health, safety and convenience of the community; and  (d) minimises adverse impacts on the receiving environment.	AO1.1  Development is connected to a reticulated water supply system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located:  (a) in the Conservation zone, Rural zone or Rural residential zone; and  (b) outside a reticulated water supply service area.	n/a	This application is for an access easement only.
Wastewater disposal	AO1.2  Development, where located outside a reticulated water supply service area and in the Conservation zone, Rural zone or Rural residential zone is provided with:  (a) a bore or bores are provided in accordance with the Design Guidelines set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; or  (b) on-site water storage tank/s:  (i) with a minimum capacity of 90,000L;  (ii) fitted with a 50mm ball valve with a camlock fitting; and  (iii) which are installed and connected prior to the occupation or use of the development.	n/a	This application is for an access easement only.

D. f	Associable estamos	0	Q.,
Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Each lot provides for the treatment and disposal of effluent and other waste water that: (a) meets the needs of users; (b) is adequate for firefighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment.	AO2.1  Development is connected to a reticulated sewerage system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located:  (a) in the Conservation zone, Rural zone or Rural residential zone; and  (b) outside a reticulated sewerage service area.	n/a	This application is for an access easement only.
	AO2.2  An effluent disposal system is provided in accordance with ASNZ 1547 On-Site Domestic  Wastewater Management (as amended) where development is located:  (a) in the Conservation zone, Rural zone or Rural residential zone; and  (b) outside a reticulated sewerage service area.	n/a	This application is for an access easement only.
Stormwater infrastructure			
PO3 Stormwater infrastructure is designed and constructed to collect and convey the design storm event to a lawful point of discharge in a manner that mitigates impacts on life and property.	AO3.1 Where located within a Priority infrastructure area or where stormwater infrastructure is available, development is connected to Council's stormwater network in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	This application is for an access easement only.
Electricity supply	AO3.2 On-site drainage systems are constructed: (a) to convey stormwater from the premises to a lawful point of discharge; and (b) in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO4 Each lot is provided with an adequate supply of electricity	AO4 The premises:  (a) is connected to the electricity supply network; or  (b) has arranged a connection to the transmission grid; or  (c) where not connected to the network, an independent energy system with sufficient capacity to service the development (at near average energy demands associated with the use) may be provided as an alternative to reticulated electricity where:  (i) it is approved by the relevant regulatory authority; and  (ii) it can be demonstrated that no air or noise emissions; and  (iii) it can be demonstrated that no adverse impact on visual amenity will occur.	n/a	This application is for an access easement only.
Telecommunications infrastr	ucture		
PO5 Each lot is provided with an adequate supply of telecommunication infrastructure	AO5 Development is provided with a connection to the national broadband network or telecommunication services.	n/a	This application is for an access easement only.
Existing public utility serv			
PO6 Development and associated works do not affect the efficient functioning of public utility mains, services or installations.	Public utility mains, services are relocated, altered or repaired in association with the works so that they continue to function and satisfy the relevant Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	This application is for an access easement only.
Excavation or filling			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO7 Excavation or filling must not have an adverse impact on the:  (a) streetscape; (b) scenic amenity; (c) environmental values; (d) slope stability; (e) accessibility; or (f) privacy of adjoining premises.	AO7.1 Excavation or filling does not occur within 1.5 metres of any site boundary.	n/a	This application is for an access easement only.
	AO7.2  Excavation or filling at any point on a lot is to be no greater than 1.5 metres above or below natural ground level.	n/a	This application is for an access easement only.
	AO7.3  Earthworks batters:  (a) are no greater than 1.5 metres in height;  (b) are stepped with a minimum width 2 metre berm;  (c) do not exceed a maximum of two batters and two berms (not greater than 3.6 metres in total height) on any one lot;  (d) have a slope no greater than 1 in 4; and  (e) are retained.	n/a	This application is for an access easement only.
	AO7.4 Soil used for filling or spoil from excavation is not stockpiled in locations that can be viewed from: (a) adjoining premises; or (b) a road frontage, for a period exceeding 1 month from the commencement of the filling or excavation.	n/a	This application is for an access easement only.
	AO7.5 All batters and berms to be constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO7.6 Retaining walls have a maximum height of 1.5 metres and are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	This application is for an access easement only.
	AO7.7 Excavation or filling at any point on a lot is to include measures that protect trees at the foot or top of cut or fill batters by the use of appropriate retaining methods and sensitive earth removal or placement and in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	This application is for an access easement only.
For assessable development Transport network			
PO8 The development has access to a transport network of adequate standard to provide for the safe and efficient movement of vehicles, pedestrians and cyclists.	AO8.1 Vehicle access, crossovers, road geometry, pavement, utilities and landscaping to the frontage/s of the site are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	This application is for an access easement only.
	AO8.2  Development provides footpath pavement treatments in accordance with Planning Scheme Policy 9 – Footpath Paving.	n/a	This application is for an access easement only.
Public infrastructure			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO9 The design, construction and provision of any infrastructure that is to be dedicated to Council is cost effective over its life cycle and incorporates provisions to minimise adverse impacts.	AO9 Development is in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	This application is for an access easement only.
Stormwater quality			
PO10  Development has a non-worsening effect on the site and surrounding land and is designed to:  (a) optimise the interception, retention and removal of waterborne pollutants, prior to the discharge to receiving waters;  (b) protect the environmental values of waterbodies affected by the development, including upstream, on-site and downstream waterbodies;	AO10.1 The following reporting is prepared for all Material change of use or Reconfiguring a lot proposals:  (a) a Stormwater  Management Plan and Report that meets or exceeds the standards of design and construction set out in the Queensland Urban Drainage Manual (QUDM) and the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; and  (b) an Erosion and Sediment Control Plan that meets or exceeds the Soil	n/a	This application is for an access easement only.
(c) achieve specified water quality objectives;	Erosion and Sedimentation Control Guidelines (Institute of		
<ul><li>(d) minimise flooding;</li><li>(e) maximise the use of natural channel</li></ul>	Engineers Australia), including: (i) drainage control;		
design principles; (f) maximise community benefit; and	(ii) erosion control; (iii) sediment control; and		
(g) minimise risk to public safety.	(iv) water quality outcomes.		

Performance outcomes	Acceptable outcomes	Complies	Comments
	For development on land greater than 2,500m² or that result in more than 5 lots or more than 5 dwellings or accommodation units, a Stormwater Quality Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) is prepared that demonstrates that the development:  (a) meets or exceeds the standards of design and construction set out in the Urban Stormwater Quality Planning Guideline and the Queensland Water Quality Guideline;  (b) is consistent with any local area stormwater water management planning;  (c) accounts for development type, construction phase, local climatic conditions and design objectives; and  (d) provides for stormwater quality treatment measures reflecting land use constraints, such as soil type, landscape features (including landform), nutrient hazardous areas, acid sulfate soil and rainfall erosivity.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments
	-	·	
PO11 Storage areas for stormwater detention and retention:  (a) protect or enhance the environmental values of receiving waters;  (b) achieve specified water quality objectives;  (c) where possible, provide for recreational use;  (d) maximise community benefit; and  (e) minimise risk to public safety.	AO11 No acceptable outcome is provided.	n/a	This application is for an access easement only.
Excavation or filling			
PO12 Traffic generated by filling or excavation does not impact on the amenity of the surrounding area.	AO12.1  Haul routes used for transportation of fill to or from the site only use major roads and avoid residential areas.	n/a	This application is for an access easement only.
	AO12.2 Transportation of fill to or from the site does not occur: (a) within peak traffic times; and (b) before 7am or after 6pm Monday to Friday; (c) before 7am or after 1pm Saturdays; and (d) on Sundays or Public Holidays.	n/a	This application is for an access easement only.

Performance outcomes	Acceptable outcomes	Complies	Comments		
PO13 Air pollutants, dust and sediment particles from excavation or filling, do not cause significant environmental harm or nuisance impacts.	AO13.1  Dust emissions do not extend beyond the boundary of the site.	n/a	This application is for an access easement only.		
	AO13.2  No other air pollutants, including odours, are detectable at the boundary of the site.	n/a	This application is for an access easement only.		
	AO13.3 A management plan for control of dust and air pollutants is prepared and implemented.	n/a	This application is for an access easement only.		
PO14 Access to the premises (including driveways and paths) does not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; and (d) privacy of adjoining premises.	ACCESS to the premises (including all works associated with the access):  (a) must follow as close as possible to the existing contours;  (b) be contained within the premises and not the road reserve, and  (c) are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	This application is for an access easement only.		
Weed and pest management					
PO15 Development prevents the spread of weeds, seeds or other pests into clean areas or away from infested areas.	AO15 No acceptable outcome is provided.	n/a	This application is for an access easement only.		
Contaminated land					
PO16 Development is located and designed to ensure that users and nearby sensitive land uses are not exposed to unacceptable levels of contaminants	AO16  Development is located where:  (a) soils are not contaminated by pollutants which represent a health or safety risk to users; or  (b) contaminated soils are remediated prior to plan sealing, operational works permit, or issuing of building works permit.	n/a	This application is for an access easement only.		
Fire services in developments accessed by common private title					

Performance outcomes	Acceptable outcomes	Complies	Comments
PO17 Fire hydrants are located in positions that will enable fire services to access water safely, effectively and efficiently.	AO17.1  Fire hydrants are located in accessways or private roads held in common private title at a maximum spacing of:  (a) 120 metres for residential development; and  (b) 90 metres for any other development.	n/a	This application is for an access easement only.
	AO17.2  Fire hydrants are located at all intersections of accessways or private roads held in common private title.	n/a	This application is for an access easement only.