Assessment of application against relevant Development Codes

APPLICATION DETAILS

APPLICATION		PRE	MISES
FILE NO:	MCU/22/0014	ADDRESS:	62 Mount
			Kooyong
			Road,
			Julatten
APPLICANT:	Adermina Pty Ltd	RPD:	Lots 1 & 2
			on
			RP748307
LODGED BY:	Gilvear Planning	AREA:	Lot 1 -
	Pty Ltd		2804m2
			Lot 2 - 5.159
			hectares
DATE LODGED:	16 June 2022	OWNER:	M Ferguson
TYPE OF APPROVAL:	Development Permi	t	
PROPOSED DEVELOPMENT:	Material Change of I		
	and Retirement Fa		sion of Mount
	Kooyong Nursing H	ome)	
PLANNING SCHEME:	Mareeba Shire Cou	ncil Planning S	Scheme 2016
ZONE:	Rural zone		
LEVEL OF	Impact Assessment		
ASSESSMENT:	·		
SUBMISSIONS:	Nil		

Relevant Development Codes

The following Development Codes are considered to be applicable to the assessment of the application:

- 6.2.9 Rural zone code
- 8.2.1 Agricultural land overlay code
- 8.2.4 Environmental significance overlay code
- 8.2.11 Scenic amenity overlay code
- 9.3.1 Accommodation activities code
- 9.4.2 Landscaping code
- 9.4.3 Parking and access code
- 9.4.5 Works, services and infrastructure code

6.2.9 Rural zone code

6.2.9.1 Application

- (1) This code applies to assessing development where:
 - (a) located in the Rural zone; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

6.2.9.2 Purpose

- (1) The purpose of the Rural zone code is to:
 - (a) provide for rural uses including cropping, intensive horticulture, intensive animal industries, animal husbandry, animal keeping and other primary production activities:
 - (b) provide opportunities for non-rural uses that are compatible with agriculture, the environmental features, and landscape character of the rural area where the uses do not compromise the long-term use of the land for rural purposes;
 - (c) protect or manage significant natural resources and processes to maintain the capacity for primary production.
- (2) Mareeba Shire Council's purpose of the Rural zone code is to recognise the importance of primary production to the economy of the region and to maintain and strengthen the range of primary industries which contribute to the rural economy.

The purpose of the Rural zone code is to:

- (a) recognise the diversity of rural uses that exists throughout the region;
- (b) protect the rural character of the region;
- (c) provide facilities for visitors and tourists that are accessible and offer a unique experience;
- (d) protect the infrastructure of the Mareeba-Dimbulah Irrigation Scheme Area from development which may compromise long term use for primary production;
- (e) maintain distinct boundaries between the rural areas and the villages, towns and urban areas of the region;
- (f) provide for a range of uses, compatible and associated with rural or ecological values including recreational pursuits and tourist activities;
- (g) prevent adverse impacts of development on ecological values;
- (h) preserve land in large holdings; and
- (i) facilitate the protection of strategic corridors across the landscape which link remnant areas of intact habitat and transport corridors.
- (3) The purpose of the Rural zone code will be achieved through the following overall outcomes:
 - (a) Areas for use for primary production are conserved and fragmentation below economically viable lot sizes is avoided;
 - (b) The establishment of a wide range of rural pursuits is facilitated, including cropping, intensive horticulture, forestry, intensive animal industries, animal husbandry and animal keeping and other compatible primary production uses;
 - (c) The establishment of extractive industries, mining and associated activities and alternative forms of energy generation is appropriate where environmental impacts and land use conflicts are minimised;
 - (d) Uses that require isolation from urban areas as a consequence of their impacts such as noise or odour may be appropriate where land use conflicts are minimised;

- (e) Development is reflective of and responsive to the environmental constraints of the land;
- (f) Residential and other development is appropriate only where directly associated with the rural nature of the zone;
- (g) Low-impact tourism and recreation activities do not compromise the long-term use of the land for rural purposes;
- (h) The viability of both existing and future rural uses and activities is protected from the intrusion of incompatible uses;
- (i) Visual impacts of clearing, building, materials, access ways and other aspects of development are minimised or appropriately managed;
- (j) Adverse impacts of development both on-site and from adjoining areas are avoided and any impacts are minimised through location, design, operation and management; and
- (k) Natural features such as creeks, gullies, waterways, wetlands and bushland are retained, managed, enhanced and separated from adjacent development.

6.2.9.3 Criteria for assessment

Table 6.2.9.3—Rural zone code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments			
For accepted development	For accepted development subject to requirements and assessable development					
Height						
PO1 Building height takes int consideration and respect the following: (a) the height of existing buildings on adjoining premises; (b) the development	buildings used for rural activities, has a maximum building height of:	•	The proposed development is for a single storey building, well below 8.5 metres in height.			
potential, with respect to height, on adjoining premises; (c) the height of building in the vicinity of the site; (d) access to sunlight and daylight for the site and adjoining sites; (e) privacy and overlooking; and (f) site area and street frontage length.	Buildings and structures associated with a rural	n/a	The application is not for a rural activity.			
Siting, where not involving	g a Dwelling house					
Note—Where for Dwelling house, the	setbacks of the Queensland Developmen	it Code apply.				

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Development is sited in a manner that considers and respects: (a) the siting and use of adjoining premises; (b) access to sunlight and daylight for the site and adjoining sites;	AO2.1 Buildings and structures include a minimum setback of: (a) 40 metres from a frontage to a State-controlled road; and (b) 10 metres from a boundary to an adjoining lot.	•	The site does not adjoin a State-controlled road. The proposed development is at least 41 metres from an adjoining lot boundary.
 (c) privacy and overlooking; (d) air circulation and access to natural breezes; (e) appearance of building bulk; and (f) relationship with road 	AO2.2 Buildings and structures, where for a Roadside stall, include a minimum setback of 0 metres from a frontage to a road that is not a State-controlled road.	n/a	Not applicable.
corridors.	AO2.3 Buildings and structures, except where a Roadside stall, include a minimum setback of: (a) 10 metres from a frontage to a sealed road that is not a State-controlled road; and (b) 100 metres from a frontage to any other road that is not a State-controlled road;	•	The proposed development does not reduce the established setback to Mount Kooyong Road.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO3 The density of Accommodation activities: (a) respects the nature and density of surrounding land use; (b) is complementary and subordinate to the rural and natural landscape values of the area; and (c) is commensurate to the scale and frontage of the site.	AO3.1 Residential density does not exceed one dwelling house per lot.	Complies with PO3.	The subject site is already developed for the Mount Kooyong Nursing Home. Under the 1982 Planning Scheme, the land was rezoned to the Special Use zone to accommodate a nursing home. Whilst the zoning of the site was changed back to the Rural zone under the 2004 planning scheme, a special facilities designation was applied over the site giving additional use rights for a nursing home, aged person's hostel & caretaker's residence. This application is for an extension of the existing lawful use satisfies PO3.
	AO3.2 Residential density does not exceed two dwellings per lot and development is for: (a) a secondary dwelling; or (b) Caretaker's accommodation and includes building work or minor building work with a maximum gross floor area of 100m²; or (c) Rural worker's accommodation.	Complies with PO3.	See comments for AO3.1.

Performance outcomes	Acceptable outcomes	Complies	Comments	
For assessable development				
Site cover				
PO4 Buildings and structures occupy the site in a manner that: (a) makes efficient use of land; (b) is consistent with the bulk and scale of buildings in the surrounding area; and (c) appropriately balances built and natural features.	AO4 No acceptable outcome is provided.	•	The proposal plans demonstrate an appropriate site balance.	
PO5 Development complements and integrates with the established built character of the Rural zone, having regard to: (a) roof form and pitch; (b) eaves and awnings; (c) building materials, colours and textures; and (d) window and door size and location.	AO5 No acceptable outcome is provided.	•	The proposed extension complies Refer to elevation plans.	

Performance outcomes	Acceptable outcomes	Complies	Comments
Amenity			
PO6 Development must not detract from the amenity of the local area, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO6 No acceptable outcome is provided.		The established nursing home amenity will continue.
PO7 Development must take into account and seek to ameliorate any existing negative environmental impacts, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO7 No acceptable outcome is provided.	n/a	Not applicable.

8.2.1 Agricultural land overlay code

8.2.1.1 Application

- (1) This code applies to assessing development where:
 - (a) land the subject of development is located within the agricultural land areas identified on the **Agricultural land overlay maps (OM-001a-n)**; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Agriculture is appropriately reflected in Overlay Map 1 and is required to be mapped by State Government in response to Economic Growth State Interests.

8.2.1.2 Purpose

- (1) The purpose of the Agricultural land overlay code is to protect or manage important agricultural areas, resources, and processes which contribute to the shire's capacity for primary production.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) The alienation, fragmentation or reduction in primary production potential of land within the 'Class A' area or 'Class B' area is avoided, except where:
 - (i) an overriding need exists for the development in terms of public benefit,
 - (ii) no suitable alternative site exists; and
 - (iii) the fragmentation or reduced production potential of agricultural land is minimised;
 - (b) 'Class A' areas and 'Class B' areas continue to be used primarily for more intensive agricultural activities which utilise the land quality provided in these areas;
 - (c) Grazing on very large land holdings is maintained as the dominant rural activity in the 'Broadhectare rural' area; and
 - (d) Land with the 'Broadhectare rural' area is maintained in its current configuration.

8.2.1.3 Criteria for assessment

Table 8.2.1.3 – Agricultural land overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
	subject to requirements and a		
PO1	AO1		The proposed
The fragmentation or loss of productive capacity of land within the 'Class A area or 'Class B' area identified on the Agricultural land overlay maps (OM-001a-n) is avoided unless: (a) an overriding need exists for the development in terms of public benefit; (b) no suitable alternative site exists; and (c) loss or fragmentation is minimised to the extent possible.	not located on land within the 'Class A' area or 'Class B' area identified on the Agricultural land overlay maps (OM-001a-n) unless they are associated with:		development is within the footprint of the established nursing home and will not lead to the further fragmentation or loss of Class A or Class B area.
For assessable developme			
Sensitive land uses in the 'Class A' area, 'Class B' area or the 'Broadhectare rural' area identified on the Agricultural land overlay maps (OM-001a-n) are designed and located to: (a) avoid land use conflict; (b) manage impacts from agricultural activities, including chemical spray drift, odour, noise, dust, smoke and ash; (c) avoid reducing primary production potential; and (d) not adversely affect public health, safety and amenity.	AO2 No acceptable outcome is provided.		The proposed development is within the footprint of the established nursing home.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO3 Development in the 'Class A' area or 'Class B' area identified on the Agricultural land overlay maps (OM-001a-n): (a) ensures that agricultural land is not permanently alienated; (b) ensures that agricultural land is preserved for agricultural purposes; and (c) does not constrain the viability or use of agricultural land.	AO3 No acceptable outcome is provided.	•	The proposed development is within the footprint of the established nursing home and will not lead to the further fragmentation or loss of Class A or Class B area.
If for Reconfiguring a lot			
PO4 The 'Broadhectare rural area' identified on the Agricultural land overlay maps (OM-001a-n) is retained in very large rural holdings viable for broad scale grazing and associated activities.	AO4 Development does not involve the creation of a new lot within the 'Broadhectare rural' area identified on the Agricultural land overlay maps (OM-001a-n).	n/a	Not applicable.
PO5 Reconfiguring a lot in the 'Class A' area, 'Class B' area or the 'Broadhectare rural' area identified on the Agricultural land overlay maps (OM-001a-n) that is severed by a gazetted road occurs only where it does not fragment land used for agricultural purposes.	AO5 No acceptable outcome is provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO6 Any Reconfiguring a lot in the 'Class A' area, 'Class B' area or the 'Broadhectare rural' area identified on the Agricultural land overlay maps (OM-001a-n), including boundary realignments, only occurs where it: (a) improves agricultural efficiency; (b) facilitates agricultural activity; or (c) facilitates conservation outcomes; or (d) resolves boundary issues where a structure is built	AO6 No acceptable outcome is provided.	n/a	Not applicable.
over the boundary line of two lots.			

8.2.4 Environmental significance overlay code

8.2.4.1 Application

- (1) This code applies to assessing development where:
 - (a) land the subject of development is affected by a constraint category identified on the **Environmental significance overlay maps (OM-004a-z)**; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Biodiversity and Water quality are appropriately reflected in Overlay Map 4 and is required to be mapped by State Government in response to Environment and Heritage State Interests.

8.2.4.2 Purpose

(1) The purpose of the Environmental significance overlay code is to identify and protect matters of environmental significance, which include matters of state environmental significance (MSES) as defined under the state planning policy.

The Environmental significance overlay code ensures that:

- (a) waterways and high ecological significance wetlands are protected and enhanced to maintain ecosystem services and hydrological processes and provide aquatic habitat for flora and fauna; and
- (b) the environmental values of regulated vegetation, wildlife habitat, protected areas and legally secured offset areas are protected and managed.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the biodiversity values, ecosystem services and climate change resilience of areas of environmental significance are protected, managed, enhanced and rehabilitated;
 - (b) the biodiversity values of protected areas and legally secured offset areas are protected from development unless overriding community need is demonstrated;
 - (c) development is located, designed and managed to minimise the edge effects of development on areas of regulated vegetation and wildlife habitat;
 - (d) areas of regulated vegetation and wildlife habitat are managed to minimise biodiversity losses;
 - development maintains, protects and enhances a regional network of vegetated corridors that assist in wildlife movement and contribute to the maintenance of habitat and biological diversity;
 - (f) development is appropriately setback from waterways and high ecological significance wetlands to minimise direct and indirect impacts on water quality and biodiversity; and
 - (g) riparian vegetation and vegetation associated with high ecological significance wetlands is protected and enhanced to improve water quality and natural ecosystem function.

8.2.4.3 Criteria for assessment

Table 8.2.4.3A - Environmental significance overlay code - For accepted development

subject to requirements and assessable development

	ormance outcomes	Acceptable outcomes	Complies	Comments	
For	For accepted development subject to requirements and assessable development				
Reg	ulated vegetation				
PO1 Veg map vege Env Sigr	etation clearing in areas ped as 'Regulated etation' identified on the ironmental nificance Overlay Maps I-004a-o) is avoided	AO1.1 No clearing of native vegetation is undertaken within areas of 'Regulated vegetation' identified on the Environmental Significance Overlay Maps (OM-004a-o).		No clearing of native vegetation is proposed.	
PO2 PO2 Deve to an vege Envi Ove prote signi	ssment Report is prepared in dance with Planning Scheme / 2 – Ecological Assessment rts. Planni	AO2 Development (excluding roads, earthworks, drainage infrastructure and underground infrastructure) is not located within 20 metres of 'Regulated vegetation' areas identified on the Environmental	n/a	No development is proposed within 20 metres of the mapped regulated vegetation.	
vege (a)	etation and: does not interrupt, interfere, alter or otherwise impact on underlying natural	on the Environmental Significance Overlay Maps (OM-004a-o).			

Performance outcomes	Acceptable outcomes	Complies	Comments
ecosystem processes			
such as water quality,			
hydrology,			
geomorphology and			
biophysical processes; (b) does not negatively			
impact the movement of			
wildlife at a local or			
regional scale; and			
(c) avoids noise, light,			
vibration or other edge			
affects, including weed			
and pest incursion on			
identified environmental			
values.			
Note—A supporting Ecological			
Assessment Report is prepared in			
accordance with Planning Scheme			
Policy 2 – Ecological Assessment Reports.			
Regulated vegetation inters	ecting a watercourse		
PO3	Where within a 'Waterway	✓	A stream order 0
Vegetation clearing in areas	buffer' on Environmental		applies to Bushy
mapped as 'Regulated	Significance - Waterway		Creek.
vegetation intersecting a	Overlay Maps (OM-004p-		
watercourse', identified as	z)		Applying a 10
'Waterway' and 'Waterway	A02.4		metre setback, no
buffer' on the Environmental	AO3.1 A minimum setback in		development is proposed within
Significance - Waterway Overlay Maps (OM-004p-z) is	accordance with Table		this setback.
avoided unless wildlife	8.2.4.3B is provided		tilis setback.
interconnectivity between	between development and		
habitats is maintained or	the top of the high bank of		
enhanced at a local and	a 'Waterway' identified on		
regional scale, to the extent	the Environmental		
that migration or normal	Significance - Waterway		
movement of significant	Overlay Maps (OM-004p-		
species between habitats or	z) .		
normal gene flow between	Where within a 'Waterway	✓	No clearing of
populations is not inhibited.	buffer' on Environmental		native vegetation
Note—A supporting Ecological	Significance - Waterway		is proposed.
Assessment Report is prepared in	Overlay Maps (OM-004p-		
accordance with Planning Scheme	z)		
Policy 2 – Ecological Assessment Reports.	AO3.2		
	No clearing of native		
	vegetation is undertaken		
	within the minimum setback		
	identified at AO3.1 .		
Waterways and wetlands	•		

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
wetla Envi Over and ' Envi Wate	recological significance ands' identified on the ronmental Significance lay Maps (OM-004a-o) Waterways' on ronmental Significance - erway Overlay Maps (OM-0-z) and are protected by: maintaining adequate separation distances between waterways/wetlands and development; maintaining and	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) AO4.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p-z).		A stream order 0 applies to Bushy Creek. Notwithstanding, applying a 10 metre setback, no development is proposed within this area.
(c) (d) (e)	enhancing aquatic and terrestrial habitat including vegetated corridors to allow for native fauna (terrestrial and aquatic) movement; maintaining waterway bank stability by minimising bank erosion and slumping; maintaining water quality by providing buffers to allow filtering of sediments, nutrients and other pollutants; and retaining and improving existing riparian vegetation and existing vegetation associated with a wetland.	Where within a 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.2 A minimum buffer of 200 metres is provided between development and the edge of a 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).	Complies with PO4	The subject site is within a high ecological significance wetland buffer (buffer associated with Bushy Creek). The proposed development involves the partial demolition and rebuilding of parts of the Mount Kooyong Nursing Home. The development maintains the existing separation distances and will not lead to any new impacts on the wetland. The development satisfies PO4.
accord	sment Report is prepared in dance with Planning Scheme 2 – Ecological Assessment	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.3 No stormwater is discharged to a 'Waterway'	Complies with PO4	The subject site is within a high ecological significance wetland buffer (buffer associated with Bushy Creek). The proposed development involves the partial demolition and

Performance outcomes	Acceptable outcomes	Complies	Comments
	on Environmental Significance - Waterway Overlay Maps (OM-004p- z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o). Note— An alternative outcome is required to demonstrate that the ecological impacts of stormwater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate stormwater management / treatment (where possible). Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) or 'High ecological significance Wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.4 No wastewater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) or 'High ecological significance wetland' identified on the Environmental Significance Wetland' identified on the Environmental Significance Overlay Map (OM-004a-z). Note— A alternative outcome is required to demonstrate that the ecological impacts of wastewater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate wastewater management / treatment (where possible).	Complies with PO4	rebuilding of parts of the Mount Kooyong Nursing Home. The development maintains the existing separation distances and will not lead to any new impacts on the wetland. The development satisfies PO4. The subject site is within a high ecological significance wetland buffer (buffer associated with Bushy Creek). The proposed development involves the partial demolition and rebuilding of parts of the Mount Kooyong Nursing Home. The development maintains the existing separation distances and will not lead to any new impacts on the wetland. The development satisfies PO4.
For assessable developmen	nt		
Wildlife Habitat	A05	n/o	The prepared
PO5 Development within a 'Wildlife habitat' area identified on the	AO5 No acceptable outcome is provided	n/a	The proposed development will not occur within a mapped wildlife habitat area.

Environmental Significance Overlay Maps (OM-004a-o): (a) protects and enhances the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances wildlife interconnectivity	
Overlay Maps (OM-004a-o): (a) protects and enhances the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
(a) protects and enhances the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
(EVNT) species and local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
local species of significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
significance; (b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
(b) incorporates siting and design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
design measures to protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
ecosystem processes within or adjacent to the development site; (c) maintains or enhances	
within or adjacent to the development site; (c) maintains or enhances	
development site; (c) maintains or enhances	
(c) maintains or enhances	
whome interconnectivity	
at a local and regional	
scale; and	
(d) mitigates the impact of	
other forms of potential	
disturbance (such as	
presence of vehicles,	
pedestrian use,	
increased exposure to	
domestic animals, noise	
and lighting impacts) to	
protect critical life stage	
ecological processes	
(such as feeding,	
breeding or roosting).	
Note: Development and sections and	
Note—Development applications must identify any EVNT species or their	
habitats that may be affected by the	
proposal. In particular, applications are	
to identify and describe how the	
development avoids adverse impacts on ecological processes within or	
adjacent to the development area.	
Note: A comparation of the latest	
Note—A supporting Ecological Assessment Report is prepared in	
accordance with Planning Scheme	
Policy 2 – Ecological Assessment	
Reports.	
Legally secured offset areas	
PO6 No applicable Not applicable	5 .
Development within a No acceptable outcome is	
'Legally secured offset area' provided.	
identified on the	
Environmental	
Significance Overlay Maps	
(OM-004a-o) or other known	

		I	
Performance outcomes	Acceptable outcomes	Complies	Comments
Legally Secured Offset Area is consistent with the binding requirements of the offset and does not prejudice, undermine, or negatively impact the inherent ecological values, including all naturally occurring native flora, fauna and their habitat within the Legally Secured Offset Area. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme			
Policy 2 – Ecological Assessment Reports.			
Protected areas			
PO7 Development within a 'Protected area' identified on the Environmental Significance Overlay Maps (OM-004a-o) is consistent with the values of the Protected Area and: (a) supports the inherent ecological and community values of the Protected Area asset; (b) maintains or enhances wildlife interconnectivity at a local and regional scale; and (c) does not prejudice, undermine, or negatively impact the inherent ecological values, including all naturally occurring native flora, fauna and their habitat within the Protected Area. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 — Ecological Assessment	No acceptable outcome is provided	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
Eco	logical corridors and Ha	abitat linkages		
POS Dev (a)	elopment located: in the Conservation zone, Emerging community zone, Recreation and open space zone, Rural zone or Rural residential zone;	AO8 No acceptable outcome is provided	n/a	Not applicable.
(b)	and within an 'Ecological corridor' or a 'Habitat linkage' identified on the Environmental Significance Overlay Maps (OM-004a-o)			
prov coni corr	s not compromise the vision of habitat nectivity of the idor/linkage, having ard to: the environmental values of the area of the site identified in the 'Ecological corridor' or 'Habitat linkage'; the environmental values of adjoining and nearby land within the 'Ecological corridor' or 'Habitat linkage'; the extent of any modification proposed to the natural environment including (but not limited to) vegetation and topography; the location and design of proposed improvements that may impact on the functions			
(e)	of the 'Ecological corridor' or 'Habitat linkage' including (but not limited to) buildings, structures, fences, lighting, vehicle movement areas and infrastructure services; and the ability for the 'Ecological corridor' or			

Performance outcomes	Acceptable outcomes	Complies	Comments
'Habitat linkage' to be enhanced to improve ecological connectivity.			
Note—A supporting Ecological Assessment Report prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports may be appropriate to demonstrate compliance with PO8.			

Table 8.2.4.3B - Setback and buffer distances from waterways

Stream order	Setback and buffer from waterways
1	10 metres from top of high bank
2-4	25 metres from top of high bank
5 or more	50 metres from top of high bank

Note—The steam order of a 'waterway' is to be determined on a case by case basis.

8.2.11 Scenic amenity overlay code

8.2.11.1 Application

- (1) This code applies to assessing development where:
 - (a) land the subject of development is located within identified on the **Scenic amenity overlay** maps (OM-011a-b); and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

8.2.11.2 Purpose

- (1) The purpose of the Scenic amenity overlay code is to protect and enhance the scenic qualities and character of the shire.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Scenic routes are protected from development that could compromise their contribution to the character of the shire;
 - (b) Scenic routes are enhanced through development that is consistent with the existing landscape character of the route; and
 - (c) The visibility of Iconic landscape features from public areas of the shire is protected and enhanced.

8.2.11.3 Criteria for assessment

Table 8.2.11.3 – Scenic amenity overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development s	ubject to requirements and assess	able development	:
Where adjoining a Local sce	Where adjoining a Local scenic route		
PO1 'Local scenic routes' identified on Scenic amenity overlay map (OM-011b) are maintained and enhanced to: (a) achieve a high level of amenity when	AO1.1 Development with frontage to a 'Local scenic route' identified on Scenic amenity overlay map (OM-011b) retains existing mature native vegetation within 3 metres of the site frontage	n/a	Not applicable.
viewed from the street; (b) contribute to the development of natural features within the streetscape; and (c) compliment the character of the local area.	AO1.2 Development, other than for a Dwelling house, with frontage to a 'Local scenic route' identified on Scenic amenity overlay map (OM-011b): (a) provides a landscaped strip that: (i) is a minimum of 3 metres; and (ii) contains species which comply with	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	the relevant acceptable outcomes of the Landscaping code and any applicable local plan code; and (b) does not involve a freestanding permanent advertising device.		
For assessable development	ent		
Iconic landscape features			
The visibility of the 'Chillagoe Smelters iconic landscape feature' and the 'Mount Mulligan iconic landscape feature' identified on Scenic amenity overlay map (OM-011a) are not compromised by buildings or structures located within the: (a) 'Chillagoe Smelters iconic landscape feature'; or (b) 'Chillagoe Smelters 500 metre buffer'; or (c) 'Mount Mulligan iconic landscape feature'; or (d) 'Mount Mulligan 12 kilometre buffer'.	No acceptable outcome is provided.	n/a	Not applicable.
Where within the Shire scen	ic route 500 metre buffer		
'Shire scenic routes' identified on Scenic amenity overlay map (OM-011b) are maintained and enhanced: (e) to contribute to the rural landscape character of the shire; (f) to promote the appreciation of the natural environment;	AO3 No acceptable outcome is provided.	•	The proposed development is not visible from the Mossman-Mount Molloy Road.

Performance outcomes	Acceptable outcomes	Complies	Comments
(g) through the sensition and design of land uses, buildings and structures; and (h) through the retent and enhancement the attributes or values which give rise to the attractiveness of the subject site.	on of		
If for Extractive industry	or Telecommunications facility		
PO4 The Extractive industry or Telecommunications facili is not visible from a 'Local scenic route' or a 'Shire scenic route' identified on Scenic amenity overlay map (OM-011b).	AO4 No acceptable outcome is provided.	n/a	Not applicable.

9.3.1 Accommodation activities code

9.3.1.1 Application

- (1) This code applies to assessing development where:
 - (a) involving Accommodation activities; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.3.1.2 Purpose

- (1) The purpose of the Accommodation activities code is to facilitate the provision of Accommodation activities in appropriate locations throughout the shire.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Accommodation activities are designed, located and operated to minimise any adverse impacts on the natural environment and amenity of surrounding uses;
 - (b) Accommodation activities in the Centre zone are facilitated where they can integrate and enhance the fabric of the centre and are located behind or above commercial development;
 - (c) Accommodation activities provide a high level of amenity and are reflective of the surrounding character of the area;
 - (d) Accommodation activities are generally established in accessible, well-connected locations with access or future access to public transport, cycling and pedestrian networks;
 - (e) Accommodation activities do not compromise the viability of the hierarchy and network of centres, namely:
 - (i) Mareeba as a major regional activity centre, which accommodates the most significant concentrations of regional-scale business, retail, entertainment, government administration, secondary and tertiary educational facilities and health and social services within the shire;
 - (ii) Kuranda as a village activity centre, which accommodates services, arts and cultural facilities, sports and recreation facilities, business and employment uses to support the village and its constituent surrounding rural and rural residential communities;
 - (iii) Chillagoe and Dimbulah as Rural activity centres, which provide commercial and community services to their rural catchments: and
 - (iv) Biboohra, Irvinebank, Julatten, Koah, Mutchilba, Mt Molloy, Myola and Speewah as rural villages, that have limited centre activities and other non-residential activities;
 - (f) Accommodation activities are responsive to site characteristics and employ best practice industry standards.

9.3.1.3 Criteria for assessment

Table 9.3.1.3A—Accommodation activities code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development su	ubject to requirements and asse	essable developm	ent
All Accommodation activities	s, apart from Dwelling house		
PO1 Accommodation activities are located on a site that includes sufficient area: (a) to accommodate all buildings, structures, open space and infrastructure associated with the use; and (b) to avoid adverse impacts on the amenity or privacy of nearby land uses.	AO1 Development is located on a site which provides the applicable minimum site area and minimum road frontage specified in Table 9.3.1.3B.	•	Complies. The site has an area in excess of 2,000m2 and a frontage greater than 30 metres.
	s, apart from Tourist park and D	welling house	
Accommodation activities are provided with on-site refuse storage areas that are: (a) sufficient to meet the anticipated demand for refuse storage; and (b) appropriately located on the site having regard to potential odour and noise impacts on uses on the site and adjoining sites.	A refuse area is provided that: (a) includes a water connection; (b) is of a size and configuration to accommodate 2x240 litre bins per dwelling or accommodation unit where involving a use other than a residential care facility or retirement facility; and (c) is of a size and configuration to accommodate a minimum of two bulk refuse bins where involving a residential care facility or retirement facility. 5, except for Dwelling house		On site refuse storage areas are established for the existing nursing home.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO3 Accommodation activities are designed to avoid overlooking or loss of privacy for adjoining uses. Note—These provisions apply to any adjoining use, both on an adjoining site and on the same site.	AO3 The windows of habitable rooms: (a) do not overlook the windows of a habitable room in an adjoining dwelling or accommodation unit; or (b) are separated from the windows of a habitable room in an adjoining dwelling or accommodation unit by a distance greater than: (i) 2 metres at ground level; and (ii) 8 metres above ground level; or (c) are treated with: (i) a minimum sill height of 1.5 metres above floor level; or (ii) fixed opaque glassed installed below 1.5 metres; or (iii) fixed external screens; or (iv) a 1.5 metre high screen fence along the common boundary.		The proposed development will not overlook the windows of a habitable room in an adjoining dwelling.
PO4 Accommodation activities are provided with sufficient private and communal open space areas which: (a) accommodate a range of landscape treatments, including soft and hard landscaping; (b) provide a range of opportunities for passive and active recreation; (c) provide a positive outlook and high quality of amenity to residents;	AO4.1 Development, except for Caretaker's accommodation, Dwelling house, Dual occupancy or Home based business, includes communal open space which meets or exceeds the minimum area, dimension and design parameters specified in Table 9.3.1.3C. AO4.2 Development includes private open space for each dwelling or accommodation unit which meets or exceeds the minimum area, dimension and design parameters specified in Table		The proposed development features a patio for each unit, a lounge in each annex and extensive outdoor deck areas. Each unit has an individual attached patio.

Performance outcomes	Acceptable outcomes	Complies	Comments
(d) is conveniently located and easily accessible to all residents; and (e) contribute to an active and attractive	AO4.3 Clothes drying areas are provided at the side or rear of the site so that they are not visible from the street.	•	The development will comply.
streetscape. If for Caretaker's Accommod	If for Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility, development provides a secure storage area for each dwelling or accommodation unit which: (a) is located to facilitate loading and unloading from a motor vehicle; (b) is separate to, and does not obstruct, on-site vehicle parking or manoeuvring areas; (c) has a minimum space of 2.4m² per dwelling or accommodation unit; (d) has a minimum height of 2.1 metres; (e) has minimum dimensions to enable secure bicycle storage; (f) is weather proof; and (g) is lockable.	n/a	Not applicable. Residents will not have individual vehicles.
PO5 Caretaker's accommodation is of a scale and intensity which is consistent with that of the surrounding area.	AO5.1 Only one caretaker's accommodation is established on the title of the non-residential use.	n/a	Not applicable.
Note—Where Caretaker's Accommodation is assessable development additional assessment benchmarks are provided under "for assessable development".	AO5.2 In the Rural zone, Caretaker's accommodation has a maximum gross floor area of 200m².	n/a	Not applicable.

Porf	ormance outcomes	Acceptable outcomes	Complies	Comments
	Dwelling house	Acceptable outcomes	Complies	Comments
	Dwelling nouse		,	N
PO6 Where a Dwelling house involves a secondary dwelling, it is designed and located to: (a) not dominate the site; (b) remain subservient to the primary dwelling; and (c) be consistent with the character of the		AO6.1 The secondary dwelling is located within: (a) 10 metres of the primary dwelling where on a lot that has an area of 2 hectares or less; or (b) 20 metres of the primary dwelling where on a lot that has an area of greater than 2 hectares.	n/a	Not applicable.
	surrounding area;	AO6.2 A secondary dwelling has a maximum gross floor area of 100m ² .	n/a	Not applicable.
If for	Dual occupancy			
occu	re establishing a Dual pancy on a corner lot, uilding is designed to: maximise opportunities	AO7.1 Where located on a corner allotment, each dwelling is accessed from a different road frontage.	n/a	Not applicable.
(b)	for causal surveillance; provide for separation between the two dwellings; and provide activity and visual interest on both frontages.	A07.2 The maximum width of garage or carport openings that face a public street is 6 metres or 50% of the building width, whichever is the lesser.	n/a	Not applicable.
If for	Multiple dwelling, Resid	dential care facility or Retiremen	t facility	
locat (a)	elopment is appropriately ed within the Shire to: maximise the efficient utilisation of existing infrastructure, services and facilities; and minimise amenity impacts through the collocation of compatible uses.	AO8 Multiple dwelling, Residential care facility or Retirement facility uses are located on land within 800 metres of the boundary of land within the Centre zone.	Complies with PO8	The subject site is already developed for the Mount Kooyong Nursing Home. The proposed development will add to and improve the established nursing home.
facility asses asses provid	-Where Residential care or Retirement facility is sable development additional sment benchmarks are ed under "for assessable opment".			The development complies with PO8.

For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and AO10.1 The development incorporates covered walkways and ramps on site for weather protection To Retirement facility or Retirement facility AO10.1 The development will comply.					
Existential son not exceed 10 metres in continuous length unless including a minimum of three of the following building bulk; (b) provide visual interest through articulation and variation; (c) be compatible with the embedded, historical character for the locality, and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility is assessable development additional assessment benchmarks are provided under 'for assessable development.'	Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
Existernal walls do not exceed 10 metres in continuous length unless including a minimum of three of the following building bulk; (b) provide visual interest through articulation and variation; (c) be compatible with the embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility is assessable development additional assessment benotimarks are provided under "for assessable development" A09.2	PO9		AO9.1	✓	The development
appearance of building bulk; (b) provide visual interest through articulation and variation; (c) be compatible with the embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility is assessable development additional assessment benchmarks are provided under for assessable development. AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: or (c) a change in roof profile; or (d) a horizontal or vertical exterior colours of the development incorporates covered walkways and ramps or include sign or or the development will comply.	Build		External walls do not exceed 10		
bulk; (b) provide visual interest through articulation and variation; (c) be compatible with the embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility or Retirement facility or Retirement facility is an evelopment. Note—Where Residential care facility or Retirement facility is an evelopment. A09.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, toof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility	(a)				
(b) provide visual interest through articulation and variation; (c) be compatible with the embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility or Retiremen					
through articulation and variation; (c) be compatible with the embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility, the maximum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: or (c) a change in parapet copping or (c) a change in parapet or oping or (c) a change in parapet or oping or (c) a change in the wall plane; or (e) a	(h)	· · · · · · · · · · · · · · · · · · ·			
and variation; (c) be compatible with the embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility is assessable development actilities assessment benchmarks are provided under "for assessable development actilities and exterior colours of the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, to pullify the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility	(b)				
(c) be compatible with the embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility is assessable development additional assessment benchmarks are provided under "for assessable development." (e) a change in awning design; or (d) a horizontal or vertical change in the exterior finishes and exterior colours of the development. (e) a change in the exterior finishes and exterior colours of the development. AO9.2 For a Multiple dwelling, Residential care facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) pyromotes safe and		•			
embedded, historical character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility is assessable development. Note—Where Residential care facility or Retirement facility is assessable development additional assessment benchmarks are provided under for assessable development. A09.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and	(c)				
character for the locality; and (d) be compatible with the scale of surrounding buildings Note—Where Residential care facility or Retirement facility is assessable development additional assessment benchmarks are provided under "for assessable development." AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and	(0)				
Co a change in awning design; or Co a change in awning design; or Co a change in the wall plane; or Co Co Co Co Co Co Co		,			
(d) be compatible with the scale of surrounding buildings A horizontal or vertical change in the wall plane; or a change in the exterior finishes and exterior colours of the development diditional assessable development diditional assessable development. A09.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) The layout and design of the site: (a) promotes safe and			. •		
scale of surrounding buildings Note—Where Residential care facility or Retirement facility is assessable development additional assessment benchmarks are provided under "for assessable development." A09.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and	(d)		, , ,		
buildings Note—Where Residential care facility or Retirement facility is assessable development additional assessable development. AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and	(4)				
Note—Where Residential care facility or Retirement facility is assessable development additional assessment benchmarks are provided under 'for assessable development'. AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) pyromotes safe and			` '		
Note—Where Residential care facility realizing the European Laurities assessable development additional assessment benchmarks are provided under 'for assessable development'. AO9.2		zanan ge			
finishes and exterior colours of the development additional assessable development additional assessable development. A09.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility P010 The layout and design of the site: covered walkways and ramps on site for weather protection	1				
assessment benchmarks are provided under 'for assessable development'. AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and					
development. AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and					
AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and	provid	ed under "for assessable	development.		
For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and	develo	opment".		n/a	Not applicable.
Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and Retirement facility, the dwelling, Residential care facility or Retirement facility AO10.1 The development will comply.			For a Multiple dwelling,		
maximum width of a garage or carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and maximum width of a garage or carport deserved and that faces a garage or carport opening that faces a road is 6 metres. The development complies. The development complies. The development will comply.			Residential care facility or		
carport opening that faces a road is 6 metres. AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and The development incorporates covered walkways and ramps on site for weather protection			Retirement facility, the		
road is 6 metres. A09.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The development facility A010.1 The development incorporates covered walkways and ramps on site for weather protection					
AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and AO9.4 For a Multiple dwelling, Residential, (a) promotes safe and AO9.4 For a Multiple dwelling, Residential, (a) promotes afe and AO9.4 For a Multiple dwelling, Residential, (a) promotes afe and AO9.4 For a Multiple dwelling, Residential, (a) promotes afe and AO9.4 For a Multiple dwelling, Residential, AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility or Retirement facility For a Multiple dwelling, Residential care facility or Retirement facility For a Multiple dwelling, Residential care facility or Retirement facility For a Multiple dwelling, Residential care facility or Retirement facility For a Multiple dwelling, Residential care facility or Retirement facility For a Multiple dwelling, Residential care facility or Retirement facility For a Multiple dwelling, Residential care facility or Retirement facility For a Multiple dwelling, Residential care facility For a Multiple dwelling, Residential care facility or Retirement facility For a Multiple dwelling, Residential care facility For a Multiple dwelling, Reside					
For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. A09.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and For a Multiple dwelling, Residential care facility or Retirement facility or Retirement facility A010.1 The development incorporates covered walkways and ramps on site for weather protection					
Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and AO10.1 The development incorporates covered walkways and ramps on site for weather protection				~	•
Retirement facility, the building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and AO10.1 The development incorporates covered walkways and ramps on site for weather protection					complies.
building(s) include awnings with a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and building(s) include awnings with a minimum overhang of 600mm. The development complies. The development facility PO10 The development incorporates covered walkways and ramps on site for weather protection			ı		
a minimum overhang of 600mm. AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and The development incorporates covered walkways and ramps on site for weather protection The development will comply.					
AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and AO9.4 For a Multiple dwelling, Residenting, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. The development incorporates covered walkways and ramps on site for weather protection			, ,		
AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and AO9.4 For a Multiple dwelling, Residential, (a) Pyramidal; (b) hip or hipped; (c) gable; (d) skillion. The development incorporates covered walkways and ramps on site for weather protection					
For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and For a Multiple dwelling, Residential, care facility or Retirement facility. AO10.1 The development incorporates covered walkways and ramps on site for weather protection The development will comply.					
Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and Residential care facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. Y The development will comply.				Y	•
Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. Y The development will comply.			,		compiles.
include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and include one or more of the following types: (a) Pyramidal; (b) hip or hipped; (c) gable; (d) skillion. ✓ The development incorporates covered walkways and ramps on site for weather protection			,		
following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. AO10.1 The development incorporates covered walkways and ramps on site for weather protection					
(a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and (a) pyramidal; (b) hip or hipped; (d) skillion. The development incorporates covered walkways and ramps on site for weather protection					
(b) hip or hipped; (c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and (b) hip or hipped; (c) gable; (d) skillion. The development incorporates covered walkways and ramps on site for weather protection					
(c) gable; (d) skillion. If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and (c) gable; (d) skillion. The development incorporates covered walkways and ramps on site for weather protection The development will comply.					
If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and (d) skillion. AO10.1 The development incorporates covered walkways and ramps on site for weather protection The development will comply.					
If for Residential care facility or Retirement facility PO10 The layout and design of the site: (a) promotes safe and AO10.1 The development incorporates covered walkways and ramps on site for weather protection The development will comply.					
The layout and design of the site: (a) promotes safe and The development incorporates covered walkways and ramps on site for weather protection will comply.	If for	Residential care facility	or Retirement facility		
The layout and design of the site: (a) promotes safe and The development incorporates covered walkways and ramps on site for weather protection will comply.	PO1	0	AO10.1	✓	The development
site: covered walkways and ramps on site for weather protection	1		The development incorporates		
(a) promotes safe and on site for weather protection		, ,			
	1	promotes safe and			
easy pedestrian, cycle between an bundings.	L.	easy pedestrian, cycle	between all buildings.		
PORV DOGERION CVCIA DATWAAN OII NUIIGINGE	The site:	layout and design of the promotes safe and	The development incorporates covered walkways and ramps on site for weather protection		

Perfo	ormance outcomes	Acceptable outcomes	Complies	Comments
(b)	and mobility device movement; defines areas of pedestrian movement;	AO10.2 Pedestrian paths include navigational signage at intersections.	~	The development will comply.
	and assists in navigation and way finding. -Where Residential care	AO10.3 Buildings, dwellings and accommodation units include identification signage at entrances.	•	The development will comply.
assess assess provide	or Retirement facility is sable development additional sment benchmarks are ed under "for assessable opment".	AO10.4 An illuminated sign and site map is provided at the main site entry.	~	The development will comply.
		AO10.5 Buildings, structures and pathways associated with a Residential care facility or Retirement facility are not located on land with a gradient greater than 8%.	•	The development will comply.
If for	Home based business			
comp	l e based businesses are patible with the built form, acter and amenity of the unding area, having	AO11.1 The Home based business is located within a dwelling house or outbuilding associated with a dwelling house.	n/a	Not applicable.
regar (a) (b)		AO11.2 The Home based business does not occupy a gross floor area of more than 50m ² .	n/a	Not applicable.
(d)	number of employees; and hours of operation.	AO11.3 No more than 1 person (other than the residents of the site) is employed by the Home based business at any one time.	n/a	Not applicable.
		AO11.4 The Home based business, unless a home office, bed and breakfast or farm stay, does not operate outside the hours of 7.00 am and 6.00 pm.	n/a	Not applicable.
		AO11.5 The Home based business does not involve the public display of goods external to the building.	n/a	Not applicable.
		AO11.6 The Home based business does not involve the repair, cleaning or servicing of any motors, vehicles or other machinery.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO12 Home based businesses involving accommodation	AO11.7 Any equipment or materials associated with the Home based business are screened from public view and adjacent properties by fencing or landscaping. AO11.8 The business does not involve the use of power tools or similar noise generating devices. AO12.1 Home based businesses involving accommodation	n/a n/a	Not applicable. Not applicable. Not applicable.
activities are appropriately scaled and designed to avoid detrimental impacts on the amenity and privacy of surrounding residences.	activities are limited to the scale specified in Table 9.3.1.3E . AO12.2 A farm stay dwelling or accommodation unit is located within 20 metres of the primary dwelling house.	n/a	Not applicable.
	AO12.3 A farm stay is setback 100 metres from any property boundary.	n/a	Not applicable.
	AO12.4 Entertainment and dining facilities associated with an accommodation activity are: (a) located at least 5 metres from the bedrooms of adjoining residences; and (b) located or screened so that they do not directly overlook private open space areas of adjoining properties.	n/a	Not applicable.
If for Rural workers' accomm	nodation		
PO13 The Rural workers' accommodation is directly associated with an agricultural based rural activity on the same premises and is commensurate with the scale of agricultural operations.	AO13.1 A Rural workers' accommodation building is limited to the accommodation of: (a) one rural worker for every 50 hectares; and (b) a maximum of ten rural workers in total.	n/a	Not applicable.
	AO13.2 The agricultural based rural activity is a minimum of 50 hectares in area.	n/a	Not applicable.

Performance outcomes		Acceptable outcomes	Complies	Comments
Rural workers' T accommodation is provided with amenities commensurate with the: (a) needs of the (I)		AO14.1 The Rural workers' accommodation is: (a) for permanent occupation; and (b) fully self-contained. OR	n/a	Not applicable.
(b)	permanent or seasonal nature of the employment.	AO14.2 The Rural workers' accommodation: (a) is for seasonal occupation (up to 3 months); (b) shares facilities with an existing Dwelling house or Caretaker's residence; and (c) is located within 100 metres of the Dwelling house or Caretaker's residence.	n/a	Not applicable.
	Caretaker's Accommod			
PO15		AO15	n/a	Not applicable.
The in accommend neces of the regard (a) (b) (c) (d)	nclusion of Caretaker's nmodation on the site is sary for the operation primary use, having d to: hours of operation; nature of the use; security requirements; site location and access; and proximity to other land uses.	No acceptable outcome is provided.		
	Residential care facility			
range types (a) (b) (c) (d)	ment facilities include a of housing designs and	AO16 No acceptable outcome is provided.		The development will comply.
	household types.			

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
If for	r Tourist park			
appr prov conv attra	Tourist park is opriately located to ide park users with renient access to tourist ctions, community ties and infrastructure.	AO17 No acceptable outcome is provided.	n/a	Not applicable.
acco	density of ommodation provided on the Tourist park: is commensurate with the size and utility of the site; is consistent with the scale and character of development in the surrounding area; ensures sufficient infrastructure and services can be provided; does not adversely impact on the existing amenity of nearby	AO18.1 Where park areas are proposed to exclusively accommodate caravans, motor homes, tents or cabins, accommodation site densities do not exceed: (a) 40 caravan or motor home sites per hectare of the nominated area(s); or (b) 60 tent sites per hectare of the nominated area(s); or (c) 10 cabins (maximum 30m² gross floor area per cabin) per hectare of the nominated area(s).	n/a	Not applicable.
(e)	uses; ensures a high level of amenity is enjoyed by residents of the site; and does not place undue pressure on environmental processes in the surrounding area.	AO18.2 Where park areas are proposed to be used for any combination of caravans, motor homes, tents or cabins, then the lowest applicable density identified by AO18.1 shall be applied to the nominated area(s).	n/a	Not applicable.
1	ommodation sites are gned and located: to provide sufficient land for necessary services and infrastructure;	AO19.1 A minimum of 50% of provided caravan and motor home accommodation sites have a concrete slab with a minimum length of 6 metres and a minimum width of 2.4 metres.	n/a	Not applicable.
(b) (c)	to achieve sufficient separation between land uses; is consistent with the scale and character of development in the surrounding area; and to prevent amenity and privacy impacts on nearby land uses.	AO19.2 Caravan, motor home, tent and cabin accommodation sites are set back a minimum of: (a) 2 metres from an internal road; and (b) 1.5 metres from the side and rear boundaries of the site.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO20 A Tourist park is provided with sufficient and appropriately located refuse	AO20.1 A central refuse collection area is provided to service all accommodation sites.	n/a	Not applicable.
collection areas.	AO20.2 The refuse collection area must be kept in a sanitary condition at all times with all refuse stored in weather-proof and securable receptacles to prevent them from attracting vermin and wildlife.	n/a	Not applicable.
	AO20.3 The refuse collection area is constructed on an impervious surface such as a concrete slab.	n/a	Not applicable.
	AO20.4 A water connection is provided within the refuse collection area to facilitate cleaning of receptacles and the collection area.	n/a	Not applicable.
	AO20.5 Refuse collection areas are located a minimum of 10 metres from any recreational areas, communal cooking facilities and accommodation sites.	n/a	Not applicable.

Table 9.3.1.3B – Minimum site area and minimum site frontage

Use	Minimum site area	Minimum frontage
Dual occupancy	 (a) 600m² in the Medium density residential zone; or (b) 1,000m² in the Low density residential zone; or (c) 600m² in the Centre zone. 	20 metres
Home based business	600m ²	-
Multiple dwelling	800m ²	20 metres
Residential care facility	2,000m ²	30 metres
Retirement facility	2,000m ²	30 metres
Rooming accommodation	800m ²	20 metres
Short-term accommodation	800m ²	20 metres
Tourist park	1 hectare	50 metres
Caravan and motor home sites	100m ² including sufficient area for the parking of a motor vehicle.	10 metres to an internal road
Tent sites	40m² including sufficient area for the parking of a motor vehicle.	6 metres to an internal road
Cabin sites	130m² including sufficient area for the parking of a motor vehicle.	10 metres to an internal road

Table 9.3.1.3C - Communal open space

Use	Minimum area	Minimum dimension	Design elements
Multiple dwelling	50m ²	5 metres	 Provides for clothes drying and recreational facilities; One continuous area; and Separated from any habitable room by a minimum of 3 metres.
Retirement facility or Residential care facility	Indoor communal space and communal open space as specified below.		l communal open space as
Rooming accommodation	Rate of 5m ² per resident	5 metres	 One continuous area; 20% shaded; and 10% of the provided area is screened for use for clothes drying.
Indoor communal space	Rate of 1m ² per resident and 40m ²	-	Located centrally; andProvides a range of facilities.
Communal open space	30% site area and 50m²	5 metres	Provided at ground level.

Use	Minimum area	Minimum dimension	Desi	gn elements
Short-term accommodation	50m ² and 20% site area	5 metres	•	Located at ground level; One continuous area; and 10% of the provided area is screened for use for clothes drying.
Tourist park	Includes at least each of the below communal facilities.		•	Located within 100 metres of the sites they serve (unless private recreation facilities are provided); and Separated from any site by a minimum of 10 metres.
Covered cooking area	50m ²	-	•	Including barbeque and dish washing facilities
Laundry	-	-	•	Including clothes drying facilities.
Recreational open space	Rate of 5m ² per site	-	•	Including a children's playground.

Note—Provision of communal open space for a Multiple dwelling is not required by **Table 9.3.1.3C** where more than 75% have access to ground floor private open space.

Note—For a Tourist park, the calculation of recreational open space is inclusive of pool areas, sporting facilities, such as football fields and tennis courts, and any unobstructed grassed areas having a minimum dimension of 3 metres that are provided in addition to accommodation sites for recreational purposes. Planted landscape areas and vegetated areas are excluded from the calculation.

Note—Indoor communal space may include lounge areas, a library / reading room, a TV/games/recreation room, meeting space/s, hairdresser or a convenience store.

Table 9.3.1.3D - Private open space

Use	Minimum area per dwelling or accommodation unit	Minimum dimension	Design elements
Caretaker's accommodation	As specified below	<i>1</i> .	
Ground level	50m ²	5 metres	 Provided as unobstructed area; and Directly accessible from the main living area.
Above ground level	15m ²	2.5 metres	Provided as a balcony.
Outdoor service court	5m ²	-	Provided for clothes drying
Dual occupancy	40m ²	3 metres	 Located at ground level. 20% shaded; and Accessed from the main living area of the dwelling.

Use	Minimum area per dwelling or accommodation unit	Minimum dimension	Design elements
Dwelling house	40m ²	3 metres	 Located at ground level; 20% shaded; and Accessed from the main living area of the dwelling.
Home based business	40m ²	3 metres	 Located at ground level; 20% shaded; and Accessed from the main living area of the dwelling.
Ground level	15m ²	3 metres	 20% shaded; and Directly accessible from the main living area.
Above ground level	10m ²	3 metres	Directly accessible from the main living area.
Multiple dwelling	As specified below	/.	
Ground level	35m ²	3 metres	 20% shaded; and Directly accessible from the main living area.
Above ground level	15m ²	3 metres	Directly accessible from the main living area.
Residential care facility	6m ²	2 metres	 Provided as a shaded courtyard or balcony; and Directly accessible from the main living area.
Retirement facility	As specified below	<i>1</i> .	
Ground level	20m ²	3 metres	 Provided as a courtyard or similar space; Grade does not exceed 5%; and Directly accessible from the main living area at ground level.

Use	Minimum area per dwelling or accommodation unit	Minimum dimension	Design elements
Above ground level	6m ²	2 metres	 Provided as a balcony or similar space; and Directly accessible from the main living area.
Rooming accommodation	As specified below.		
Short-term accommodation	As specified below	<i>1</i> .	
Ground level	15m ²	3 metres	 20% shaded; and Directly accessible from the main living area.
Above ground level	10m ²	3 metres	Directly accessible from the main living area.

Note—For Caretaker's accommodation, the outdoor service court may form part of the provided private open space.

Table 9.3.1.3E – Maximum scale of accommodation activities associated with a Home based business

Design	Maximum number of rooms	Maximum number of guests
Bed and breakfast	3 rooms for guest accommodation	6 guests at any one time
Farm stay	1 farm stay dwelling or accommodation unit in addition to the primary dwelling	10 guests at any one time

9.4.2 Landscaping code

9.4.2.1 Application

This code applies where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.2.2 Purpose

- (1) The purpose of the Landscaping code is to ensure all development is landscaped to a standard that:
 - (a) complements the scale and appearance of the development;
 - (b) protects and enhances the amenity and environmental values of the site;
 - (c) complements and enhances the streetscape and local landscape character; and
 - (d) ensures effective buffering of incompatible land uses to protect local amenity.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Landscaping is a functional part of development design and is commensurate with the intended use;
 - (b) Landscaping accommodates the retention of existing significant on site vegetation where appropriate and practical;
 - (c) Landscaping treatments complement the scale, appearance and function of the development;
 - (d) Landscaping contributes to an attractive streetscape;
 - (e) Landscaping enhances the amenity and character of the local area;
 - (f) Landscaping enhances natural environmental values of the site and the locality;
 - (g) Landscaping provides effective screening both on site, if required, and between incompatible land uses:
 - (h) Landscaping provides shade in appropriate circumstances;
 - (i) Landscape design enhances personal safety and reduces the potential for crime and vandalism; and
 - (j) Intensive land uses incorporate vegetated buffers to provide effective screening of buildings, structures and machinery associated with the use.

Document Set ID: 4149447 Version: 1, Version Date: 10/10/2022

9.4.2.3 Criteria for assessment

Table 9.4.2.3A—Landscaping code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development se	ubject to requirements and asses	sable developmen	t
PO1 Development, other than in the Rural zone, includes landscaping that: (a) contributes to the landscape character of the Shire; (b) compliments the character of the immediate surrounds; (c) provides an appropriate balance between built and natural elements; and (d) provides a source of visual interest.	AO1 Development, other than in the Rural zone, provides: (a) a minimum of 10% of the site as landscaping; (b) planting in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species; (c) for the integration of retained significant vegetation into landscaping areas; (d) on-street landscaping works in accordance with the Design Guidelines set out in Section D9 Landscaping, of the Planning Scheme Policy 4 - FNQROC Regional Development Manual. Note—Where development exceeds a site cover of 90%, areas of landscaping may be provided above ground level to achieve a total supply of landscaping equivalent to 10% of the site area.		The subject site is within the Rural zone.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Development, other than in the Rural zone, includes landscaping along site frontages that: (a) creates an attractive streetscape; (b) compliments the character of the immediate surrounds; (c) assists to break up and soften elements of built form; (d) screen areas of limited visual interest or servicing; (e) provide shade for pedestrians; and (f) includes a range and variety of planting.	AO2 Development, other than in the Rural zone, includes a landscape strip along any site frontage: (a) with a minimum width of 2 metres where adjoining a car parking area; (b) with a minimum width of 1.5 metres in all other locations; and (c) in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species. Note—Where development is setback from a frontage less than 1.5 metres, the setback area is provided as a landscape strip		The subject site is within the Rural zone.
PO3 Development includes landscaping and fencing along side and rear boundaries that: (a) screens and buffer land uses; (b) assists to break up and soften elements of built form; (c) screens areas of limited visual interest; (d) preserves the amenity of sensitive land uses; and (e) includes a range and variety of planting.	AO3.1 Development provides landscape treatments along side and rear boundaries in accordance with Table 9.4.2.3B.		The Mount Kooyong Nursery Home features extensive established landscaping which will be retained following the proposed development. In addition, substantial native vegetation is present within the site along the bank of Bushy Creek. No additional landscaping is necessary for the proposed development.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO3.2 Shrubs and trees provided in landscape strips along side and rear boundaries: (a) are planted at a maximum spacing of 1 metre; (b) will grow to a height of at least 2 metres; (c) will grow to form a screen of no less than 2 metres in height; and (d) are mulched to a minimum depth of 0.1 metres with organic mulch.	n/a	Refer to comments for AO3.1.
	AO3.3 Any landscape strip provided along a side or rear boundary is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Refer to comments for AO3.1.

Performance outcomes	Acceptable outcomes	Complies	Comments
Car parking areas are improved with a variety of landscaping that: (a) provides visual interest; (b) provides a source of shade for pedestrians; (c) assists to break up and soften elements; and (d) improves legibility.	AO4.1 Landscaping is provided in car parking areas which provides: (a) a minimum of 1 shade tree for every 4 parking spaces, or part thereof, where the car parking area includes 12 or more spaces; (b) a minimum of 1 shade tree for every 6 parking spaces, or part thereof, otherwise; and (c) where involving a car parking area in excess of 500m²: (i) shade structures are provided for 50% of parking spaces; and (ii) a minimum of 10% of the parking area as landscaping. Note—Where a shade structure is provided over part of a car parking area, shade tree planting is not required in this area of the car parking area.	n/a	Refer to comments for AO3.1.
	AO4.2 Landscaping in car parking areas is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Refer to comments for AO3.1.
PO5 Landscaping areas include a range and variety of planting that:	AO5.1 Plant species are selected from the Plant Schedule in Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Refer to comments for AO3.1.

Performance ou	itcomes Acce	eptable outcomes	Complies	Comments	
(a) is suitable intended p and local of (b) contributes natural character the Shire; (c) includes na species; (d) includes lo endemic sp where praction does not in invasive plane.	for the urpose onditions; to the aracter of ative cally pecies, etical; and clude	inimum of 25% of (new existing) plants is ided as larger, advanced with a minimum plant of 0.7 metres and hed to a minimum depth 1.1 metres with organic	n/a	Refer comments AO3.1.	to for
PO6 Landscaping of impact on the provision of infinant and services to the provision of the	ongoing (a)	planting is a minimum of 2 metres from any underground water, sewer, gas, electricity or telecommunications infrastructure; and 4 metres from any inspection chamber.	n/a	Refer comments AO3.1.	to for
	metro lines maxi	etation below or within 4 es of overhead electricity and power poles has a mum height of 3.5 metres aturity.	n/a	Refer comments AO3.1.	to for
	AO6 Vege elect	.3 etation adjoining an ricity substation adary, at maturity, will	n/a	Not applicable	€.

Perf	ormance outcome	s	Acc	eptable out	comes		Complies	Comments	
PO7			A07				n/a	Refer	to
1	1 5			acceptable	outcome	is		comments AO3.1.	for
1	gned to:		prov	rided.				A03.1.	
(a)	be easily maintain	ed							
	throughout the								
	ongoing use of the site;	•							
(b)	allow sufficient are								
(5)	and access to	·a							
(c)	not cause a								
` '	nuisance to								
	occupants of the s	ite							
	•								
(d)		се							
		.							
		Jh							
		.h							
		ın							
(c)	sunlight and water for plant growth; not cause a nuisance to	ite ce							

Table 9.4.2.3B—Side and rear boundary landscape treatments

Fable 9.4.2.3B—Side and rear boundary landscape treatments					
Location or use	Landscape Strip Minimum Width	Screen Fencing Minimum Height	Extent of treatment		
Where car parking, servicing or manoeuvring areas adjoin a side or rear boundary	1 metre	Not applicable	To the extent these areas adjoin the boundary		
Where involving a use other than a dwelling house on a site with a common boundary with land in the Low density residential zone, the Medium density residential zone or the Rural residential zone:	1.5 metres	1.8 metres	Along the common boundary.		
Development for an industrial activity which has a common boundary with land not within the Industry zone	2 metres	1.8 metres	Along the common boundary		
Development involving (a) Tourist park not in the Rural zone (b) Sales office (c) Multiple dwelling (d) Residential care facility; or (e) Dual occupancy	Not applicable	1.8 metres	Along all side and rear boundaries and between dwellings for a Dual occupancy.		
Development involving (a) Tourist park in the Rural zone (b) Service station (c) Car wash; or (d) Utility installation	2 metres	Not applicable	Along all side and rear boundaries		
For: (a) waste storage; (b) equipment; (c) servicing areas; and (d) private open space and site facilities associated with Caretaker's accommodation.	Not applicable	1.8 metres	To prevent visibility		

Note—Where more than one landscape treatment is applicable to a development in the above table, the development is to provide a landscape treatment that satisfies all applicable minimum specifications.

9.4.3 Parking and access code

9.4.3.1 Application

This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.3.2 Purpose

- (1) The purpose of the Parking and access code is to ensure:
 - (a) parking areas are appropriately designed, constructed and maintained;
 - (b) the efficient functioning of the development and the local road network; and
 - (c) all development provides sufficient parking, loading/service and manoeuvring areas to meet the demand generated by the use.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Land uses have a sufficient number of parking and bicycle spaces designed in a manner to meet the requirements of the user;
 - (b) Parking spaces and associated manoeuvring areas are safe, functional and provide equitable access;
 - (c) Suitable access for all types of vehicles likely to utilise a parking area is provided in a way that does not compromise the safety and efficiency of the surrounding road network;
 - (d) Premises are adequately serviced to meet the reasonable requirements of the development; and
 - (e) End of trip facilities are provided by new major developments to facilitate alternative travel modes.

9.4.3.3 Criteria for assessment

Table 9.4.3.3A—Parking and access code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development subject to requirements and assessable development					
Car parking spaces					

Document Set ID: 4149447 Version: 1, Version Date: 10/10/2022

Perfo	ormance outcomes	Acceptable outcomes	Complies	Comments
PO1 Develor sufficion accord likely	lopment provides	AO1 The number of car parking spaces provided for the use is in accordance with Table 9.4.3.3B. Note—Car parking spaces provided for persons with a disability are to be considered in determining compliance with AO1.		The established onsite parking facilities will continue to service the proposed development. Notwithstanding, the subject site has in excess of 6,000m2 of cleared undeveloped land available for overflow parking should the need arise.
Vehic	cle crossovers			
PO2 Vehic provid (a)	cle crossovers are ded to:: ensure safe and efficient access between the road and premises; minimize interference with the function and operation of roads; and	AO2.1 Vehicular access to/from Council roads is designed and constructed in accordance with the Standard drawings in Planning Scheme Policy 4 - FNQROC Regional Development Manual.	•	The existing vehicle access off Mount Kooyong Road will remain in use for the proposed development.
(c)	minimise pedestrian to vehicle conflict.	AO2.2 Development on a site with two or more road frontages provides vehicular access from: (a) the primary frontage where involving Community activities or Sport and recreation activities, unless the primary road frontage is a Statecontrolled road; or (b) from the lowest order road in all other instances.	n/a	Not applicable.

Perfor	rmance outcomes	Acceptable outcomes	Complies	Comments
		AO2.3 Vehicular access for particular uses is provided in accordance with Table 9.4.3.3E.	n/a	Not applicable.
parking appropriate appropriate (a) to the control of the control	_	AO3 Access, manoeuvring and car parking areas include pavements that are constructed in accordance with Table 9.4.3.3C.	•	The development complies.
For as	ssessable development			
Parkir	ng area location and des	sign		
and de (a) (a) (a)	arking areas are located esigned to: ensure safety and efficiency in operation; and be consistent with the	AO4.1 Car parking spaces, access and circulation areas have dimensions in accordance with AS/NZS 2890.1 Off-street car parking.	•	The development complies.
1	character of the surrounding locality.	AO4.2 Disabled access and car parking spaces are located and designed in accordance with AS/NZS 2890.6 Parking facilities - Off-street parking for people with disabilities.	•	The development complies.
		AO4.3 The car parking area includes designated pedestrian routes that provide connections to building entrances.	•	The development complies.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO4.4 Parking and any set down areas are: (a) wholly contained within the site; (b) visible from the street where involving Commercial activities, Community activities, Industrial activities or a use in the Recreation and open space zone; (c) are set back behind the main building line where involving a Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility; and (d) provided at the side or rear of a building in all other instances.	V V	The development complies.
Site access and manoeuvring	9		
PO5 Access to, and manoeuvring within, the site is designed and located to: (a) ensure the safety and efficiency of the external road network; (b) ensure the safety of pedestrians; (c) provide a functional and convenient layout; and (d) accommodate all vehicles intended to use the site.	AO5.1 Access and manoeuvrability is in accordance with: (a) AS28901 – Car Parking Facilities (Off Street Parking); and (b) AS2890.2 – Parking Facilities (Off-street Parking) Commercial Vehicle Facilities. Note—Proposal plans should include turning circles designed in accordance with AP34/95 (Austroads 1995) Design Vehicles and Turning Path Templates.	n/a	Refer to PO4.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO5.2 Vehicular access has a minimum sight distance in accordance with Part 5 of AUSTROADS.	n/a	Refer to PO4.
	AO5.3 Vehicular access is located and designed so that all vehicles enter and exit the site in a forward gear.	n/a	Refer to PO4.
	AO5.4 Pedestrian and cyclist access to the site: (a) is clearly defined; (b) easily identifiable; and (c) provides a connection between the site frontage and the entrance to buildings and end of trip facilities (where provided).	n/a	Refer to PO4.
PO6 Development that involves an internal road network ensures that it's design: (a) ensure safety and efficiency in operation; (b) does not impact on the amenity of residential	AO6.1 Internal roads for a Tourist park have a minimum width of: (a) 4 metres if one way; or (b) 6 metres if two way.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
(c)	uses on the site and on adjoining sites, having regard to matters of: (i) hours of operation; (ii) noise (iii) light; and (iv) odour; accommodates the nature and volume of vehicle movements anticipated to be generated by the use; allows for convenient access to key on-site features by pedestrians, cyclists and motor vehicles; and	For a Tourist park, internal road design avoids the use of cul-desacs in favour of circulating roads, where unavoidable, cul-desacs provide a full turning circle for vehicles towing caravans having: (a) a minimum approach and departure curve radius of 12 metres; and (b) a minimum turning circle radius of 8 metres.	n/a	Not applicable.
(e)	•	AO6.3 Internal roads are imperviously sealed and drained, apart from those for an Energy and infrastructure activity or Rural activity.	n/a	Not applicable.
		AO6.4 Speed control devices are installed along all internal roads, apart from those for an Energy and infrastructure activity or Rural activity, in accordance with Complete Streets.	n/a	Not applicable.
		AO6.5 Internal roads, apart from those for an Energy and infrastructure activity or Rural activity, are illuminated in accordance with AS 4282 (as amended) - Control of Obtrusive effects of outdoor lighting.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO6.6 Where involving an accommodation activity, internal roads facilitate unobstructed access to every dwelling, accommodation unit, accommodation site and building by emergency services vehicles.	•	The development complies.
	AO6.7 For an Energy and infrastructure activity or Rural activity, internal road gradients: (a) are no steeper than 1:5; or (b) are steeper than 1:5 and are sealed.	n/a	Not applicable.
Servicing			
Development provides access, maneuvering and servicing areas on site that: (a) accommodate a service vehicle commensurate with the likely demand generated by the use; (b) do not impact on the safety or efficiency of internal car parking or maneuvering areas; (c) do not adversely impact on the safety or efficiency of the road network;	AO7.1 All unloading, loading, service and waste disposal areas are located: (a) on the site; (b) to the side or rear of the building, behind the main building line; (c) not adjacent to a site boundary where the adjoining property is used for a sensitive use.		The development complies.
(d) provide for all servicing functions associated with the use; and (e) are located and designed to minimise their impacts on adjoining sensitive land	AO7.2 Unloading, loading, service and waste disposal areas allow service vehicles to enter and exit the site in a forward gear.	•	The development complies.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
	uses and streetscape quality.	AO7.3 Development provides a servicing area, site access and maneuvering areas to accommodate the applicable minimum servicing vehicle specified in Table 9.4.3.3B.		The development complies.
Main	itenance			
	ing areas are used and tained for their intended ose.	AO8.1 Parking areas are kept and used exclusively for parking and are maintained in a suitable condition for parking and circulation of vehicles.	~	The development complies.
		AO8.2 All parking areas will be compacted, sealed, drained, line marked and maintained until such time as the development ceases.	•	The development complies.
End	of trip facilities			
Cent Eme provi trans	elopment within the re zone; Industry zone or rging community zone des facilities for active sport users that:	AO9.1 The number of bicycle parking spaces provided for the use is in accordance with Table 9.4.3.3D.	n/a	Not applicable.
(a) (b) (c)	meet the anticipated demand generated from the use; comprise secure and convenient bicycle parking and storage; and provide end of trip facilities for all active transport users.	AO9.2 End of trip facilities are provided in accordance with Table 9.4.3.3D.	n/a	Not applicable.

If for Educational establishment or Child care centre where involving more than 100 vehicle movements per day or Renewable energy facility, Sport and recreation activities or Tourist park

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users. ACCEPTABLE OUTCOMES ACCEPTABLE OUTCOMES ACCEPTABLE OUTCOMES ACCEPTABLE OUTCOMES A traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impoct report prepared by a suitably qualified person that identifies: (a) the expected traffic impoct report prepared by a suitably qualified person that identifies: (b) any associated impacts on the network; and (c) any works that be required to address the identified impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (b) any associated impact person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (a) the expected traffic impact report prepared by a suitably qualified person that identifies: (b) any associated impact person that identifies: (a) the expected traffic impact person that identifies: (b) any associated impact person that identifies: (a) the expected traffic impact person that identifies: (a) the expected traffic impact person that identifies: (b) any associated impact person that ide			
PO11 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.	AO11 A traffic impact report is prepared by a suitably qualified person that identifies: (d) the expected traffic movements to be generated by the facility; (e) any associated impacts on the road network; and (f) any works that will be required to address the identified impacts.	n/a	Not applicable.

Table 9.4.3.3B—Vehicle Parking and Service Vehicle Space Requirements

Table 9.4.3.3B—Vehicle	rarking an	u Service	veni	icie S	phace Kec	
Definition	Minimum spaces	number	of	Car	parking	Minimum Service Vehicle Space Provision
Adult store	Inside the One space GFA up to per 20m² c 400m². Outside the One space GFA up to per 10m² c 400m².	per 50m ² 400m ² GF or part the e Centre zo per 25m ² 400m ² GF	or presented to the property of the property of the property or presented to the property of t	nd or of GF oart t nd or	ne space A above hereof of ne space	One SRV space.
Agricultural supplies store	Inside the Cone space GFA up to per 15m² cone space GFA up to per 10m² cone space GFA up to per 10m² cone supplied with 600m².	per 50m ² 400m ² GF or part the e Centre zo per 30m ² 400m ² GF or part the	one: one: one	nd or of GF part to nd or of GF s sh	hereof of ne space A above	One HRV space.
Air services	If accepte requirement One space net lettable If Assessat As determine	nts develop per 90m² area; or ole develop	ment or p	<u>t:</u> bart t <u>t:</u>		If accepted development subject to requirements: One space per 200m² or part thereof of net lettable area. If assessable development: As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Animal husbandry	If accepted development subject to requirements: One space. If assessable development: As determined by Council.	If accepted development subject to requirements: Nil. If assessable development:
		As determined by Council.
Animal keeping	Minimum of three spaces or one space per 200m ² of use area, whichever is greater.	One SRV space.
Aquaculture	 If accepted development subject to requirements: In the rural or rural residential zones - two spaces; or Enclosed within a building - one space per 90m² of net lettable area. 	If accepted development subject to requirements: Nil. If assessable development:
	If assessable development: As determined by Council.	As determined by Council.
Brothel	As determined by Council.	As determined by Council.
Bulk landscape supplies	Minimum of five spaces or one space per 250m² of use area, whichever is greater.	One AV if the site has an area of greater than 2,000m²; or One HRV space.
Car wash	Minimum of two parking spaces plus 1 car queuing space for each car wash or service bay and parking at rates applicable to ancillary use/s.	One AV space.
Caretaker's accommodation	One space per dwelling unit.	Nil.
Cemetery	As determined by Council.	As determined by Council.
Child care centre	A minimum of 3 spaces will be required to be used for setting down and picking up of children, plus one space per 10 children for staff parking.	One SRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Club	Minimum of 5 spaces per use or one space per 25m ² or part thereof of GFA, whichever is greater.	One SRV space; and One HRV space if greater than 500m ² .
Community care centre	Minimum of 5 spaces per use or one space per 25m ² or part thereof of GFA, whichever is greater.	One SRV space.
Community residence	Three spaces.	Nil.
Community use	Minimum of 5 spaces per use or one space per 50m ² or part thereof of GFA, whichever is greater.	One SRV space if greater than 500m ² GFA.
Crematorium	One space per 30m ² GFA or part thereof.	As determined by Council.
Cropping	If accepted development subject to requirements: Two spaces. If assessable development: As determined by Council.	If accepted development subject to requirements: Nil. If assessable development: As determined
Detention facility	As determined by Council.	by Council. As determined by Council.
Dual occupancy	One covered space per dwelling; and One visitor space.	Nil.
Dwelling house	One covered space per dwelling house. One space per secondary dwelling.	Nil.
Dwelling unit	One covered space per dwelling unit. A minimum of 0.25 spaces per dwelling is to remain in common property for visitor use.	Nil

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Educational establishment	For all establishments: 1 space per every10 students plus 1 space per employee, and Provision for 3 vehicles for loading and unloading of passengers in addition to the requirements above.	For accepted development subject to requirements: One HRV space; and One SRV space; and A minimum of 3 Bus / coach parking / set down areas. For assessable development: As determined by Council.
Emergency services	Minimum of 5 spaces per use or one space per 25m ² or part thereof of GFA, whichever is greater.	As determined by Council.
Environment facility	As determined by Council.	As determined by Council.
Extractive industry	As determined by Council.	As determined by Council.
Food and drink outlet	Accepted in an existing building within the Centre zone. Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA and one space per 15m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA and one space per 10m² or part thereof of GFA above 400m². Drive-through: Queuing spaces for 6 passenger vehicles within the site boundaries. One service vehicle space per use or one service vehicle space per 1,000m² GFA, whichever is greater.	One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Function facility	One space per 30m ² or part thereof of GFA.	One SRV space.
Funeral parlour	Accepted in an existing building within the Centre zone. Inside the Centre zone: One space per 20m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One SRV space.
Garden centre	A minimum of 5 spaces for customer parking or one space per 150m² or part thereof of use area, whichever is greater. One service vehicle space per use or one service vehicle space per 800m² use area, whichever is greater.	One AV if the site has an area of greater than 2,000m², otherwise One HRV space.
Hardware and trade supplies	Accepted in an existing building within the Centre zone. Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per or part thereof of GFA above 400m². Outside the Centre zone: One space per or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One AV if the site has an area of greater than 2,000m², otherwise One HRV space.
Health care services	Accepted in an existing building within the Centre zone. Inside the Centre zone: One space per 40m² or part thereof of net lettable area. Outside the Centre zone: One space per 20m² of or part thereof of net lettable area.	One SRV space per 500m ² GFA.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
High impact industry	One space per 90m ² GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Home based business	Bed and breakfasts: One space per guest room. Other home based business: One space for home based business and one covered space for the dwelling.	Nil.
Hospital	One space per 6 residential care beds. One space per 4 hostel unit beds. Visitor parking at 30% of resident parking requirements.	One HRV space. One SRV for every 800m² of GFA and part thereof; and One space for an emergency vehicle.
Hotel	One space per 10m ² or part thereof of GFA per bar, beer garden and other public area. One space per 50m ² or part thereof of GFA per bulk liquor sales area. One space per guest room.	One HRV space.
Indoor sport and recreation	If accepted development subject to requirements: One space per 25m² of net lettable area. If assessable development: As determined by Council.	An internal bus set down and pick up area that enables the bus to be in a forward motion at all times whilst onsite Internal dedicated taxi bays provided within 200 metres of the

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Intensive animal industries	If accepted development subject to requirements: Two spaces.	One SRV space.
	If assessable development: As determined by Council.	
Intensive horticulture	If accepted development subject to requirements: Two spaces.	If accepted development subject to requirements:
	If assessable development: As determined by Council.	If assessable development: As determined by Council.
Landing	As determined by Council.	As determined by Council.
Low impact industry	One space per 90m ² GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Major electricity infrastructure	As determined by Council.	As determined by Council.
Major sport, recreation and entertainment facility	As determined by Council.	As determined by Council.
Marine industry	One space per 90m ² GFA or part thereof.	One HRV space if the site has an area greater than 1,000m², otherwise One SRV space.
Market	As determined by Council.	As determined by Council.
Medium impact industry	One space per 90m ² GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Motor sport facility	As determined by Council.	As determined by Council.
Multiple dwelling	One covered space per dwelling.	Nil.
	One dedicated vehicle wash-down bay for premises containing 5 or more dwellings.	
	A minimum of 0.25 spaces per dwelling is to remain in common property for visitor use.	
Nature-based tourism	One space per dwelling; or 0.75 spaces per guest room if in dormitory or shared facilities.	As determined by Council.
Nightclub entertainment facility	One space per 60m ² GFA or part thereof.	Nil.
Non-resident workforce accommodation	One space per dwelling unit.	Nil.
Office	Accepted in an existing building within the Centre zone.	One SRV space.
	Inside the Centre zone: One space per 20m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	
Outdoor sales	A minimum of 5 spaces for customer parking or one space per 150m ² of use area, whichever is greater.	One AV if the site has an area of greater than 2,000m ² ,
	One service vehicle space per use or one service vehicle space per 800m², whichever is greater.	otherwise One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision		
Outdoor sport and recreation	Coursing, horse racing, pacing or trotting: One space per five seated spectators; plus One space per 5m² of other spectator areas. Football: 50 spaces per field. Lawn bowls: 30 spaces per green. Swimming pool: Dne space per 100m² of useable site area. Tennis or other Court: Four spaces per court. Golf Course: Four spaces per tee on the course; plus One space per 50m² of net lettable area. Any other use: An internal bus set down and pick up area that enables the bus to be in a forward motion at all times whilst onsite Internal dedicated taxi bays provided within 200 metres of the site entrance.			
Park	As determined by council. As determined by Council. As determined by Council.			
Parking station	Not applicable	Nil.		
Permanent plantation	If accepted development subject to requirements: Two spaces. If assessable development: As determined by Council.	If accepted development subject to requirements: Nil. If assessable development: As determined by Council.		
Place of worship	Minimum of 5 spaces per use or one space per 25m² or part thereof of GFA, whichever is greater.			
Port services	As determined by Council. As determined by Council.			
Relocatable home park	One space for each home site plus 1 space for each 5 home sites or part thereof for visitors.	One HRV space.		

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision		
Renewable energy facility	As determined by Council.	As determined by Council.		
Research and technology industry	One space per 90m² GFA or part thereof. One HRV space if the site has a area great than 1,000m otherwise Or SRV space.			
Residential care facility	One space per 4 hostel unit beds. Visitor parking at 30% of resident parking requirements.	One SRV space; and One space for an emergency vehicle.		
Resort complex	As determined by Council.	As determined by Council.		
Retirement facility	One covered space per unit and 0.5 spaces for visitors parking.	One SRV space; and One space for an emergency vehicle.		
Roadside stall	One space per stall.	Nil.		
Rooming accommodation	Inside the Centre zone: One space per 15 beds. Outside the Centre zone: One space per 8 beds.	One SRV space. One space for a 20 seater bus.		
Rural industry	One space per 90m ² GFA or part thereof.	One AV space.		
Rural workers' accommodation	If accepted development subject to requirements: Nil	If accepted development subject to requirements:		
	If Assessable development: As determined by Council.	If Assessable development: As determined by Council.		
Sales office	One space per 25m ² GFA or part thereof.	Nil.		

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Service industry	Accepted where in an existing building within the Centre zone. Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One HRV space if the site is greater than 2,000m², otherwise One SRV space.
Service station	Minimum of four spaces plus car parking at rates applicable to ancillary use/s.	One AV space.
Shop	Accepted where in an existing building within the Centre zone. Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One HRV space if the site is greater than 2,000m², otherwise One SRV space.
Shopping centre	Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA and one space per 25m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA and one space per 15m² or part thereof of GFA above 400m².	One AV space per 1,000m ² ; and One SRV space per 500m ² ; or One SRV space per every 2 specialty uses, whichever the greater.
Short-term accommodation	One space per unit.	One HRV space if involves the serving of food or beverage; otherwise One SRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Showroom	Accepted in an existing building within the Centre zone. Inside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One AV space and One SRV space if the site is greater than 2,000m²; or One HRV space; and One SRV Space.
Special industry	One space per 90m ² GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Substation	If assessable development: As determined by Council.	As determined by Council.
Telecommunication s facility	If accepted development subject to requirements: Nil. If assessable development: As determined by Council.	If accepted development subject to requirements: Nil. If assessable development: As determined by Council.
Theatre	One space per 15m ² or part thereof of net lettable area, or one space per 5 seated spectators whichever is the greater.	One SRV space.
Tourist attraction	As determined by Council.	As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Tourist park	One space within each accommodation site plus 1 additional visitor space per 10 accommodation sites. Queuing for 2 vehicles towing caravans and 1 holding bay for a vehicle towing a caravan plus additional queuing for 1 years and 1 holding towing a caravan plus additional queuing for 1	One HRV space.
	vehicle towing a caravan per 40 accommodation sites.	
Transport depot	One space per 125m ² GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Utility installation	If accepted development subject to requirements: Nil.	If accepted development subject to requirements:
	If assessable development: As determined by Council.	If assessable development: As determined by Council.
Veterinary services	Accepted in an existing building within the Centre zone. Inside Centre zone: One space per 40m² or part thereof of net lettable area. Outside Centre zone: One space per 20m² or part thereof of net lettable area.	One HRV space if greater than 500m² GFA; and One SRV space per 500m² GFA.
Warehouse	One space per 90m ² GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Wholesale nursery	As determined by Council.	As determined by Council.
Winery	As determined by Council.	As determined by Council.

Note—Any use not herein defined - as determined by Council.

Table 9.4.3.3C—Pavement Standards for Access, Manoeuvring and Car Parking areas

Zone	Compacted Gravel Base (minimum thickness)	Surfacing Options	
All development	t other than dwe	lling house	
All zones other than the Conservation zone or the	75mm	Reinforced concrete with a minimum thickness of: • 100mm for parking areas; and • 150mm for access ways.	
Rural zone	150mm	Asphalt with a minimum thickness of 25mm	
	150mm	Two coat sprayed bitumen seal	
	150mm	Concrete pavers	
Conservation zone or Rural zone	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free	
Dwelling house			
All zones	75mm	Reinforced concrete with a minimum thickness of: • 100mm for parking areas; and • 150mm for access ways.	
	150mm	Asphalt with a minimum thickness of 25mm	
	150mm	Two coat sprayed bitumen seal	
	150mm	Concrete pavers	
	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free	

Note—Where more than one surfacing option is listed, any one of the treatments listed may be provided.

Table 9.4.3.3D—Bicycle Parking and End of Trip Facility Requirements

able 9.4.3.3D—Bicycle Parking and End of Trip Facility Requirements				
Definition	Minimum number of	Minimum end of trip		
Deminion	bicycle parking spaces	facilities		
Commercial activities	New or redeveloped commercial activities buildings (other than a shopping centre), provide: • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • visitor facilities: - one bicycle rack space per 750m² NLA or part thereof; and - bicycle parking, signposted; and adjacent to a major public entrance to the building.	New or redeveloped commercial activities buildings (other than a shopping centre), provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.		
Community use	Four spaces per 1,500m ² GFA.	As determined by Council.		

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Educational establishment	New or redeveloped education facilities, provide: • For employees - secure bicycle storage for 8% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • For students: - minimum of 8% of the peak number of students using the building at any one time (with 75% occupancy); and - bicycle storage within 100m of the building front entrance(s); or added to the campus central bicycle storage area.	New or redeveloped education facilities, provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Food & drink outlet	One space per 100m² GFA.	As determined by Council.
Function facility	One space per 300m² GFA.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Health care services	New or redeveloped healthcare facilities, provide the following facilities: • For employees - secure bicycle storage for 5% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • For visitors: - facilities with inpatient accommodation provide one space per each 30 beds; - facilities without inpatient accommodation provide one space per each 4 practitioners; - aged care facilities provide one space per each 60 beds; - In every instance above, provide a minimum of 5 bicycle parking spaces; and - bicycle parking provided: in an accessible location, signposted and within 10m a major public entrance to the building.	New or redeveloped healthcare facilities, provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Hospital	As determined by Council.	As determined by Council.
Indoor sport and recreation	One space per employee plus 1 space per 200m ² GFA	As determined by Council.
Park	As determined by Council.	As determined by Council.
Rooming accommodation	One space per 4 letting rooms.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Short term accommodation	One space per 4 letting rooms.	As determined by Council.
Shop or Shopping centre	New or redeveloped shopping centres, provide: • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • visitor facilities: - one space per 500m² GLA or part thereof for centres under 30,000m²; or - one space per 750m² GLA or part thereof for centres between 30,000m² and 50,000m²; and - bicycle parking is signposted and within 10m of a major public entrance to the building.	New or redeveloped shopping centres, provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.
Theatre	One space per 100m ² GFA.	As determined by Council.

Table 9.4.3.3E—Vehicular Access for Specific Uses

Use	Design
Dwelling house	A secondary dwelling shares a vehicle crossover with the Dwelling house.
Car wash	Site access involves: (a) a maximum width of 9 metres of any vehicle crossover across a footpath;
Service station	 (b) a minimum separation of 12 metres between any vehicle crossover and a road intersection; (c) a separate entrance and exit; and (d) a minimum separation between vehicle crossovers of 14 metres.

Industrial activities	Each lot is provided with no more than one access point every 15 metres.
Roadside stall	A single vehicular access point is provided to the site.
Tourist park	(a) a single vehicular access point is provided to the site; and(b) no accommodation site has individual vehicular access.

9.4.5 Works, services and infrastructure code

9.4.5.1 Application

(1) This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.5.2 Purpose

- (1) The purpose of the Works, services and infrastructure code is to ensure that all development is appropriately serviced by physical infrastructure, public utilities and services and that work associated with development is carried out in a manner that does not adversely impact on the surrounding area.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Development provides an adequate, safe and reliable supply of potable, fire-fighting and general use water in accordance with relevant standards;
 - (b) Development provides for the treatment and disposal of wastewater and ensures there are no adverse impacts on water quality, public health, local amenity or ecological processes;
 - (c) Development provides for the disposal of stormwater and ensures that there are no adverse impacts on water quality or ecological processes;
 - (d) Development connects to the road network and any adjoining public transport, pedestrian and cycle networks while ensuring no adverse impacts on the safe, convenient and efficient operation of these networks;
 - (e) Development provides electricity and telecommunications services that meet its desired requirements:
 - (f) Development is connected to a nearby electricity network with adequate capacity without significant environment, social or amenity impact;
 - (g) Development does not affect the efficient functioning of public utility mains, services or installations;
 - (h) Infrastructure dedicated to Council is cost effective over its life cycle;
 - (i) Work associated with development does not cause adverse impacts on the surrounding area; and
 - (j) Development prevents the spread of weeds, seeds or other pests.

9.4.5.3 Criteria for assessment

Table 9.4.5.3 - Works, services and infrastructure code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments	
For accepted development subject to requirements and assessable development				
Water supply				

PO1 Each lot has an adequate volume and supply of water that: (a) meets the needs of	AO1.1 Development is connected to a reticulated water supply system in accordance with the Design	n/a	Not applicable.
users; (b) is adequate for fire- fighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment.	Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated water supply service area.		
	AO1.2 Development, where located outside a reticulated water supply service area and in the Conservation zone, Rural zone or Rural residential zone is provided with: (a) a bore or bores are provided in accordance with the Design Guidelines set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; or (b) on-site water storage tank/s: (i) with a minimum capacity of 90,000L; (ii) fitted with a 50mm ball valve with a camlock fitting; and (iii) which are installed and connected prior to the occupation or use of the development.		The proposed development will connect to the existing Mount Kooyong Nursing Home onsite water supply.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Each lot provides for the treatment and disposal of effluent and other waste water that: (a) meets the needs of users; (b) is adequate for firefighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment.	AO2.1 Development is connected to a reticulated sewerage system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated sewerage service area.	n/a	Not applicable.
Gittionii	AO2.2 An effluent disposal system is provided in accordance with ASNZ 1547 On-Site Domestic Wastewater Management (as amended) where development is located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated sewerage service area.	•	H20 Consultants have confirmed that no upgrading of the existing onsite wastewater system (AES system) is required.
Stormwater infrastructure			
PO3 Stormwater infrastructure is designed and constructed to collect and convey the design storm event to a lawful point of discharge in a manner that mitigates impacts on life and property.	Where located within a Priority infrastructure area or where stormwater infrastructure is available, development is connected to Council's stormwater network in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.		The development will be conditioned to comply.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO3.2 On-site drainage systems are constructed: (a) to convey stormwater from the premises to a lawful point of discharge; and (b) in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	•	The development will be conditioned to comply.
Electricity supply			
Each lot is provided with an adequate supply of electricity Telecommunications infrastrum	The premises: (a) is connected to the electricity supply network; or (b) has arranged a connection to the transmission grid; or (c) where not connected to the network, an independent energy system with sufficient capacity to service the development (at near average energy demands associated with the use) may be provided as an alternative to reticulated electricity where: (i) it is approved by the relevant regulatory authority; and (ii) it can be demonstrated that no air or noise emissions; and (iii) it can be demonstrated that no adverse impact on visual amenity will occur.	•	The development complies.

Document Set ID: 4149447 Version: 1, Version Date: 10/10/2022

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 Each lot is provided with an adequate supply of telecommunication infrastructure	AO5 Development is provided with a connection to the national broadband network or telecommunication services.	•	The development complies.
Existing public utility serv	ices		
PO6 Development and associated works do not affect the efficient functioning of public utility mains, services or installations.	AO6 Public utility mains, services are relocated, altered or repaired in association with the works so that they continue to function and satisfy the relevant Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	•	The development will be conditioned to comply.
Excavation or filling			
PO7 Excavation or filling must not have an adverse impact on the: (a) streetscape; (b) scenic amenity; (c) environmental values; (d) slope stability;	AO7.1 Excavation or filling does not occur within 1.5 metres of any site boundary.	n/a	Not applicable.
	AO7.2 Excavation or filling at any point on a lot is to be no greater than 1.5 metres above or below natural ground level.	n/a	Not applicable.
(e) accessibility; or (f) privacy of adjoining premises.	AO7.3 Earthworks batters: (a) are no greater than 1.5 metres in height; (b) are stepped with a minimum width 2 metre berm; (c) do not exceed a maximum of two batters and two berms (not greater than 3.6 metres in total height) on any one lot; (d) have a slope no greater than 1 in 4; and (e) are retained.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO7.4 Soil used for filling or spoil from excavation is not stockpiled in locations that can be viewed from: (a) adjoining premises; or (b) a road frontage, for a period exceeding 1 month from the commencement of the filling or excavation.	n/a	Not applicable.
	AO7.5 All batters and berms to be constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.
	AO7.6 Retaining walls have a maximum height of 1.5 metres and are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
	AO7.7 Excavation or filling at any point on a lot is to include measures that protect trees at the foot or top of cut or fill batters by the use of appropriate retaining methods and sensitive earth removal or placement and in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
For assessable development	t		
Transport network			

Document Set ID: 4149447 Version: 1, Version Date: 10/10/2022

Performance outcomes	Acceptable outcomes	Complies	Comments
PO8 The development has access to a transport network of adequate standard to provide for the safe and efficient movement of vehicles, pedestrians and cyclists.	AO8.1 Vehicle access, crossovers, road geometry, pavement, utilities and landscaping to the frontage/s of the site are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	•	The existing vehicle access off Mount Kooyong Road will remain in use for the proposed development.
	AO8.2 Development provides footpath pavement treatments in accordance with Planning Scheme Policy 9 – Footpath Paving.	n/a	Not applicable.
Public infrastructure			
PO9 The design, construction and provision of any infrastructure that is to be dedicated to Council is cost effective over its life cycle and incorporates provisions to minimise adverse impacts.	AO9 Development is in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	•	The development will be conditioned to comply.
Stormwater quality			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 Development has a non-worsening effect on the site and surrounding land and is designed to:	AO10.1 The following reporting is prepared for all Material change of use or Reconfiguring a lot proposals:	n/a	Not applicable.
(a) optimise the interception, retention and removal of waterborne pollutants, prior to the discharge to receiving waters; (b) protect the environmental values of waterbodies affected by the development, including upstream, on-site and downstream	(a) a Stormwater Management Plan and Report that meets or exceeds the standards of design and construction set out in the Queensland Urban Drainage Manual (QUDM) and the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; and (b) an Erosion and Sediment Control Plan that meets or exceeds the Soil		
waterbodies; (c) achieve specified water quality objectives;	Erosion and Sedimentation Control Guidelines (Institute of		
(d) minimise flooding; (e) maximise the use of natural channel design principles;	Engineers Àustralia), including: (i) drainage control; (ii) erosion control;		
(f) maximise community benefit; and (g) minimise risk to	(iii) sediment control; and (iv) water quality		
public safety.	outcomes.		

Performance outcomes	Acceptable outcomes	Complies	Comments
	For development on land greater than 2,500m² or that result in more than 5 lots or more than 5 dwellings or accommodation units, a Stormwater Quality Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) is prepared that demonstrates that the development: (a) meets or exceeds the standards of design and construction set out in the Urban Stormwater Quality Planning Guideline and the Queensland Water Quality Guideline; (b) is consistent with any local area stormwater water management planning; (c) accounts for development type, construction phase, local climatic conditions and design objectives; and (d) provides for stormwater quality treatment measures reflecting land use constraints, such as soil type, landscape features (including landform), nutrient hazardous areas, acid sulfate soil and rainfall erosivity.		The development will be conditioned to comply.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO11 Storage areas f stormwater detention aretention: (a) protect or enhance the environmental values of receiving waters; (b) achieve specified water quality objectives; (c) where possible, provide for recreational use; (d) maximise community benefit; and (e) minimise risk to public safety.		n/a	Not applicable.
Excavation or filling			
PO12 Traffic generated by filling or excavation does in impact on the amenity the surrounding area.	ot transportation of fill to or from	n/a	Not applicable.
	AO12.2 Transportation of fill to or from the site does not occur: (a) within peak traffic times; and (b) before 7am or after 6pm Monday to Friday; (c) before 7am or after 1pm Saturdays; and (d) on Sundays or Public Holidays.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments	
PO13 Air pollutants, dust and sediment particles from excavation or filling, do not cause significant environmental harm or nuisance impacts.	AO13.1 Dust emissions do not extend beyond the boundary of the site.	n/a	Not applicable.	
	AO13.2 No other air pollutants, including odours, are detectable at the boundary of the site.	n/a	Not applicable.	
	AO13.3 A management plan for control of dust and air pollutants is prepared and implemented.	n/a	Not applicable.	
PO14 Access to the premises (including driveways and paths) does not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; and (d) privacy of adjoining premises.	ACCESS to the premises (including all works associated with the access): (a) must follow as close as possible to the existing contours; (b) be contained within the premises and not the road reserve, and (c) are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.	
Weed and pest management				
PO15 Development prevents the spread of weeds, seeds or other pests into clean areas or away from infested areas.	AO15 No acceptable outcome is provided.	•	The development will comply.	
Contaminated land				

Performance outcomes	Acceptable outcomes	Complies	Comments
PO16 Development is located and designed to ensure that users and nearby sensitive land uses are not exposed to unacceptable levels of contaminants	AO16 Development is located where: (a) soils are not contaminated by pollutants which represent a health or safety risk to users; or (b) contaminated soils are remediated prior to plan sealing, operational works permit, or issuing of building works permit.	•	The development will comply.
Fire services in developme	ents accessed by common priva	te title	
PO17 Fire hydrants are located in positions that will enable fire services to access water safely, effectively and efficiently.	AO17.1 Fire hydrants are located in accessways or private roads held in common private title at a maximum spacing of: (a) 120 metres for residential development; and (b) 90 metres for any other development.	n/a	Not applicable.
	AO17.2 Fire hydrants are located at all intersections of accessways or private roads held in common private title.	n/a	Not applicable.