C D Nastasi Ag Pty Ltd & S D Nastasi Ag Pty Ltd PO Box 1892 Mareeba QLD 4880

Ph: 0447 007 783

12 October 2022

The Assessment Manager Mareeba Shire Council PO Box 154 MAREEBA QLD 4880

Attn: Brian Millard, Senior Planner

Dear Sir,

APPLICATION FOR DEVELOPMENT PERMIT FOR MATERIAL CHANGE OF USE -UNDEFINED USE ("RURAL WORKERS' ACCOMMODATION" AS DEFINED BY THE PLANNING REGULATION 2017) LOT 51 ON SP243993 SITUATED AT 57 STUDT ROAD, MAREEBA

C D Nastasi Ag Pty Ltd & S D Nastasi Ag Pty Ltd (the landowners) lodge this development application seeking a Development Permit for Material Change of Use - Undefined Use ("Rural workers' accommodation" as defined by the Planning Regulation 2017).

The proposed Rural worker's accommodation facility will accommodate a maximum of 12 farm workers to help with the day to day operation of the orchard, as well as the picking and packing of seasonal produce. The 12 workers will be accommodated in a purpose built complex comprising 2 prefabricated accommodation buildings providing a total of 6 ensuite rooms (2 workers per room) as well as a common area for cooking, clothes washing, and leisure. A roof will be constructed over the entire complex and car parking will be provided adjacent. In keeping with the land use definition, the workers may be utilised for work on other farms under the same ownership (for example adjacent Lot 50 on N157399). The proposed development is considered to be an agricultural support use as it will ensure convenient and reliable access to a farm workforce.

The proposed use is consistent with the intent of the current "Rural workers' accommodation" use listed in *Schedule 1 Definitions* of the Mareeba Shire Council Planning Scheme 2016 ("the Planning Scheme"), however a recent administrative change to the definition in the *Planning Regulation 2017* ("the Regulation") has provided an inconsistency between the two. In the instance of an inconsistency, the Regulation prevails, and as such, the proposed use becomes "undefined" by the Planning Scheme.

Prior to the Regulation change, Rural workers' accommodation was a code assessable land use within the Rural zone, however, now being undefined, the proposed use becomes impact assessable development. This application includes an assessment against the

relevant aspects of the Planning Scheme's Strategic Framework and Development Codes. The proposed use does not conflict with any relevant aspect of the Planning Scheme.

It is noted that Council's fees and charges schedule lists the fee for an "undefined use" as "Price on Application". In this instance, both the land use definition and level of assessment were altered due to an administrative change to the Regulation. The assessment criteria within the Planning Scheme will not significantly change, nor is the application likely to attract a large number of submissions, or submissions with any real town planning merit. As such, it is requested that Council apply the "Rural workers' accommodation - code" fee of \$1,693.00 and that an invoice be issued for payment in due course.

Should you require any further information, please do not hesitate to contact myself on the abovementioned number.

Yours faithfully

Charles Nastasi

C D Nastasi Ag Pty Ltd

Samuel Nastasi

S D Nastasi Ag Pty Ltd

DA Form 1 – Development application details

Approved form (version 1.3 effective 28 September 2020) made under section 282 of the Planning Act 2016.

This form **must** be used to make a development application **involving code assessment or impact assessment**, except when applying for development involving only building work.

For a development application involving **building work only**, use *DA Form 2 – Building work details*.

For a development application involving **building work associated with any other type of assessable development** (i.e. material change of use, operational work or reconfiguring a lot), use this form (*DA Form 1*) and parts 4 to 6 of *DA Form 2 – Building work details*.

Unless stated otherwise, all parts of this form **must** be completed in full and all required supporting information **must** accompany the development application.

One or more additional pages may be attached as a schedule to this development application if there is insufficient space on the form to include all the necessary information.

This form and any other form relevant to the development application must be used to make a development application relating to strategic port land and Brisbane core port land under the *Transport Infrastructure Act 1994*, and airport land under the *Airport Assets (Restructuring and Disposal) Act 2008*. For the purpose of assessing a development application relating to strategic port land and Brisbane core port land, any reference to a planning scheme is taken to mean a land use plan for the strategic port land, Brisbane port land use plan for Brisbane core port land, or a land use plan for airport land.

Note: All terms used in this form have the meaning given under the Planning Act 2016, the Planning Regulation 2017, or the Development Assessment Rules (DA Rules).

PART 1 – APPLICANT DETAILS

1) Applicant details	
Applicant name(s) (individual or company full name)	C D Nastasi Ag Pty Ltd & S D Nastasi Ag Pty Ltd
Contact name (only applicable for companies)	Charles Nastasi
Postal address (P.O. Box or street address)	PO Box 1892
Suburb	Mareeba
State	QLD
Postcode	4880
Country	
Contact number	0447 007 783
Email address (non-mandatory)	charles.nastasi16@gmail.com
Mobile number (non-mandatory)	
Fax number (non-mandatory)	
Applicant's reference number(s) (if applicable)	

2) Owner's consent
2.1) Is written consent of the owner required for this development application?
Yes – the written consent of the owner(s) is attached to this development application
⊠ No – proceed to 3)



PART 2 - LOCATION DETAILS

Note: P		elow and) or 3.2), and 3.3 n for any or all p			he development	application. For further information, see <u>DA</u>
3.1) St	treet addres	s and lo	ot on pla	an					
⊠ Str	eet address	AND I	ot on pla	an (a <i>ll l</i> e	ots must be liste	ed), or			
					an adjoining etty, pontoon. Al				e premises (appropriate for development in
	Unit No.	Street	t No.	Stree	t Name and	Туре			Suburb
2)		57		Studt	Road				Mareeba
a)	Postcode	Lot No	0.	Plan	Type and Nu	mber (e.g. RF	P, SP)	Local Government Area(s)
	4880	51		SP24	P243993 Mareeba Shire Council				Mareeba Shire Council
	Unit No.	Street	l No.	Stree	t Name and	Туре			Suburb
b)									
b)	Postcode	Lot No	0.	Plan	Type and Nu	mber (e.g. RF	P, SP)	Local Government Area(s)
́ е.	oordinates og. channel dred lace each set o	dging in N	Moreton Ba	ay)		nt in rem	note area	as, over part of a	lot or in water not adjoining or adjacent to land
					de and latitud	le			
Longit		•	Latitud			Datur	n		Local Government Area(s) (if applicable)
	()			,			GS84		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
□ W3504 □ GDA94									
	Other:								
Coordinates of premises by easting and northing									
Eastin	Easting(s) Northing(s) Zone Ref. Datum Local Government Area(s) (if applicable)								
	□ 54 □ WGS84								
					☐ 55	GI	DA94		
					<u></u> 56	□ Ot	ther:		
3.3) A	dditional pre	mises							
atta					this developr opment appli		pplicat	ion and the d	etails of these premises have been
□ NO	l required								
4) Iden	tify any of th	e follow	ing that	apply t	to the premise	es and p	<u>rovide</u>	<u>any relev</u> ant d	letails
					rcourse or in c				
Name o	Name of water body, watercourse or aquifer: Barron River								
On	strategic por	t land u	nder the	Transı	port Infrastruc	ture Ac	t 1994		
Lot on	plan descript	ion of s	trategic p	port lar	nd:			<u> </u>	
Name o	of port autho	rity for	the lot:						
☐ In a	tidal area								
Name o	of local gover	nment	for the ti	idal are	ea (if applicable):				
Name o	of port autho	rity for	tidal area	a (if app	licable):				
On	airport land	under tl	ne <i>Airpor</i>	rt Assei	ts (Restructuri	ng and l	Disposo	al) Act 2008	

Name of airport:	
Listed on the Environmental Management Register (EMR) u	nder the Environmental Protection Act 1994
EMR site identification:	
Listed on the Contaminated Land Register (CLR) under the E	nvironmental Protection Act 1994
CLR site identification:	
5) Are there any existing easements over the premises?	
Note: Easement uses vary throughout Queensland and are to be identified how they may affect the proposed development, see <u>DA Forms Guide.</u>	ed correctly and accurately. For further information on easements and
Yes – All easement locations, types and dimensions are application	re included in plans submitted with this development
⊠ No	

PART 3 – DEVELOPMENT DETAILS

Section 1 – Aspects of development

6.1) Provide details about the first development aspect
a) What is the type of development? (tick only one box)
b) What is the approval type? (tick only one box)
Development permit Preliminary approval Preliminary approval that includes a variation approval
c) What is the level of assessment?
☐ Code assessment ☐ Impact assessment (requires public notification)
d) Provide a brief description of the proposal (e.g. 6 unit apartment building defined as multi-unit dwelling, reconfiguration of 1 lot into 3 lots):
Undefined Use - "Rural Workers' Accommodation" as defined by the Planning Regulation 2017
e) Relevant plans Note: Relevant plans are required to be submitted for all aspects of this development application. For further information, see DA Forms guide: Relevant plans .
Relevant plans of the proposed development are attached to the development application
6.2) Provide details about the second development aspect
a) What is the type of development? (tick only one box)
☐ Material change of use ☐ Reconfiguring a lot ☐ Operational work ☐ Building work
b) What is the approval type? (tick only one box)
☐ Development permit ☐ Preliminary approval ☐ Preliminary approval that includes a variation approval
c) What is the level of assessment?
Code assessment Impact assessment (requires public notification)
d) Provide a brief description of the proposal (e.g. 6 unit apartment building defined as multi-unit dwelling, reconfiguration of 1 lot into 3 lots):
e) Relevant plans
Note: Relevant plans are required to be submitted for all aspects of this development application. For further information, see <u>DA Forms Guide:</u> Relevant plans.
Relevant plans of the proposed development are attached to the development application
6.3) Additional aspects of development

Additional aspects of development would be required under							
Not required	,		tillo lotti flavo boo	ii allaonea l	.0 11110 41	ovelopment ap	phoduori
Section 2 – Further develop	ment de	etails					
7) Does the proposed developr			lve any of the follov	ving?			
Material change of use			division 1 if assess		t a local	planning instru	ument
Reconfiguring a lot	Yes -	- complete	division 2				
Operational work	Yes -	Yes – complete division 3					
Building work	Yes -	- complete	DA Form 2 – Buildi	ng work det	ails		
Division 1 – Material change of Note: This division is only required to be local planning instrument. 8.1) Describe the proposed ma	completed it		e development applicati	ion involves a r	material ch	ange of use asse	ssable against a
Provide a general description of proposed use		Provide th	ne planning scheme h definition in a new rov			er of dwelling fapplicable)	Gross floor area (m²) (if applicable)
Undefined Use - "Rural Worker Accommodation" as defined by Planning Regulation 2017		Workers' Administration Regulation with colun	d - previously define Accommodation" - ative change occur n definition - now ir nn 2 of Planning So 1 definition	red to	N/A		N/A
8.2) Does the proposed use inv	olve the ι	use of existi	ng buildings on the	premises?			
Yes							
⊠ No							
Division 2 – Reconfiguring a lo Note: This division is only required to be 9.1) What is the total number o	completed if			on involves red	configuring	ı a lot.	
,	<u> </u>	<u> </u>	•				
9.2) What is the nature of the lo	t reconfig	uration? (tid	ck all applicable boxes)				
Subdivision (complete 10))			Dividing land	nto parts by	agreen	nent (complete 1	1))
Boundary realignment (complete 12))			Creating or changing an easement giving access to a lot from a constructed road (complete 13))				
10) Subdivision							
10.1) For this development, how	w many lo	ots are being	created and what	is the inten	ded use	of those lots:	
Intended use of lots created	Reside		Commercial	Industrial		Other, please	specify:
						•	
Number of lots created							
10.2) Will the subdivision be started and Yes – provide additional definition No		V					
How many stages will the work	s include?	>					
What stage(s) will this developed apply to?	ment appl	ication					

11) Dividing land in parts?	to parts by	y agree	ement – ho	w mar	ny parts	s are being o	reated and wha	t is the intended use of the	
Intended use of par	ts created	d R	Residential		Comr	mercial	Industrial	Other, please specify:	
Number of parts cre	eated								
12) Boundary realig	nment								
12.1) What are the		nd pror	oosed area	s for e	ach lo	comprising	the premises?		
	Curre					Proposed lot			
Lot on plan descrip	tion	Area	(m ²)			Lot on plan	description	Area (m²)	
12.2) What is the re	ason for	the boo	undary real	lignme	nt?				
13) What are the di	mensions	and n	ature of an	v exist	ting ea	sements hei	ng changed and	/or any proposed easement?	
(attach schedule if there	are more th	nan two e							
Existing or proposed?	Width (r	n) L	ength (m)		oose of	f the easeme	ent? (e.g.	Identify the land/lot(s) benefitted by the easement	
proposed:								benefitted by the easement	
	l								
Division 3 – Operat			lated if any no	aut of the	a dayala	nmant annliasti	an invalvaa anaratia	nol work	
Note: This division is only 14.1) What is the n					e develo _l	оттети аррисаці	on involves operatio	nai work.	
Road work		<u> </u>		_	rmwate	er	☐ Water ir	frastructure	
☐ Drainage work				_ Earl	thwork	s	Sewage	infrastructure	
Landscaping		_		Sigr	nage		☐ Clearing	yvegetation	
Other – please	specify:								
14.2) Is the operation				litate t	he cre	ation of new	lots? (e.g. subdivi	sion)	
Yes – specify no	umber of	new lot	ts:						
∐ No									
14.3) What is the m	onetary v	alue o	f the propo	sed op	peratio	nal work? (in	clude GST, material	s and labour)	
\$									
PART 4 – ASS	ESSMI	ENT	MANAG	SER	DET	AILS			
15) Identify the ass	essment ı	manag	er(s) who v	vill be	assess	sing this dev	elopment applic	ation	
15) Identify the ass Mareeba Shire Cou		manag	er(s) who v	vill be	assess	sing this dev	elopment applic	ation	
Mareeba Shire Cou	ıncil overnmen	t agree	ed to apply	a sup	ersede	d planning s	cheme for this c	ation levelopment application?	
Mareeba Shire Cou 16) Has the local go Yes – a copy of	ncil overnmen the decis	it agree	ed to apply	a supe	ersede	d planning s	cheme for this c	levelopment application?	
Mareeba Shire Cou 16) Has the local go Yes – a copy of	ncil overnmen the decis	it agree	ed to apply	a supe	ersede	d planning s	cheme for this c		

PART 5 - REFERRAL DETAILS

17) Does this development application include any aspects that have any referral requirements? Note: A development application will require referral if prescribed by the Planning Regulation 2017.
No, there are no referral requirements relevant to any development aspects identified in this development application – proceed to Part 6
Matters requiring referral to the Chief Executive of the Planning Act 2016:
☐ Clearing native vegetation
Contaminated land (unexploded ordnance)
Environmentally relevant activities (ERA) (only if the ERA has not been devolved to a local government)
Fisheries – aquaculture
Fisheries – declared fish habitat area
Fisheries – marine plants
Fisheries – waterway barrier works
Hazardous chemical facilities
Heritage places – Queensland heritage place (on or near a Queensland heritage place)
☐ Infrastructure-related referrals – designated premises
☐ Infrastructure-related referrals – state transport infrastructure
☐ Infrastructure-related referrals – State transport corridor and future State transport corridor
☐ Infrastructure-related referrals – State-controlled transport tunnels and future state-controlled transport tunnels
☐ Infrastructure-related referrals – near a state-controlled road intersection
Koala habitat in SEQ region – interfering with koala habitat in koala habitat areas outside koala priority areas
☐ Koala habitat in SEQ region – key resource areas
Ports – Brisbane core port land – near a State transport corridor or future State transport corridor
Ports – Brisbane core port land – environmentally relevant activity (ERA)
Ports – Brisbane core port land – tidal works or work in a coastal management district
Ports – Brisbane core port land – hazardous chemical facility
Ports – Brisbane core port land – taking or interfering with water
Ports – Brisbane core port land – referable dams
Ports – Brisbane core port land – fisheries
Ports – Land within Port of Brisbane's port limits (below high-water mark)
SEQ development area
SEQ regional landscape and rural production area or SEQ rural living area – tourist activity or sport and recreation activity
SEQ regional landscape and rural production area or SEQ rural living area – community activity
SEQ regional landscape and rural production area or SEQ rural living area – indoor recreation
SEQ regional landscape and rural production area or SEQ rural living area – urban activity
SEQ regional landscape and rural production area or SEQ rural living area – combined use
☐ Tidal works or works in a coastal management district
Reconfiguring a lot in a coastal management district or for a canal
Erosion prone area in a coastal management district
Urban design
☐ Water-related development – taking or interfering with water
Water-related development – removing quarry material (from a watercourse or lake)
Water-related development – referable dams
Water-related development –levees (category 3 levees only)

☐ Wetland protection area					
Matters requiring referral to the local government:					
☐ Airport land					
Environmentally relevant activities (ERA) (only if the ERA	A has been devolved to local gover	nment)			
Heritage places – Local heritage places					
Matters requiring referral to the Chief Executive of the d	istribution entity or transi	nission entity:			
☐ Infrastructure-related referrals – Electricity infrastructu	ire				
Matters requiring referral to:					
The Chief Executive of the holder of the licence, i					
• The holder of the licence , if the holder of the licence					
Infrastructure-related referrals – Oil and gas infrastruc	eture				
Matters requiring referral to the Brisbane City Council :					
Ports – Brisbane core port land					
Matters requiring referral to the Minister responsible for	-				
Ports – Brisbane core port land (where inconsistent with the Ports – Strategic port land	e Brisbane port LUP for transport re	easons)			
	familiaant is not part aparat	or.			
Matters requiring referral to the relevant port operator , i Ports – Land within Port of Brisbane's port limits (below	• • • • • • • • • • • • • • • • • • • •	.01.			
<u> </u>					
Matters requiring referral to the Chief Executive of the re	•				
Ports – Land within limits of another port (below high-wat					
Matters requiring referral to the Gold Coast Waterways Authority: Tidal works or work in a coastal management district (in Gold Coast waters)					
	· · · · · · · · · · · · · · · · · · ·				
Matters requiring referral to the Queensland Fire and Er	<u> </u>	44.44.33			
Tidal works or work in a coastal management district	Involving a marina (more than six t	/essel berths))			
18) Has any referral agency provided a referral response	for this development applies	ation?			
	·				
Yes – referral response(s) received and listed below a	are attached to this developr	nent application			
⊠ No	Defermed	Data of motornal management			
Referral requirement	Referral agency	Date of referral response			
Identify and describe any changes made to the proposed referral response and this development application, or inc					
(if applicable).	nude details in a scriedule to	tilis development application			
PART 6 – INFORMATION REQUEST					
19) Information request under Part 3 of the DA Rules					

19) Information request under Part 3 of the DA Rules
☑ I agree to receive an information request if determined necessary for this development application
I do not agree to accept an information request for this development application
Note: By not agreeing to accept an information request I, the applicant, acknowledge:
 that this development application will be assessed and decided based on the information provided when making this development application and the assessment manager and any referral agencies relevant to the development application are not obligated under the DA Rules to accept any additional information provided by the applicant for the development application unless agreed to by the relevant parties
Part 3 of the DA Rules will still apply if the application is an application listed under section 11.3 of the DA Rules.
Further advice about information requests is contained in the <u>DA Forms Guide</u> .

PART 7 – FURTHER DETAILS

20) Are there any associated o	levelopment applications or curre	nt approvals? (e.g. a preliminary a	pproval)
	or include details in a schedule t	to this development application	1
List of approval/development application references	Reference number	Date	Assessment manager
Approval Development application			, and the second
Approval Development application			
Yes – a copy of the receipted No – I, the applicant will prov manager decides the develop approval only if I provide evid	leave levy been paid? (only applicable to QLeave form is attached to this developed evidence that the portable long sement application. I acknowledge that ence that the portable long service land construction work is less than \$1.	elopment application service leave levy has been paid b t the assessment manager may g eave levy has been paid	pefore the assessment
Amount paid	Date paid (dd/mm/yy)	QLeave levy number (A	, B or E)
\$			·
Yes – show cause or enforcem No	on in response to a show cause notic	e or required as a result of an en	forcement notice?
23) Further legislative requiren	nents		
Environmentally relevant act			
23.1) Is this development appli	cation also taken to be an applicactivity (ERA) under section 115 o		
accompanies this developm No Note: Application for an environmenta	ent (form ESR/2015/1791) for an nent application, and details are put authority can be found by searching "ES operate. See www.business.qld.gov.au for	rovided in the table below R/2015/1791" as a search term at www	·
Proposed ERA number:		posed ERA threshold:	
Proposed ERA name:			
Multiple ERAs are applicabethis development application	le to this development application n.	and the details have been att	ached in a schedule to
Hazardous chemical facilitie	<u>s</u>		
23.2) Is this development appli	cation for a hazardous chemica	I facility?	
Yes – Form 69: Notification application	of a facility exceeding 10% of sc	<i>hedule 15 threshold</i> is attache	d to this development

Note: See <u>www.business.qld.gov.au</u> for further information about hazardous chemical notifications.

Clearing native vegetation
23.3) Does this development application involve clearing native vegetation that requires written confirmation that the chief executive of the <i>Vegetation Management Act 1999</i> is satisfied the clearing is for a relevant purpose under section 22A of the <i>Vegetation Management Act 1999</i> ?
 Yes – this development application includes written confirmation from the chief executive of the <i>Vegetation Management Act 1999</i> (s22A determination) No
Note: 1. Where a development application for operational work or material change of use requires a s22A determination and this is not included, the development application is prohibited development. 2. See https://www.qld.gov.au/environment/land/vegetation/applying for further information on how to obtain a s22A determination.
Environmental offsets
23.4) Is this development application taken to be a prescribed activity that may have a significant residual impact on a prescribed environmental matter under the <i>Environmental Offsets Act 2014</i> ?
Yes – I acknowledge that an environmental offset must be provided for any prescribed activity assessed as having a significant residual impact on a prescribed environmental matter
No Note: The environmental offset section of the Queensland Government's website can be accessed at www.qld.gov.au for further information on environmental offsets.
Koala habitat in SEQ Region
23.5) Does this development application involve a material change of use, reconfiguring a lot or operational work which is assessable development under Schedule 10, Part 10 of the Planning Regulation 2017?
Yes – the development application involves premises in the koala habitat area in the koala priority area
Yes – the development application involves premises in the koala habitat area outside the koala priority area
No Note: If a koala habitat area determination has been obtained for this premises and is current over the land, it should be provided as part of this
development application. See koala habitat area guidance materials at <u>www.des.qld.gov.au</u> for further information.
Water resources
23.6) Does this development application involve taking or interfering with underground water through an artesian or subartesian bore, taking or interfering with water in a watercourse, lake or spring, or taking overland flow water under the <i>Water Act 2000</i> ?
Yes – the relevant template is completed and attached to this development application and I acknowledge that a relevant authorisation or licence under the <i>Water Act 2000</i> may be required prior to commencing development
No Note: Contact the Department of Natural Resources, Mines and Energy at www.dnrme.gld.gov.au for further information.
DA templates are available from https://planning.dsdmip.qld.gov.au/ . If the development application involves:
Taking or interfering with underground water through an artesian or subartesian bore: complete DA Form 1 Template 1 Taking or interfering with underground water through an artesian or subartesian bore: complete DA Form 1 Template 2.
 Taking or interfering with water in a watercourse, lake or spring: complete DA Form1 Template 2 Taking overland flow water: complete DA Form 1 Template 3.
Waterway barrier works
23.7) Does this application involve waterway barrier works?
 Yes – the relevant template is completed and attached to this development application No
DA templates are available from https://planning.dsdmip.qld.gov.au/ . For a development application involving waterway barrier works, complete DA Form 1 Template 4.
Marine activities
23.8) Does this development application involve aquaculture, works within a declared fish habitat area or removal, disturbance or destruction of marine plants?
Yes – an associated <i>resource</i> allocation authority is attached to this development application, if required under the <i>Fisheries Act 1994</i>
⊠ No

Note: See guidance materials at www	<u>v.daf.qld.gov.au</u> for further informat	ion.	
Quarry materials from a wat	tercourse or lake		
23.9) Does this development under the <i>Water Act 2000?</i>	application involve the remo	val of quarry materials from	a watercourse or lake
☐ Yes – I acknowledge that ☐ No	a quarry material allocation r	notice must be obtained prior t	o commencing development
Note : Contact the Department of Natinformation.	ural Resources, Mines and Energy	at <u>www.dnrme.qld.gov.au</u> and <u>www.b</u>	ousiness.qld.gov.au for further
Quarry materials from land	<u>under tidal waters</u>		
23.10) Does this developmen under the <i>Coastal Protection</i>		oval of quarry materials fror	n land under tidal water
☐ Yes – I acknowledge that ☐ No	a quarry material allocation r	notice must be obtained prior t	o commencing development
Note: Contact the Department of Env	vironment and Science at <u>www.des.</u>	qld.gov.au for further information.	
Referable dams			
23.11) Does this developmen		ible dam required to be failure ct 2008 (the Water Supply Act	
	ng a Failure Impact Assessm his development application	ent' from the chief executive a	ndministering the Water
⊠ No			
Note: See guidance materials at www			
Tidal work or development	within a coastal managem	ent district	
23.12) Does this developmen	t application involve tidal w o	ork or development in a coas	stal management district?
Yes – the following is inclu	uded with this development a	application:	
required if application in	sal meets the code for asses volves prescribed tidal work)	sable development that is pre	scribed tidal work (only
A certificate of title			
No Note: See guidance materials at www	u des ald as u su for firether informs	tion	
Queensland and local herita		uon.	
		nuscut on an adjaining a place	autored in the Overseland
		pment on or adjoining a place nent's Local Heritage Regist e	
☐ Yes – details of the heritaç	ge place are provided in the	table below	
Note: See guidance materials at www	<u>v.des.qld.gov.au</u> for information req	uirements regarding development of	Queensland heritage places.
Name of the heritage place:		Place ID:	
<u>Brothels</u>			
23.14) Does this developmen	t application involve a mater	ial change of use for a broth	nel?
	oplication demonstrates how nder Schedule 3 of the <i>Prost</i> i	the proposal meets the code itution Regulation 2014	for a development
Decision under section 62 of	of the <i>Transport Infrastruct</i>	ure Act 1994	
		changed access to a state-con	atrolled road?
	• • • • • • • • • • • • • • • • • • • •	<u> </u>	
		n for a decision under section 6 ction 75 of the <i>Transport Infras</i>	

No No
Walkable neighbourhoods assessment benchmarks under Schedule 12A of the Planning Regulation
23.16) Does this development application involve reconfiguring a lot into 2 or more lots in certain residential zones (except rural residential zones), where at least one road is created or extended?
☐ Yes – Schedule 12A is applicable to the development application and the assessment benchmarks contained in schedule 12A have been considered ☐ No
Note: See guidance materials at www.planning.dsdmip.qld.gov.au for further information.
PART 8 – CHECKLIST AND APPLICANT DECLARATION

24) Development application checklist	
I have identified the assessment manager in question 15 and all relevant referral requirement(s) in question 17 Note: See the Planning Regulation 2017 for referral requirements	⊠Yes
If building work is associated with the proposed development, Parts 4 to 6 of <u>DA Form 2 – Building work details</u> have been completed and attached to this development application	☐ Yes ☐ Not applicable
Supporting information addressing any applicable assessment benchmarks is with the development application Note: This is a mandatory requirement and includes any relevant templates under question 23, a planning report and any technical reports required by the relevant categorising instruments (e.g. local government planning schemes, State Planning Policy, State Development Assessment Provisions). For further information, see DAForms Guide: Planning Report Template .	⊠ Yes
Relevant plans of the development are attached to this development application Note: Relevant plans are required to be submitted for all aspects of this development application. For further information, see DA Forms Guide: Relevant plans .	⊠ Yes
The portable long service leave levy for QLeave has been paid, or will be paid before a development permit is issued (see 21)	☐ Yes ☑ Not applicable
25) Applicant declaration	
, , , ,	
By making this development application, I declare that all information in this development correct	nt application is true and
By making this development application, I declare that all information in this developmen	ctronic communications where written information
By making this development application, I declare that all information in this development correct Where an email address is provided in Part 1 of this form, I consent to receive future ele from the assessment manager and any referral agency for the development application was required or permitted pursuant to sections 11 and 12 of the Electronic Transactions Active: It is unlawful to intentionally provide false or misleading information. Privacy — Personal information collected in this form will be used by the assessment manage assessment manager, any relevant referral agency and/or building certifier (including any provided may be engaged by those entities) while processing, assessing and deciding the deventional information relating to this development application may be available for inspection and published on the assessment manager's and/or referral agency's website. Personal information will not be disclosed for a purpose unrelated to the Planning Act 2016, Regulation 2017 and the DA Rules except where:	ctronic communications where written information at 2001 ger and/or chosen rofessional advisers elopment application. ourchase, and/or Planning
 ☑ By making this development application, I declare that all information in this development correct ☑ Where an email address is provided in Part 1 of this form, I consent to receive future elefrom the assessment manager and any referral agency for the development application was required or permitted pursuant to sections 11 and 12 of the <i>Electronic Transactions Action Note: It is unlawful to intentionally provide false or misleading information.</i> Privacy – Personal information collected in this form will be used by the assessment manager assessment manager, any relevant referral agency and/or building certifier (including any provide may be engaged by those entities) while processing, assessing and deciding the deveral information relating to this development application may be available for inspection and published on the assessment manager's and/or referral agency's website. Personal information will not be disclosed for a purpose unrelated to the <i>Planning Act 2016</i>, Regulation 2017 and the DA Rules except where: such disclosure is in accordance with the provisions about public access to documents of <i>Act 2016</i> and the Planning Regulation 2017, and the access rules made under the <i>Planning Regulation 2017</i>; or 	ctronic communications where written information et 2001 ger and/or chosen rofessional advisers elopment application. ourchase, and/or Planning contained in the Planning
 ☑ By making this development application, I declare that all information in this development correct ☑ Where an email address is provided in Part 1 of this form, I consent to receive future ele from the assessment manager and any referral agency for the development application via required or permitted pursuant to sections 11 and 12 of the <i>Electronic Transactions Act Note: It is unlawful to intentionally provide false or misleading information.</i> Privacy – Personal information collected in this form will be used by the assessment manager assessment manager, any relevant referral agency and/or building certifier (including any provide may be engaged by those entities) while processing, assessing and deciding the deverous All information relating to this development application may be available for inspection and published on the assessment manager's and/or referral agency's website. Personal information will not be disclosed for a purpose unrelated to the <i>Planning Act 2016</i>, Regulation 2017 and the DA Rules except where: such disclosure is in accordance with the provisions about public access to documents of <i>Act 2016</i> and the Planning Regulation 2017; or required by other legislation (including the <i>Right to Information Act 2009</i>); or 	ctronic communications where written information et 2001 ger and/or chosen rofessional advisers elopment application. ourchase, and/or Planning contained in the Planning
 ☑ By making this development application, I declare that all information in this development correct ☑ Where an email address is provided in Part 1 of this form, I consent to receive future elefrom the assessment manager and any referral agency for the development application was required or permitted pursuant to sections 11 and 12 of the <i>Electronic Transactions Action Note: It is unlawful to intentionally provide false or misleading information.</i> Privacy – Personal information collected in this form will be used by the assessment manager assessment manager, any relevant referral agency and/or building certifier (including any provide may be engaged by those entities) while processing, assessing and deciding the deveral information relating to this development application may be available for inspection and published on the assessment manager's and/or referral agency's website. Personal information will not be disclosed for a purpose unrelated to the <i>Planning Act 2016</i>, Regulation 2017 and the DA Rules except where: such disclosure is in accordance with the provisions about public access to documents of <i>Act 2016</i> and the Planning Regulation 2017, and the access rules made under the <i>Planning Regulation 2017</i>; or 	ctronic communications where written information at 2001 ger and/or chosen rofessional advisers elopment application. ourchase, and/or Planning contained in the Planning ning Act 2016 and

PART 9 – FOR COMPLETION OF THE ASSESSMENT MANAGER – FOR OFFICE USE ONLY

Date received:	Reference numb	per(s):	
Notification of engagement of	of alternative assessment mar	nager	
Prescribed assessment mar	nager		
Name of chosen assessmer	nt manager		
Date chosen assessment ma	anager engaged		
Contact number of chosen a	ssessment manager		
Relevant licence number(s) of chosen assessment			
manager			
QLeave notification and payment			
Note: For completion by assessme	nt manager if applicable		
Description of the work			
QLeave project number			
Amount paid (\$)		Date paid (dd/mm/yy)	
Date receipted form sighted by assessment manager			

Name of officer who sighted the form

Assessment of application against Strategic Framework and Development Codes

Strategic Framework

3.3 Settlement pattern and built environment

- 3.3.11 Element Rural areas
- 3.3.11.1 Specific Outcomes
- (1) Rural areas include rural activities and land uses of varying scale, consistent with surrounding land use, character and site conditions.

Comment

Rural workers' accommodation is considered to be a rural agricultural support use, ensuring convenient, reliable access to farm workers. The scale of development proposed is not unreasonable and is consistent with other similar developments in the Rural zone, and other built form on the site itself.

The proposed development is not likely to compromise Specific Outcome 1.

3.7 Economic Development

- 3.7.2 Element Rural and Agricultural land
- 3.7.2.1 Specific outcomes
- (4) Built infrastructure and non-agricultural uses within farms will be co-located and clustered with existing farm dwellings and infrastructure to prevent encroachment on productive land.

Comment

The proposed location of the workers' accommodation complex is on the edge of the existing orchard and will therefore not encroach on productive land.

(5) Development ensures rural activities in all rural areas are not compromised by incompatible development and fragmentation.

Comment

Rural workers' accommodation is considered to be a rural agricultural support use, ensuring convenient, reliable access to farm workers. Despite being sited adjacent the orchard, the nature of the proposed use (short - medium term accommodation for farm workers only who are employed on-site) the development and its occupants are likely to be more resilient and subsequently less susceptible to land use conflict arising from farming activity. No other farming enterprises are established nearby.

The proposed development is not likely to compromise Specific Outcomes 5

Relevant Development Codes

The following Development Codes are considered to be applicable to the assessment of the application:

6.2.9 Rural zone code
8.2.3 Bushfire hazard overlay code
8.2.4 Environmental significance overlay code
8.2.6 Flood hazard overlay code
9.3.1 Accommodation activities code
9.4.3 Parking and access code
9.4.5 Works, services and infrastructure code

6.2.9 Rural zone code

6.2.9.1 Application

- (1) This code applies to assessing development where:
 - (a) located in the Rural zone; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

6.2.9.2 Purpose

- (1) The purpose of the Rural zone code is to:
 - (a) provide for rural uses including cropping, intensive horticulture, intensive animal industries, animal husbandry, animal keeping and other primary production activities;
 - (b) provide opportunities for non-rural uses that are compatible with agriculture, the environmental features, and landscape character of the rural area where the uses do not compromise the long-term use of the land for rural purposes;
 - (c) protect or manage significant natural resources and processes to maintain the capacity for primary production.
- (2) Mareeba Shire Council's purpose of the Rural zone code is to recognise the importance of primary production to the economy of the region and to maintain and strengthen the range of primary industries which contribute to the rural economy.

The purpose of the Rural zone code is to:

- (a) recognise the diversity of rural uses that exists throughout the region;
- (b) protect the rural character of the region;
- (c) provide facilities for visitors and tourists that are accessible and offer a unique experience;
- (d) protect the infrastructure of the Mareeba-Dimbulah Irrigation Scheme Area from development which may compromise long term use for primary production;
- (e) maintain distinct boundaries between the rural areas and the villages, towns and urban areas of the region;
- (f) provide for a range of uses, compatible and associated with rural or ecological values including recreational pursuits and tourist activities;
- (g) prevent adverse impacts of development on ecological values;
- (h) preserve land in large holdings; and
- (i) facilitate the protection of strategic corridors across the landscape which link remnant areas of intact habitat and transport corridors.
- (3) The purpose of the Rural zone code will be achieved through the following overall outcomes:
 - (a) Areas for use for primary production are conserved and fragmentation below economically viable lot sizes is avoided;
 - (b) The establishment of a wide range of rural pursuits is facilitated, including cropping, intensive horticulture, forestry, intensive animal industries, animal husbandry and animal keeping and other compatible primary production uses;
 - (c) The establishment of extractive industries, mining and associated activities and alternative forms of energy generation is appropriate where environmental impacts and land use conflicts are minimised;
 - (d) Uses that require isolation from urban areas as a consequence of their impacts such as noise or odour may be appropriate where land use conflicts are minimised;

- (e) Development is reflective of and responsive to the environmental constraints of the land;
- (f) Residential and other development is appropriate only where directly associated with the rural nature of the zone;
- (g) Low-impact tourism and recreation activities do not compromise the long-term use of the land for rural purposes;
- (h) The viability of both existing and future rural uses and activities is protected from the intrusion of incompatible uses;
- (i) Visual impacts of clearing, building, materials, access ways and other aspects of development are minimised or appropriately managed;
- (j) Adverse impacts of development both on-site and from adjoining areas are avoided and any impacts are minimised through location, design, operation and management; and
- (k) Natural features such as creeks, gullies, waterways, wetlands and bushland are retained, managed, enhanced and separated from adjacent development.

6.2.9.3 Criteria for assessment

Table 6.2.9.3—Rural zone code - For accepted development subject to requirements and assessable development

Performance outcom	nes A	acceptable outcomes	Complies	Comments	
For accepted develo	For accepted development subject to requirements and assessable development				
Height					
PO1 Building height tal consideration and the following: (a) the height of e buildings on a premises; (b) the development	kes into brespects bexisting bodioining (a	OO1.1 Development, other than ouildings used for rural activities, has a maximum ouilding height of: a) 8.5 metres; and b) 2 storeys above ground level.	•	Will comply.	
potential, with to height, on adjoining prer (c) the height of to in the vicinity site; (d) access to sun and daylight for site and adjoin sites; (e) privacy and overlooking; a (f) site area and frontage lengt	mises; as puildings of the sight or the ning	OU1.2 Buildings and structures ssociated with a rural ctivity including machinery, quipment, packing or torage buildings do not xceed 10 metres in height.	•	Will comply.	
Siting, where not i	•	_	t Code apply		
Note—Where for Dwelling house, the setbacks of the Queensland Development Code apply.					

Performance outcomes	Acceptable outcomes	Complies	Comments	
PO2 Development is sited in a manner that considers and respects: (a) the siting and use of adjoining premises; (b) access to sunlight and daylight for the site and adjoining sites;	AO2.1 Buildings and structures include a minimum setback of: (a) 40 metres from a frontage to a Statecontrolled road; and (b) 10 metres from a boundary to an adjoining lot.	•	Complies.	
 (c) privacy and overlooking; (d) air circulation and access to natural breezes; (e) appearance of building bulk; and (f) relationship with road 	AO2.2 Buildings and structures, where for a Roadside stall, include a minimum setback of 0 metres from a frontage to a road that is not a State-controlled road.	n/a	Not applicable.	
corridors.	AO2.3 Buildings and structures, expect where a Roadside stall, include a minimum setback of: (a) 10 metres from a frontage to a sealed road that is not a State-controlled road; and (b) 100 metres from a frontage to any other road that is not a State-controlled road;	n/a	Not applicable.	
Accommodation density				
PO3 The density of Accommodation activities:	AO3.1 Residential density does not exceed one dwelling house per lot.	n/a	Not applicable.	

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments	
(a) (b)	respects the nature and density of surrounding land use; is complementary and subordinate to the rural and natural landscape values of the area; and is commensurate to the scale and frontage of the site.	AO3.2 Residential density does not exceed two dwellings per lot and development is for: (a) a secondary dwelling; or (b) Caretaker's accommodation and includes building work or minor building work with a maximum gross floor area of 100m²; or (c) Rural worker's accommodation.		Complies - The development is for rural workers' accommodation (RWA). The development is considered an agricultural support use and is a common and standard land use on labour intensive orchard farms.	
For	assessable developme	nt			
Site	cover				
	dings and structures apy the site in a manner makes efficient use of land; is consistent with the bulk and scale of buildings in the surrounding area; and appropriately balances built and natural features.	AO4 No acceptable outcome is provided.		Complies.	
and estal of th	elopment complements integrates with the blished built character ne Rural zone, having rd to: roof form and pitch; eaves and awnings; building materials, colours and textures; and window and door size and location.	AO5 No acceptable outcome is provided.		Complies.	
Ame	Amenity				

Performance outcomes	Acceptable outcomes	Complies	Comments
PO6 Development must not detract from the amenity of the local area, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO6 No acceptable outcome is provided.		Will comply. The proposed development is appropriately separated form nearby rural lifestyle allotments and will be appropriately managed by the landowners/farmers to ensure minimal disturbance to neighbouring properties.
PO7 Development must take into account and seek to ameliorate any existing negative environmental impacts, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO7 No acceptable outcome is provided.	n/a	Not applicable - There is not considered to be any existing negative environmental impacts present on-site that require amelioration.

8.2.3 Bushfire hazard overlay code

8.2.3.1 Application

- (1) This code applies to assessing development where:
 - (a) land the subject of development is located within a Bushfire hazard area and Potential impact buffer (100 metres) identified on the **Bushfire hazard overlay maps (OM-003a-o)**; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Natural hazards are appropriately reflected in Overlay Maps 3, 6 and 8 and are required to be mapped by State Government in response to Hazard and Safety State Interests.

8.2.3.2 Purpose

- (1) The purpose of the Bushfire hazard overlay code is to minimise the threat of bushfire to people and property.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Development in a Bushfire hazard area is compatible with the nature of the hazard;
 - (b) The number of people and properties subject to bushfire hazards are minimised through appropriate building design and location;
 - (c) Development does not result in a material increase in the extent, duration or severity of bushfire hazard; and
 - (d) Appropriate infrastructure is available to emergency services in the event of a bushfire.

8.2.3.3 Criteria for assessment

Table 8.2.3.3—Bushfire hazard overlay code — For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development su	For accepted development subject to requirements and assessable development				
Water supply for fire-fighting	purposes				
PO1 Development where within a 'Bushfire hazard area' and 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) maintains the safety of people and property by providing an adequate, accessible and reliable water supply for firefighting purposes which is safely located and has sufficient flow and pressure	Where within a 'Bushfire hazard area' and 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) AO1.1 Where in a reticulated water service area, the on-site water supply has flow and pressure characteristics of 10 litres a second at 200 kPa. OR	n/a	Not applicable.		
characteristics. Note— A Bushfire hazard management plan must be prepared by suitably qualified persons in seeking to demonstrate compliance with the Performance outcome.	AO1.2 Where access to the reticulated water network is not available, a minimum on site water storage of 5,000 litres is provided that must comprise:	•	Can be conditioned to comply.		

		·	
Performance outcomes	Acceptable outcomes	Complies	Comments
	 (a) a separate tank; or (b) a reserve section in the bottom part of the main water supply tank; or (c) a dam; or (d) a swimming pool. Note—Where a water tank is provided for fire-fighting purposes it is fitted with standard rural fire brigade fittings and the tank is provided with a hardstand area for heavy vehicles. 		
For assessable developmen	t		
Land use			
PO2 Development within a 'Bushfire hazard area' and 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) is appropriate to the bushfire hazard risk having regard to the: (a) the bushfire risk compatibility of development; (b) the vulnerability of and safety risk to persons associated with the use; and (c) consequences of bushfire in regard to impacts on essential infrastructure, buildings and structures. Note— A Bushfire hazard management plan must be prepared by suitably qualified persons in seeking to demonstrate compliance with the Performance outcome.	AO2 All buildings, structures, infrastructure and facilities associated with the following uses are located outside any area of the site located within a 'Bushfire hazard area' and a 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o): (a) child care centre; or (b) community care centre; or (c) correctional facility; or (d) educational establishment; or (e) emergency services; or (f) hospital; or (g) residential care facility; or (h) retirement facility; or (i) rooming accommodation; or (j) shopping centre; or (k) tourist park; or (l) tourist attraction.	n/a	Not applicable.
Lot design			
PO3 Reconfiguring a lot within a 'Bushfire hazard area' and 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) minimises the potential adverse impacts of bushfire on the safety of people,	Where within a 'Bushfire hazard area' and 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) AO3.1 No new lots are created. OR	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
throu (a) (b)	erty and the environment agh lot design that: is responsive to the nature and extent of bushfire risk; and allows efficient emergency access to buildings for firefighting appliances. — A Bushfire hazard gement plan must be prepared tably qualified persons in ag to demonstrate compliance he Performance outcome.	AO3.2 All lots include a building envelope that achieves a radiant heat flux level of 29kW/m² at the permitter of the building envelope. Note—Where a radiant heat flux of 29kW/m² is achieved and this relies on cleared or maintained land external to the land the subject of the development application it must be demonstrated that land external to the site will be maintained to a standard that does not exceed the level of bushfire hazard identified in a Bushfire hazard management plan.		
Fire	breaks and access	J 1		
and (100 Bus map acce mitig	Bushfire hazard area' Potential impact buffer metres)' identified on the hfire hazard overlay s (OM-003a-o), vehicular ss is designed to ate against bushfire and by: ensuring adequate access for fire-fighting and other emergency vehicles; ensuring adequate access for the evacuation of residents and emergency	In a 'Bushfire hazard area' and 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o), roads are designed and constructed: (a) with a maximum gradient of 12.5%; (b) to not use cul-de-sacs; and (c) a constructed road width and weather standard complying with Planning Scheme Policy 4 - FNQROC Regional Development Manual.	n/a	Not applicable.
provid A04.2	personnel in an emergency situation, including alternative safe access routes should access in one direction be blocked in the event of a fire; and providing for the separation of developed areas and adjacent bushland. —Where it is not practicable to be firebreaks in accordance with Fire Maintenance Trails are led in accordance with the	In a 'Bushfire hazard area' and 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o), firebreaks are provided: (a) consisting of a perimeter road that separates lots from areas of bushfire hazard; (b) a minimum cleared width of 20 metre; (c) a maximum gradient of 12.5%; and (d) a constructed road width and weather standard complying with Planning Scheme Policy 4 -	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
ii. the minimum cleared width not less than 6 metres; iii. the formed width is not less than 2.5 metres; iv. the formed gradient is not greater than 15%; v. vehicular access is provided at both ends; vi. passing bays and turning areas are provided for fire-fighting appliances located on public land. Note— A Bushfire hazard management plan must be prepared by suitably qualified persons in seeking to demonstrate compliance with the Performance outcome.	FNQROC Regional Development Manual.		
Hazardous materials			
PO5	AO5	n/a	Not applicable.
Public safety and the environment are not adversely affected by the detrimental impacts of bushfire of hazardous materials manufactured or stored in bulk. Note— A Bushfire hazard management plan must be prepared by suitably qualified persons in seeking to demonstrate compliance with the Performance outcome.	The processing or storage of dangerous goods or hazardous materials is not undertaken in a 'Bushfire hazard area' and a 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o).		
Landscaping			
PO6 Landscaping within a 'Bushfire hazard area' and a 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) does not result in a material increase in the extent, duration or severity of bushfire hazard having regard to: (a) fire ecology; (b) slope of site; and (c) height and mix of plant species. Note—Frost hollows and the associated grass kill facilitates a rapid curing of fuel and exacerbates bushfire hazard.	AO6 No acceptable outcome is provided.	n/a	Not applicable.

		<u></u>	
Performance outcomes	Acceptable outcomes	Complies	Comments
Note— A Bushfire hazard management plan must be prepared by suitably qualified persons in seeking to demonstrate compliance with the Performance outcome.			
Infrastructure			
Infrastructure services located in a 'Bushfire hazard area' and a 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) are protected from damage or destruction in the event of a bushfire. Note— A Bushfire hazard management plan must be prepared by suitably qualified persons in seeking to demonstrate compliance with the Performance outcome.	AO7 The following infrastructure services are located below ground: (a) water supply; (b) sewer; (c) electricity; (d) gas; and (e) telecommunications		Will apply where relevant.
Private driveways			
PO8 All premises located in a 'Bushfire hazard area' and a 'Potential impact buffer (100 metres)' identified on the Bushfire hazard overlay maps (OM-003a-o) are provided with vehicular access that enables safe evacuation for occupants and easy access by fire-fighting appliances. Note— A Bushfire hazard management plan must be prepared by suitably qualified persons in seeking to demonstrate compliance with the Performance outcome.	Private driveways: (a) do not exceed a length of 60 metres from the street frontage; (b) do not exceed a gradient of 12.5%; (c) have a minimum width of 3.5 metres; (d) have a minimum vertical clearance of 4.8 metres; (e) accommodate turning areas for fire-fighting appliances in accordance with the Queensland Fire and Emergency Services' Fire Hydrant and Vehicle Access Guidelines; and (f) serve no more than three dwellings or buildings.	Complies with PO8	The workers cottage complex will be positioned on the edge of an impact buffer and not within a hazard area. Emergency evacuation routes not located within any hazard area are available through the orchard back to Keegan Road/Studt Road. Vehicular access for evacuation and for firefighting appliances will not be an issue onsite.

8.2.4 Environmental significance overlay code

8.2.4.1 Application

- (1) This code applies to assessing development where:
 - (a) land the subject of development is affected by a constraint category identified on the **Environmental significance overlay maps (OM-004a-z)**; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Biodiversity and Water quality are appropriately reflected in Overlay Map 4 and is required to be mapped by State Government in response to Environment and Heritage State Interests.

8.2.4.2 Purpose

(1) The purpose of the Environmental significance overlay code is to identify and protect matters of environmental significance, which include matters of state environmental significance (MSES) as defined under the state planning policy.

The Environmental significance overlay code ensures that:

- (a) waterways and high ecological significance wetlands are protected and enhanced to maintain ecosystem services and hydrological processes and provide aquatic habitat for flora and fauna; and
- (b) the environmental values of regulated vegetation, wildlife habitat, protected areas and legally secured offset areas are protected and managed.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the biodiversity values, ecosystem services and climate change resilience of areas of environmental significance are protected, managed, enhanced and rehabilitated;
 - (b) the biodiversity values of protected areas and legally secured offset areas are protected from development unless overriding community need is demonstrated;
 - (c) development is located, designed and managed to minimise the edge effects of development on areas of regulated vegetation and wildlife habitat;
 - (d) areas of regulated vegetation and wildlife habitat are managed to minimise biodiversity losses;
 - development maintains, protects and enhances a regional network of vegetated corridors that assist in wildlife movement and contribute to the maintenance of habitat and biological diversity;
 - (f) development is appropriately setback from waterways and high ecological significance wetlands to minimise direct and indirect impacts on water quality and biodiversity; and
 - (g) riparian vegetation and vegetation associated with high ecological significance wetlands is protected and enhanced to improve water quality and natural ecosystem function.

8.2.4.3 Criteria for assessment

Table 8.2.4.3A - Environmental significance overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development subject to requirements and assessable development			
Regulated vegetation			
-	AO1.1 No clearing of native vegetation is undertaken within areas of 'Regulated vegetation' identified on the Environmental Significance Overlay Maps (OM-004a-o).		Complies.
residual impacts are offset. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports. PO2 Development on sites adjacent to areas of 'Regulated vegetation' identified on the Environmental Significance Overlay Maps (OM-004a-o) protects the environmental significance of regulated vegetation and: (a) does not interrupt, interfere, alter or otherwise impact on underlying natural	AO2 Development (excluding roads, earthworks, drainage infrastructure and underground infrastructure) is not located within 20 metres of 'Regulated vegetation' areas identified on the Environmental Significance Overlay Maps (OM-004a-o).	~	Complies.

Performance outcomes	Acceptable outcomes	Complies	Comments
ecosystem processes such as water quality, hydrology, geomorphology and biophysical processes; (b) does not negatively impact the movement of wildlife at a local or regional scale; and (c) avoids noise, light, vibration or other edge affects, including weed and pest incursion on identified environmental values. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			
Regulated vegetation interse	ecting a watercourse		
PO3 Vegetation clearing in areas mapped as 'Regulated vegetation intersecting a watercourse', identified as 'Waterway' and 'Waterway buffer' on the Environmental Significance - Waterway Overlay Maps (OM-004p-z) is avoided unless wildlife interconnectivity between habitats is maintained or enhanced at a local and regional scale, to the extent that migration or normal movement of significant species between habitats or	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) AO3.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p-z).	n/a	No clearing will be carried out as part of the development.
normal gene flow between populations is not inhibited. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports. Waterways and wetlands	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) AO3.2 No clearing of native vegetation is undertaken within the minimum setback identified at AO3.1.	n/a	No clearing will be carried out as part of the development.

Performance outcomes	Acceptable outcomes	Complies	Comments
'High ecological significance wetlands' identified on the Environmental Significance Overlay Maps (OM-004a-o) and 'Waterways' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) and are protected by: (a) maintaining adequate separation distances between waterways/wetlands and development; (b) maintaining and	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) AO4.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p-z).	Complies with PO4.	The workers accommodation complex will be sited in an already cleared section of the site adjacent the high bank. Part of the complex will be within the 50m setback of the highbank. Regardless, the development will not impact on any ecological values, riparian vegetation or wildlife movement. Cropping could occur on this land anyway.
enhancing aquatic and terrestrial habitat including vegetated corridors to allow for native fauna (terrestrial and aquatic) movement; (c) maintaining waterway bank stability by minimising bank erosion and slumping; (d) maintaining water quality by providing buffers to allow filtering of sediments,	Where within a 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.2 A minimum buffer of 200 metres is provided between development and the edge of a 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).	Complies with PO4	See comment for AO4.1.
nutrients and other pollutants; and (e) retaining and improving existing riparian vegetation and existing vegetation associated with a wetland. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.3 No stormwater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).	Complies with PO4	Will comply. Stormwater will be discharged on the ground and will sheet flow naturally. Stormwater will be clean roof water collected off workers accommodation complex roof.

Performance outcomes	Acceptable outcomes	Complies	Comments
	Note— An alternative outcome is required to demonstrate that the ecological impacts of stormwater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate stormwater management / treatment (where possible).		
	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.4 No wastewater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Map (OM-004a-z). Note— A alternative outcome is required to demonstrate that the ecological impacts of wastewater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate wastewater management /		Will comply.
	treatment (where possible).		
For assessable developmen			
Wildlife Habitat	A05	n/a	Not applicable
PO5 Development within a 'Wildlife habitat' area identified on the Environmental Significance Overlay Maps (OM-004a-o): (a) protects and enhances the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to	AO5 No acceptable outcome is provided	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
	protect and retain			
	identified ecological			
	values and underlying			
	ecosystem processes			
	within or adjacent to the			
	development site;			
(c)	maintains or enhances			
	wildlife interconnectivity			
	at a local and regional scale; and			
(d)	mitigates the impact of			
(4)	other forms of potential			
	disturbance (such as			
	presence of vehicles,			
	pedestrian use,			
	increased exposure to			
	domestic animals, noise			
	and lighting impacts) to			
	protect critical life stage			
	ecological processes (such as feeding,			
	breeding or roosting).			
	breeding of recoungy.			
	-Development applications must			
	y any EVNT species or their its that may be affected by the			
propo	sal. In particular, applications are			
	ntify and describe how the			
	opment avoids adverse impacts ological processes within or			
	ent to the development area.			
Note-	–A supporting Ecological			
	sment Report is prepared in			
	dance with Planning Scheme			
Repor	2 – Ecological Assessment ts.			
	ally secured offset areas			
PO6	<u> </u>	AO6	n/a	Not applicable.
	elopment within a	No acceptable outcome is	_	
	ally secured offset area	provided.		
	tified on the			
1	ironmental			
1	nificance Overlay Maps			
	-004a-o) or other known			
Lega	ally Secured Offset Area			
	ensistent with the binding			
	irements of the offset			
	does not prejudice,			
	ermine, or negatively			
impa	•			
	ogical values, including			
	aturally occurring native			
	, fauna and their habitat			
	, and and mon napitat		<u> </u>	

Performance outcomes	Acceptable outcomes	Complies	Comments
within the Legally Secured Offset Area.			
Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			
Protected areas			
PO7 Development within a	AO7 No acceptable outcome is	n/a	Not applicable.
'Protected area' identified on	provided		
the Environmental			
Significance Overlay Maps			
(OM-004a-o) is consistent			
with the values of the Protected Area and:			
(a) supports the inherent			
ecological and			
community values of the Protected Area asset;			
(b) maintains or enhances			
wildlife interconnectivity			
at a local and regional			
scale; and (c) does not prejudice,			
undermine, or negatively			
impact the inherent			
ecological values, including all naturally			
occurring native flora,			
fauna and their habitat			
within the Protected Area.			
Note—A supporting Ecological Assessment Report is prepared in			
accordance with Planning Scheme			
Policy 2 – Ecological Assessment Reports.			
Ecological corridors and Ha	abitat linkages		
PO8	A08	n/a	Not applicable.
Development located:	No acceptable outcome is provided		
(a) in the Conservation zone, Emerging	provided		
community zone,			
Recreation and open			
space zone, Rural zone or Rural residential zone;			
or Rurai residential zone;			
(b) within an 'Ecological			
corridor' or a 'Habitat			
linkage' identified on the Environmental			

Performance outcomes	Acceptable outcomes	Complies	Comments
Significance Overlay Maps (OM-004a-o)			
does not compromise the			
provision of habitat connectivity of the			
corridor/linkage, having			
regard to:			
(a) the environmental values			
of the area of the site			
identified in the			
'Ecological corridor' or			
'Habitat linkage';			
(b) the environmental values			
of adjoining and nearby land within the			
'Ecological corridor' or			
'Habitat linkage';			
(c) the extent of any			
modification proposed to			
the natural environment			
including (but not limited to) vegetation and			
topography;			
(d) the location and design			
of proposed			
improvements that may			
impact on the functions			
of the 'Ecological corridor' or 'Habitat			
linkage' including (but			
not limited to) buildings,			
structures, fences,			
lighting, vehicle			
movement areas and			
infrastructure services; and			
(e) the ability for the			
'Ecological corridor' or			
'Habitat linkage' to be			
enhanced to improve			
ecological connectivity.			
Note—A supporting Ecological			
Assessment Report prepared in			
accordance with Planning Scheme Policy 2 – Ecological Assessment			
Reports may be appropriate to			
demonstrate compliance with PO8.			

Table 8.2.4.3B - Setback and buffer distances from waterways

Stream order	Setback and buffer from waterways
1	10 metres from top of high bank
2-4	25 metres from top of high bank

5 or more	50 metres from top of high bank
-----------	---------------------------------

Note—The steam order of a 'waterway' is to be determined on a case by case basis.

8.2.6 Flood hazard overlay code

8.2.6.1 Application

- (1) This code applies to assessing development where:
 - (a) land the subject of development is located within a Flood hazard area identified on the **Flood** hazard overlay maps (OM-006a-o); and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Natural hazards are appropriately reflected in Overlay Maps 3, 6 and 8 and are required to be mapped by State Government in response to Hazard and Safety State Interests.

Note—where new information, including flood studies or flood modelling supersedes the Flood hazard overlay maps (OM-006a-o) Council may have regard to this new information in the application of the Flood hazard overlay code in the interests of the precautionary principle and the safety of persons and property.

8.2.6.2 Purpose

- (1) The purpose of the Flood hazard overlay code is to manage development outcomes in flood hazard areas identified on the **Flood hazard overlay maps (OM-006a-o)** so that risk to life, property, community and the environment during flood events is minimised, and to ensure that development does not increase the potential for flood damage on site or to other property.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Development in the 'Extreme flood hazard area':
 - i. maintains and enhances the hydrological function of the land;
 - ii. does not involve filling (earthworks) or changes to existing landform or drainage lines that results in a loss of the flood conveyance and flood storage capacity of the land;
 - iii. is limited to:
 - A. flood proofed Sport and recreation activities;
 - B. Rural activities where for Animal husbandry, Cropping or Permanent plantation;
 - C. flood proofed Utility installations, Substations or Major electricity infrastructure;
 - D. conservation and natural area management; and
 - E. replacement of existing lawful development, including Accommodation activities where habitable rooms are elevated above the defined flood level and include freeboard:

Where there is no increase to the number of persons at risk of flood and where development reduces existing or potential risks to life and property.

- (b) Development in the 'High flood hazard area':
 - i. maintains the hydrological function of the land;
 - ii. does not involve filling (earthworks) or changes to the existing landform or drainage lines that results in a loss of the flood conveyance and flood storage capacity of the land;
 - iii. is limited to:
 - A. flood proofed Sport and recreation activities and Club uses:
 - B. Non-resident workforce accommodation, Relocatable home park, Resort complex, Rooming accommodation, Short term accommodation and

- Tourist park uses where these uses comprise permanent on-site management and a flood evacuation management plan ensures the health and safety of persons during a flood event;
- C. a Dwelling house only where the lot existed or had a lawful reconfiguring a lot approval at the commencement of the planning scheme and the land is included in a Residential zone or the Centre zone or where for minor intensification of existing Dwelling houses;
- D. Rural activities where for Animal husbandry, Cropping or Permanent plantation;
- E. Industrial activities and Commercial activities where it is accepted development that flood damage is incurred as an operational cost and where flood sensitive elements of the development or use are elevated above the defined flood level, including freeboard;
- F. flood proofed Utility installations, Substations or Major electricity infrastructure:
- G. conservation and natural area management; and
- H. replacement of existing lawful development;

where there is no increase to the number of persons at risk of flood and where development reduces existing or potential risks to life and property.

- iv. protects surrounding land and land uses from increased flood hazard impacts;
- v. elevates habitable rooms for all accommodation activities (including where for minor building work) above the defined flood level, including freeboard.
- (c) Development in the 'Significant flood hazard area':
 - i. minimises risk to life and property from flood events;
 - ii. involves changes to the existing landform and drainage lines in this area only where detrimental impacts to the flood hazard risk of surrounding areas is avoided;
 - iii. is limited to:
 - A. Sport and recreation activities:
 - B. Industrial activities and Commercial activities where it is accepted development that flood damage is incurred as an operational cost and where flood sensitive elements of the development or use are elevated above the defined flood level, including freeboard;
 - C. Rural activities;
 - D. Accommodation activities, excluding Residential care facility and Retirement facility;
 - E. flood proofed Community activities, excluding Child care centre, Hospital and Community use where a flood emergency evacuation plan ensures the safety of people during a flood event;
 - F. flood proofed Utility installations, Substations or Major electricity infrastructure;
 - G. conservation and natural area management;
 - iv. locates habitable rooms for all accommodation activities above the defined flood level, including freeboard; and
 - v. locates the minimum floor level for all buildings other than accommodation activities, industrial activities and business activities above the defined flood level.

- (d) Development in the 'Low flood hazard area':
 - i. minimises risk to life and property from flood events;
 - ii. locates habitable rooms for all Accommodation activities above the defined flood level, including freeboard; and
 - iii. locates the minimum floor level for all buildings other than Accommodation activities above the defined flood level, including freeboard.
- (e) Development in the 'Potential flood hazard area':
 - maintains the safety of people on the development site from flood events and minimises the potential damage from flooding to property;
 - ii. does not result in adverse impacts on people's safety, the environment or the capacity to use land within the floodplain;
 - iii. locates habitable rooms for all Accommodation activities above a 1% Annual Exceedance Probability (AEP), including freeboard; and
 - iv. locates the minimum floor level for all building work other than Accommodation activities above the 1% AEP flood level, including freeboard.

8.2.6.3 Criteria for assessment

Table 8.2.6.3A - Flood hazard overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments			
For accepted development subject to requirements and assessable development						
All flood hazard areas						
PO1 Development prevents the carriage or dispersal of contaminants or pollutants into the receiving environment.	hts the sal of dangerous goods or hazardous materials is:		Not applicable.			
PO2 Essential community infrastructure is able to function effectively during and immediately after flood events. Extreme flood hazard area	AO2 Design levels for buildings must comply with the flood immunity standards specified in Table 8.2.6.3.B and Table 8.2.6.3.C where within a flood hazard area identified on the Flood hazard overlay maps (OM-006a-o).	n/a	Not applicable.			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO3 Development, where involving a Material change of use within an 'Extreme flood hazard area' on the Flood hazard overlay maps (OM006a-o), is appropriate to the flood hazard risk having regard to the: (a) likelihood and frequency of flooding; (b) flood risk acceptability of development; (c) vulnerability of and safety risk to persons associated with the use; (d) associated	AO3.1 Uses within the following activity groups are not located within an 'Extreme flood hazard area identified' on the Flood hazard overlay maps (OM006a-o): (a) Accommodation activities; (b) Commercial activities; (c) Community activities except where for a Club with a maximum gross floor area of 100m²; (d) Industrial activities; (e) Rural activities, except where for Animal husbandry, Cropping, or Permanent plantation.		Complies.
consequences of flooding in regard to impacts on proposed buildings, structures, and supporting infrastructure; and (e) associated consequences of flooding in respect to undue burden on disaster response recovery capacity and capabilities.	Sport and recreation activities are not located within an 'Extreme flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) except where for: (a) Environment facility; (b) Park; or (c) Outdoor sport and recreation (excluding the provision of ancillary facilities or amenities conducted within a building).	n/a	Not applicable.

Porf	ormance outcomes	Acceptable outcomes	Complies	Comments
		•	Compiles	
PO4 Deve		AO4.1 Buildings, including extensions to existing buildings, are: (a) not located within an 'Extreme flood hazard area' identified on the Flood hazard overlay maps (OM006a-o); or (b) elevated above the defined flood level, with 0.3 metres freeboard from the defined flood level provided for	V	Complies - The proposed workers accommodation complex will be sited above the flood immunity level, deemed to be RL 389.75m AHD. The complex will be approximately 1.5-2m higher.
(d) (e)	adjoining premises; ensure the safety of all persons by ensuring that development levels are set above the defined flood level; reduce property	habitable rooms within a dwelling. AO4.2 All building work must be high set and retains the flood storage and conveyance capacity of the premises. Note—Building work must be certified by	n/a	Not applicable. Development is Q100 flood immune.
from mater level structi (included)	damage; and provide flood immune access to buildings. Buildings may be constructed flood resistant, waterproof ials below the defined flood where certified by a qualified ural engineer to be flood proof ding the ability to withstand ge from floodwater and debris) where an alternative outcome to	a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris. AO4.3 New buildings are provided with flood free pedestrian and vehicle evacuation access between the building and a flood safe accessible road. Note—A flood safe accessible road	~	Complies.
AO4.1 Note-buildir	1-AO4.4 is also demonstrated. In the event that a lawful ng or structure is destroyed by or other event the building may blaced in situ where there is no	includes a road where identified as outside a flood hazard area or within a 'Low flood hazard area', 'Potential flood hazard area' or 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o). AO4.4 Development does not increase the number of lots in the 'Extreme flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) except where for the purposes of public open space.	~	Complies.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 Development involving earthworks in a Flood hazard area below the defined flood level must protect life and property on premises and off premises through maintaining: (a) flood storage capacity of land; (b) flood conveyance function of land; (c) flood and drainage channels; (d) overland flow paths; and	Filling above ground level is not undertaken in the 'Extreme flood hazard area' identified on the Flood hazard overlay maps (OM006a-o).		Complies.
(e) flood warning times.			
High flood hazard area			
PO6 Development, where for a Material change of use within a 'High flood hazard area' identified on the Flood hazard overlay maps (OM-006a-o), is appropriate to the flood hazard risk having regard to the: (a) likelihood and frequency of flooding; (b) flood risk acceptability of development; (c) vulnerability of and safety risk to persons associated with the use; (d) associated consequences of flooding in regard to impacts on proposed buildings, structures and supporting infrastructure; and	AO6.1 Uses within the following activity groups are not located within a 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o): (a) Accommodation activities, except where for Dwelling house and only where the lot existed or had a lawful reconfiguring a lot approval at the commencement of the planning scheme and the land is included in a Residential zone or the Centre zone; (b) Community activities except where for a Club with a maximum gross floor area of 100m²; (c) Rural activities, except where for Animal husbandry, Cropping or Permanent plantation.		Complies.

Performance outcomes	Acceptable outcomes	Complies	Comments
(e) associated consequences of flooding in respect to undue burden on disaster response recovery capacity and capabilities.	AO6.2 Sport and recreation activities are not located within a 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) except where for: (a) Environment facility; (b) Park; or (c) Outdoor sport and recreation (excluding the provision of ancillary facilities or amenities conducted within a building).	n/a	Not applicable.
PO7 Development is located and designed to: (a) maintain hydrological function of the premises; (b) not increase the number of people calculated to be at risk from flooding; (c) minimises the flood impact on adjoining premises; (d) ensure the safety of all persons by ensuring that an appropriate	AO7.1 Buildings, including extensions to existing buildings are: (a) not located within the 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o); or (b) elevated above the defined flood level, with 0.3 metres freeboard from the defined flood level provided for habitable rooms within a dwelling.	*	Complies.

Performance outcomes	Acceptable outcomes	Complies	Comments
proportion of buildings are set above the defined flood level; (e) reduce the carriage of debris in flood waters; (f) reduce property damage; and (g) provide flood immune access to buildings. Note—Buildings may be constructed from flood resistant, waterproof materials below the defined flood level where certified by a qualified structural engineer to be flood proof (including the ability to withstand)	Buildings used for Commercial activities or Industrial activities include a minimum floor level of 0.3 metres above the defined flood where for the following components of the use: (a) administrative areas; or (b) services, plant and equipment associated with the building. Note—AO8.2 accepts that the cost of flood impact is an operational cost of the Commercial activity or Industrial activity. Note—Building work must be certified by a qualified structural engineer to be flood	V V	Complies.
damage from floodwater and debris) and where an alternative outcome to AO8.1-AO8.9 is also demonstrated.	proof including the ability to withstand damage from floodwater and debris. AO7.3 All building work below the defined flood level must be high set (comprising pier and beam construction) and retains the flood storage and conveyance capacity of the premises.	n/a	Not applicable.
	AO7.4 New buildings are provided with flood free pedestrian and vehicle evacuation access between the building and a flood safe accessible road includes a road where identified as outside a flood hazard area or within a 'Low flood hazard area', 'Potential flood hazard area' or 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o).	•	Complies.
	AO7.5 New temporary, relocatable or impermanent buildings and structures are to be anchored with the ability to withstand transportation by floodwater. Note—Building work must be certified by a qualified structural engineer.	n/a	Not applicable.

Daufa www.au.au.au.ta.au.au.	A a a suta bla a suta a succession	Complian	Commonto
Performance outcomes	Acceptable outcomes	Complies	Comments
	AO7.6 Dwellings do not exceed four	n/a	Not applicable.
	bedrooms.		
	A07.7	n/a	Not applicable.
	Building work on an existing dwelling does not comprise		
	additional bedrooms.		
	AO7.8	n/a	Not applicable.
	Building work on an existing		
	dwelling is limited to a maximum increase of 20		
	percent of the lawfully		
	approved gross floor area of		
	the existing dwelling. AO7.9	n/a	Not applicable.
	Development does not	II/a	пот аррпсавіс.
	increase the number of lots in		
	the 'High flood hazard area; as identified on the Flood		
	hazard overlay maps		
	(OM006a-o) except where for		
	the purposes of public open		
PO8	space.	n/a	Not applicable.
Development involving	Filling above ground level is		
earthworks in a Flood	not undertaken in the 'High		
hazard area below the defined flood level must	flood hazard area' identified on the Flood hazard overlay		
protect life and property on	maps (OM006a-o).		
premises and off premises			
through maintaining: (a) flood storage			
capacity of land;			
(b) flood conveyance			
function of land; (c) flood and drainage			
channels;			
(d) overland flow paths;			
and (e) flood warning times.			
Significant flood hazard a	rea		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO9 Development, involving a Material change of use, within a 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o) is appropriate to the flood hazard risk having regard to the: (a) likelihood and frequency of flooding; (b) flood risk acceptability of development; (c) vulnerability of and safety risk to persons associated with the use; (d) associated consequences of flooding in regard to impacts on proposed buildings, structures and supporting infrastructure; and (e) associated consequences of flooding in respect to undue burden on disaster response recovery capacity and capabilities.	The following uses are not located within a 'Significant flood hazard area' identified on the Flood hazard overlay maps (OM006a-o): (a) Residential care facility; (b) Retirement facility; (c) Child care centre; (d) Hospital; or (e) Community use.	n/a	Not applicable.
Significant flood hazard a	rea, Low flood hazard area or	Potential flood	hazard area

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 Development, where involving a Material change of use or Building work, is located and designed to: (a) maintain hydrological function of the premises; (b) not increase the number of people calculated to be at risk from flooding; (c) minimises the flood impact on adjoining premises;	AO10.1 Buildings, including extensions to existing buildings are: (a) elevated above the defined flood level; and (b) the defined flood event does not exceed a depth of 600mm; and (c) elevated above the defined flood level plus 0.3 metres freeboard where for habitable rooms within a dwelling.	n/a	Not applicable.
(d) ensure the safety of all persons by ensuring that a proportion of buildings are set above the defined flood level; (e) reduce the carriage of debris in flood waters; (f) reduce property damage; and (g) provide flood immune access to buildings.	AO10.2 Buildings used for Commercial activities or Industrial activities include a minimum floor level of 0.3 metres above the defined flood where for the following components of the use: (a) administrative areas; or (b) services, plant and equipment associated with the building. Note—AO10.2 accepts that the cost of flood impact is an operational cost of the Commercial activity or Industrial activity. Note—Building work must be certified by	n/a	Not applicable.
located in a 'Potential flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) and there is no defined flood level a hydraulic (flood hazard assessment) report prepared by a RPEQ is required in substantiation of an alternative outcome is required or the defined flood level from the adjacent representative hazard zone is used.	a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris. AO10.3 All building work below the defined flood level must be high set (comprising pier and beam construction) and retains the flood storage and conveyance capacity of the premises. Note—Building work must be certified by a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO11 Development involving earthworks in a Flood hazard area below the defined flood level must protect life and property on premises and off premises through maintaining: (a) flood storage capacity of land; (b) flood conveyance function of land; (c) flood and drainage channels; (d) overland flow paths; and	ACCEPTABLE OUTCOMES AO11 Development does not involve in excess of 50m³ of fill above ground level per 1,000m² of site area.	n/a	Not applicable.
(e) flood warning times.			

For assessable development

Where for Material change of use or Reconfiguring a lot that involves new gross floor area or increases the number of persons living, working or residing in the Extreme flood hazard area, High flood hazard area or Significant flood hazard area other than a Dwelling house.

Performance outcomes	Acceptable outcomes	Complies	Comments
Flood risk management minimises the impact on property and appropriately protects the health and safety of persons at risk of Extreme, high or significant flood hazard, and: (a) indicates the position and path of all safe evacuation routes off the site; and (b) if the site contains or is within 100 metres of a flood hazard area, hazard warning signage and depth indicators are provided at key hazard points, such	Acceptable outcomes AO12 No acceptable outcome is provided.	n/a	Not applicable.
as at floodway crossings. Note—A Material change of use or Reconfiguring a lot that involves new gross floor area or increases the number of persons living, working or residing in the 'Extreme flood hazard area' identified on the Flood hazard overlay map (OM006a-o) is supported by a Flood Emergency Evacuation Plan prepared by suitably qualified persons having regard to Floodplain Management in Australia: Best Practice Principles and Guidelines (2000), prepared by Standing Committee on Agriculture and Resource Management (SCARM), CSIRO. Significant flood hazard allowed the suitable of the suitable	rea, Low flood hazard area or	Potential flood	i hazard area

Perf	ormance outcomes	Acceptable out	comes		Complies	Comments
P01	3	AO13			n/a	Not applicable.
Dev	elopment, where lving Reconfiguring a s located and designed	No acceptable provided.	outcome	is		rtet applicable.
(a)	maintain hydrological function of the premises;					
(b)	not increase the number of people calculated to be at risk from flooding;					
(c)	minimises the flood impact on adjoining premises;					
(d)	ensure the safety of all persons by ensuring that a proportion of buildings are set above the defined flood level;					
(e)	reduce the carriage of debris in flood waters;					
(f)	reduce property damage; and					
(g)	provide flood immune access to buildings.					
locate area' overlathere hydra report requiraltern define	-Where the development is do in a 'Potential flood hazard identified on the Flood hazard ay maps (OM006a-o) and is no defined flood level a ulic (flood hazard assessment) a prepared by a RPEQ is ed in substantiation of an ative outcome is required or the ad flood level from the adjacent sentative hazard zone is used.					

Table 8.2.6.3B Flood immunity levels

Development Category	Minimum design floor or pavement levels (mAHD)
Category A	1% AEP + 0.5 metres
Category B	1% AEP + 0.3 metres
Category C	1% AEP
Category D	1% AEP

Category E	2% AEP
------------	--------

Note—Refer Table 8.2.6.3D for building classification by Category.

Table 8.2.6.3C Community infrastructure flood immunity levels

Development Type	Minimum design floor or pavement levels (mAHD)
Emergency services, where for:	
Emergency Shelters	0.1% AEP
Police facilities	0.5% AEP
Other Emergency services	0.1% AEP + 0.5 metres
Hospital	0.1% AEP+ 0.5 metres
Community use (where for the storage of valuable records or items of historic or cultural significance including libraries and museums)	0.5% AEP
Special industry (where for power station)	0.5% AEP
Substations	0.5% AEP
Utility installation (where for a sewage treatment plant)	Defined flood level
Utility installation (where for a water treatment plant)	0.5% AEP
Utility installation (other)	Alternative outcome required.
Air services	Alternative outcome required.

Table 8.2.6.3D Development category

Building Code of	Development types and design levels,	Category – refer to Table
Australia Building	assigned design floor or pavement levels	8.2.6.3B for flood
classification ⁽¹⁾		planning levels
Class 1–4	Habitable room	Category A
	Non-habitable room including patio and courtyard	Category B
	Non-habitable part of a Class 2 or Class 3 building excluding the essential services(2) control room	Category B
	Parking located in the building undercroft of a multiple dwelling	Category C
	Carport, unroofed car park; vehicular manoeuvring area	Category D
	Essential electrical services ⁽²⁾ of a Class 2 or Class 3 building only	Category A
	Basement parking entry	Category C + 0.3 metres
Class 5,	Building floor level	Category C
Class 6, or Class 8	Garage or car park located in the building undercroft	Category C
	Carport or unroofed car park	Category D
	Vehicular access and manoeuvring areas	Category D

Building Code of Australia Building classification ⁽¹⁾	assigned design floor or pavement levels	Category – refer to Table 8.2.6.3B for flood planning levels
	Basement parking entry	Category C
	Essential electrical services ⁽²⁾	Class 8 – Category
		Class 5 & 6 – Category A
Class 7a	Refer to the relevant building class specified in	
Class 7b	Building floor level	Category C
	Vehicular access and manoeuvring area	Category D
	Essential electrical services ⁽²⁾	Category C
Class 9	Building floor level	Category A
	Building floor level for habitable rooms in Class 9a or 9c where for a Residential care facility	0.2% AEP flood
	Building floor level for habitable rooms in Class 9b where involving children, such as a child care centre	0.2% AEP flood
	Garage or car park located in the building undercroft	Category C
	Carport or unroofed car park	Category D
	Vehicular access and manoeuvring areas	Category D
	Essential electrical services ⁽²⁾	Category A
Class 10a	Car parking facility	Refer to the relevant building class specified in this table
	Shed or the like	Category D
Class 10b	Swimming pool	Category E
	Associated mechanical and electrical pool equipment	Category C
	Other structures	Flood planning levels do not apply

⁽¹⁾ Refer to the Building Code of Australia for definitions of building classifications.

⁽²⁾ Essential electrical services include any area or room used for fire control panel, telephone PABX, sensitive substation equipment including transformers, low voltage switch gear, high voltage switch gear, battery chargers, protection control and communication equipment, low voltage cables, high voltage cables, and lift or pump controls.

9.3.1 Accommodation activities code

9.3.1.1 Application

- (1) This code applies to assessing development where:
 - (a) involving Accommodation activities; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.3.1.2 Purpose

- (1) The purpose of the Accommodation activities code is to facilitate the provision of Accommodation activities in appropriate locations throughout the shire.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Accommodation activities are designed, located and operated to minimise any adverse impacts on the natural environment and amenity of surrounding uses;
 - (b) Accommodation activities in the Centre zone are facilitated where they can integrate and enhance the fabric of the centre and are located behind or above commercial development;
 - (c) Accommodation activities provide a high level of amenity and are reflective of the surrounding character of the area;
 - (d) Accommodation activities are generally established in accessible, well-connected locations with access or future access to public transport, cycling and pedestrian networks;
 - (e) Accommodation activities do not compromise the viability of the hierarchy and network of centres, namely:
 - (i) Mareeba as a major regional activity centre, which accommodates the most significant concentrations of regional-scale business, retail, entertainment, government administration, secondary and tertiary educational facilities and health and social services within the shire;
 - (ii) Kuranda as a village activity centre, which accommodates services, arts and cultural facilities, sports and recreation facilities, business and employment uses to support the village and its constituent surrounding rural and rural residential communities;
 - (iii) Chillagoe and Dimbulah as Rural activity centres, which provide commercial and community services to their rural catchments: and
 - (iv) Biboohra, Irvinebank, Julatten, Koah, Mutchilba, Mt Molloy, Myola and Speewah as rural villages, that have limited centre activities and other non-residential activities;
 - (f) Accommodation activities are responsive to site characteristics and employ best practice industry standards.

9.3.1.3 Criteria for assessment

Table 9.3.1.3A—Accommodation activities code – For accepted development subject to

requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments	
For accepted development subject to requirements and assessable development				
All Accommodation activities, a	part from Dwelling house			
PO1 Accommodation activities are located on a site that includes sufficient area: (a) to accommodate all buildings, structures, open space and infrastructure associated with the use; and (b) to avoid adverse impacts on the amenity or privacy of nearby land uses.	AO1 Development is located on a site which provides the applicable minimum site area and minimum road frontage specified in Table 9.3.1.3B .	Complies with PO1.	Rural workers' accommodation is not listed in table 9.3.1.3B. Regardless, the development complies with PO1.	
· · · · · · · · · · · · · · · · · · ·	part from Tourist park and Dwelling	g house		
Accommodation activities are provided with on-site refuse storage areas that are: (a) sufficient to meet the anticipated demand for refuse storage; and (b) appropriately located on the site having regard to potential odour and noise impacts on uses on the site and adjoining sites. All Accommodation activities, expected to the site and adjoining sites.	AO2.1 A refuse area is provided that: (a) includes a water connection; (b) is of a size and configuration to accommodate 2x240 litre bins per dwelling or accommodation unit where involving a use other than a residential care facility or retirement facility; and (c) is of a size and configuration to accommodate a minimum of two bulk refuse bins where involving a residential care facility or retirement facility.		Can be conditioned to comply.	

Perfe	ormance outcomes	Acceptable outcomes	Complies	Comments
PO3 Accordesig loss of uses. Note— adjoin	ommodation activities are sned to avoid overlooking or of privacy for adjoining	AO3 The windows of habitable rooms: (a) do not overlook the windows of a habitable room in an adjoining dwelling or accommodation unit; or (b) are separated from the windows of a habitable room in an adjoining dwelling or accommodation unit by a distance greater than: (i) 2 metres at ground level; and (ii) 8 metres above ground level; or (c) are treated with: (i) a minimum sill height of 1.5 metres above floor level; or (ii) fixed opaque glassed installed below 1.5 metres; or (iii) fixed external screens; or (iv) a 1.5 metre high screen fence along the common boundary.		Complies.
provi	ommodation activities are ided with sufficient private communal open space areas h: accommodate a range of landscape treatments, including soft and hard landscaping; provide a range of opportunities for passive	AO4.1 Development, except for Caretaker's accommodation, Dwelling house, Dual occupancy or Home based business, includes communal open space which meets or exceeds the minimum area, dimension and design parameters specified in Table 9.3.1.3C.	n/a	Not applicable.
(c)	and active recreation; provide a positive outlook and high quality of amenity to residents; is conveniently located and easily accessible to all residents; and	AO4.2 Development includes private open space for each dwelling or accommodation unit which meets or exceeds the minimum area, dimension and design parameters specified in Table 9.3.1.3D.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
(e) contribute to an active and attractive streetscape	AO4.3 Clothes drying areas are provided at the side or rear of the site so that	~	Can be conditioned to comply.
	they are not visible from the street. AO4.4 If for Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility, development provides a secure storage area for each dwelling or accommodation unit which: (a) is located to facilitate loading and unloading from a motor vehicle; (b) is separate to, and does not obstruct, on-site vehicle parking or manoeuvring areas; (c) has a minimum space of 2.4m² per dwelling or accommodation unit; (d) has a minimum height of 2.1 metres; (e) has minimum dimensions to enable secure bicycle storage; (f) is weather proof; and (g) is lockable.	n/a	Not applicable.
If for Caretaker's Accommod			
PO5 Caretaker's accommodation is of a scale and intensity which is consistent with that of the	AO5.1	n/a	Not applicable.
surrounding area. Note—Where Caretaker's Accommodation is assessable development additional assessment benchmarks are provided under "for assessable development".	AO5.2 In the Rural zone, Caretaker's accommodation has a maximum gross floor area of 200m ² .	n/a	Not applicable.
If for Dwelling house			
PO6 Where a Dwelling house involves a secondary dwelling, is designed and located to: (a) not dominate the site; (b) remain subservient to the primary dwelling; and (c) be consistent with the character of the surrounding area;	(a) 10 metres of the primary dwelling where on a lot that	n/a	Not applicable.

Dorf	ormance outcomes	Acceptable outcomes	Complies	Comments
Terre	or mance outcomes	AO6.2 A secondary dwelling has a maximum gross floor area of 100m ² .	n/a	Not applicable.
If for	Dual occupancy			
occu	re establishing a Dual pancy on a corner lot, the ing is designed to: maximise opportunities	AO7.1 Where located on a corner allotment, each dwelling is accessed from a different road frontage.	n/a	Not applicable.
(b)	for causal surveillance; provide for separation between the two dwellings; and provide activity and	AO7.2 The maximum width of garage or carport openings that face a public street is 6 metres or 50% of the building width, whichever is the	n/a	Not applicable.
(c)	visual interest on both	lesser.		
If for	frontages. Multiple dwelling, Residen	 tial care facility or Retirement facil	ity	
locat (a) (b) Note- Retire developench	elopment is appropriately ed within the Shire to: maximise the efficient utilisation of existing infrastructure, services and facilities; and minimise amenity impacts through the collocation of compatible uses. Where Residential care facility or ment facility is assessable opment additional assessment marks are provided under "for able development".	AO8 Multiple dwelling, Residential care facility or Retirement facility uses are located on land within 800 metres of the boundary of land within the Centre zone.	n/a	Not applicable.
PO9 Build (a) (b) (c)	lings are designed to: reduce the appearance of building bulk; provide visual interest through articulation and variation; be compatible with the embedded, historical character for the locality; and be compatible with the scale of surrounding buildings	External walls do not exceed 10 metres in continuous length unless including a minimum of three of the following building design features and architectural elements: (a) a change in roof profile; or (b) a change in parapet coping; or (c) a change in awning design; or (d) a horizontal or vertical change in the wall plane; or (e) a change in the exterior finishes and exterior colours of the development.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
Note—Where Residential care facility or Retirement facility is assessable development additional assessment benchmarks are provided under "for assessable development".	AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres.	n/a	Not applicable.
	AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm.	n/a	Not applicable.
	AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion.	n/a	Not applicable.
If for Residential care facility or	Retirement facility		
PO10 The layout and design of the site: (a) promotes safe and easy pedestrian, cycle and mobility device	AO10.1 The development incorporates covered walkways and ramps on site for weather protection between all buildings.	n/a	Not applicable.
movement; (b) defines areas of pedestrian movement; and	AO10.2 Pedestrian paths include navigational signage at intersections.	n/a	Not applicable.
(c) assists in navigation and way finding. Note—Where Residential care facility or Retirement facility is assessable	AO10.3 Buildings, dwellings and accommodation units include identification signage at entrances.	n/a	Not applicable.
development additional assessment benchmarks are provided under "for assessable development".	AO10.4 An illuminated sign and site map is provided at the main site entry.	n/a	Not applicable.
	AO10.5 Buildings, structures and pathways associated with a Residential care facility or Retirement facility are not located on land with a gradient greater than 8%.	n/a	Not applicable.
If for Home based business			
PO11 Home based businesses are compatible with the built form, character and amenity of the	AO11.1 The Home based business is located within a dwelling house or outbuilding associated with a dwelling house.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
surrounding area, having regard to: (a) size and scale; (b) intensity and nature of	AO11.2 The Home based business does not occupy a gross floor area of more than 50m ² .	n/a	Not applicable.
use; (c) number of employees; and (d) hours of operation.	AO11.3 No more than 1 person (other than the residents of the site) is employed by the Home based business at any one time.	n/a	Not applicable.
	AO11.4 The Home based business, unless a home office, bed and breakfast or farm stay, does not operate outside the hours of 7.00 am and 6.00 pm.	n/a	Not applicable.
	AO11.5 The Home based business does not involve the public display of goods external to the building.	n/a	Not applicable.
	AO11.6 The Home based business does not involve the repair, cleaning or servicing of any motors, vehicles or other machinery.	n/a	Not applicable.
	AO11.7 Any equipment or materials associated with the Home based business are screened from public view and adjacent properties by fencing or landscaping.	n/a	Not applicable.
	AO11.8 The business does not involve the use of power tools or similar noise generating devices.	n/a	Not applicable.
PO12 Home based businesses involving accommodation activities are appropriately scaled and designed to avoid	AO12.1 Home based businesses involving accommodation activities are limited to the scale specified in Table 9.3.1.3E.	n/a	Not applicable.
detrimental impacts on the amenity and privacy of surrounding residences.	AO12.2 A farm stay dwelling or accommodation unit is located within 20 metres of the primary dwelling house.	n/a	Not applicable.
	AO12.3 A farm stay is setback 100 metres from any property boundary.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO12.4 Entertainment and dining facilities associated with an accommodation activity are: (a) located at least 5 metres from the bedrooms of adjoining residences; and (b) located or screened so that they do not directly overlook private open space areas of adjoining properties.	n/a	Not applicable.
If for Rural workers' accommod	lation		
PO13 The Rural workers' accommodation is directly associated with an agricultural based rural activity on the same premises and is commensurate with the scale of agricultural operations.	AO13.1 A Rural workers' accommodation building is limited to the accommodation of: (a) one rural worker for every 50 hectares; and (b) a maximum of ten rural workers in total.	Complies with PO13	The proposed RWA complex will house 12 workers. The site contains an extensive citrus and lychee orchard which easily justifies the number of workers proposed. Additional workers may still be sourced from off-site in peak harvest times. The development complies with PO13.
	AO13.2 The agricultural based rural activity is a minimum of 50 hectares in area.	Complies with PO13	See comment for AO13.1.
Rural workers' accommodation is provided with amenities commensurate with the: (a) needs of the employees; and (b) permanent or seasonal nature of the employment.	AO14.1 The Rural workers' accommodation is: (a) for permanent occupation; and (b) fully self-contained. OR	Complies with PO14	Although the RWA complex will not likely be occupied full time, it is likely that workers will be staying in excess of 3 months, particularly if engaged in other maintenance activities on the property such as pruning (in addition to picking/packing). The complex has been designed to include necessary services. The development complies with PO14.

D C	,		C I	C 4
Perform	ance outcomes	Acceptable outcomes	Complies	Comments
		AO14.2 The Rural workers' accommodation: (a) is for seasonal occupation (up to 3 months); (b) shares facilities with an existing Dwelling house or Caretaker's residence; and (c) is located within 100 metres of the Dwelling house or Caretaker's residence.	Complies with PO14	See comment for AO14.1.
For asses	ssable development			
If for Ca	retaker's Accommodati	on		
accommon necessary the prima to: (a) ho (b) na (c) se (d) sit an (e) pr	sion of Caretaker's odation on the site is of for the operation of the site is of the operation of the site is of the operation; ture of operation; ture of the use; curity requirements; e location and access; do oximity to other land es.	AO15 No acceptable outcome is provided.	•	Not applicable.
If for Re	sidential care facility or	Retirement facility		
range of types that (a) me (b) all (c) co (d) ac (e) ca	nt facilities include a housing designs and it housing designs and it eet the needs of sidents; ow for 'ageing in ace'; nsider differing obility needs; commodate differing nancial situations; and ter for different ousehold types.	AO16 No acceptable outcome is provided.	•	Not applicable.
	urist park			
located to with conv	ist park is appropriately provide park users renient access to tourist s, community facilities structure.	AO17 No acceptable outcome is provided.	~	Not applicable.

Dout	ormance outcomes	A acentable outcomes	Complies	Comments
Perio	ormance outcomes	Acceptable outcomes	Complies	Comments
PO18		AO18.1	✓	Not applicable.
	lensity of accommodation	Where park areas are proposed to		
1 -	ded within the Tourist park:	exclusively accommodate		
(a)	is commensurate with the	caravans, motor homes, tents or		
	size and utility of the site;	cabins, accommodation site		
(b)	is consistent with the	densities do not exceed:		
	scale and character of	(a) 40 caravan or motor home		
	development in the	sites per hectare of the		
	surrounding area;	nominated area(s); or		
(c)	ensures sufficient	(b) 60 tent sites per hectare of		
	infrastructure and	the nominated area(s); or		
	services can be provided;	(c) 10 cabins (maximum 30m ²		
(d)	does not adversely impact	gross floor area per cabin)		
	on the existing amenity of	per hectare of the		
	nearby uses;	nominated area(s).		
(e)	ensures a high level of	AO18.2	~	Not applicable.
	amenity is enjoyed by	Where park areas are proposed to		
(5)	residents of the site; and	be used for any combination of		
(f)	does not place undue	caravans, motor homes, tents or		
	pressure on	cabins, then the lowest applicable		
	environmental processes	density identified by AO18.1 shall		
	in the surrounding area.	be applied to the nominated area(s).		
PO19		AO19.1	~	Not applicable.
	mmodation sites are	A minimum of 50% of provided		
	ned and located:	caravan and motor home		
(a)	to provide sufficient land	accommodation sites have a		
	for necessary services	concrete slab with a minimum		
	and infrastructure;	length of 6 metres and a minimum		
(b)	to achieve sufficient	width of 2.4 metres.		
	separation between land	AO19.2	~	Not applicable.
, ,	uses;	Caravan, motor home, tent and		
(c)	is consistent with the	cabin accommodation sites are set		
	scale and character of	back a minimum of:		
	development in the	(a) 2 metres from an internal		
/ - 1\	surrounding area; and	road; and		
(d)	to prevent amenity and	(b) 1.5 metres from the side		
	privacy impacts on	and rear boundaries of the		
DO2	nearby land uses.	site.	. 4	NI 4 1' 1 1 .
PO2		AO20.1	~	Not applicable.
	urist park is provided with	A central refuse collection area is provided to service all		
	eient and appropriately ed refuse collection areas.			
locati	ed refuse collection areas.	accommodation sites.	. 4	NI 4 1' 1 1 .
		AO20.2	~	Not applicable.
		The refuse collection area must be		
		kept in a sanitary condition at all times with all refuse stored in		
		1		
		receptacles to prevent them from		
		attracting vermin and wildlife. AO20.3		Not applied 12
			•	Not applicable.
		The refuse collection area is constructed on an impervious		
		surface such as a concrete slab.		
		surface such as a concrete stay.		1

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO20.4 A water connection is provided within the refuse collection area to facilitate cleaning of receptacles and the collection area.	•	Not applicable.
	AO20.5 Refuse collection areas are located a minimum of 10 metres from any recreational areas, communal cooking facilities and accommodation sites.	•	Not applicable.

Table 9.3.1.3B – Minimum site area and minimum site frontage

Use	Minimum site area	Minimum frontage
Dual occupancy	 (a) 600m² in the Medium density residential zone; or (b) 1,000m² in the Low density residential zone; or (c) 600m² in the Centre zone. 	20 metres
Home based business	600m ²	-
Multiple dwelling	800m ²	20 metres
Residential care facility	2,000m ²	30 metres
Retirement facility	2,000m ²	30 metres
Rooming accommodation	800m ²	20 metres
Short-term accommodation	800m ²	20 metres
Tourist park	1 hectare	50 metres
Caravan and motor home sites	100m² including sufficient area for the parking of a motor vehicle.	10 metres to an internal road
Tent sites	40m² including sufficient area for the parking of a motor vehicle.	6 metres to an internal road
Cabin sites	130m² including sufficient area for the parking of a motor vehicle.	10 metres to an internal road

Table 9.3.1.3C - Communal open space

Use	Minimum area	Minimum dimension	Design elements	
Multiple dwelling	50m ²	5 metres	 Provides for clothes drying and recreational facilities; One continuous area; and Separated from any habitable room by a minimum of 3 metres. 	
Retirement facility or Residential care facility	Indoor communal space and specified below.		communal open space as	
Rooming accommodation	Rate of 5m ² per resident	5 metres	 One continuous area; 20% shaded; and 10% of the provided area is screened for use for clothes drying. 	
Indoor communal space	Rate of 1m ² per resident and 40m ²	-	Located centrally; andProvides a range of facilities.	
Communal open space	30% site area and 50m²	5 metres	Provided at ground level.	

Use	Minimum area	Minimum dimension	Design elements
Short-term accommodation	50m ² and 20% site area	5 metres	 Located at ground level; One continuous area; and 10% of the provided area is screened for use for clothes drying.
Tourist park	Includes at least each of the below communal facilities.		 Located within 100 metres of the sites they serve (unless private recreation facilities are provided); and Separated from any site by a minimum of 10 metres.
Covered cooking area	50m ²	-	Including barbeque and dish washing facilities
Laundry	-	-	Including clothes drying facilities.
Recreational open space	Rate of 5m ² per site	-	 Including a children's playground.

Note—Provision of communal open space for a Multiple dwelling is not required by **Table 9.3.1.3C** where more than 75% have access to ground floor private open space.

Note—For a Tourist park, the calculation of recreational open space is inclusive of pool areas, sporting facilities, such as football fields and tennis courts, and any unobstructed grassed areas having a minimum dimension of 3 metres that are provided in addition to accommodation sites for recreational purposes. Planted landscape areas and vegetated areas are excluded from the calculation.

Note—Indoor communal space may include lounge areas, a library / reading room, a TV/games/recreation room, meeting space/s, hairdresser or a convenience store.

Table 9.3.1.3D - Private open space

Use	Minimum area per dwelling or accommodatio n unit	Minimum dimension	Design elements
Caretaker's accommodation	As specified below	<i>I</i> .	
Ground level	50m ²	5 metres	 Provided as unobstructed area; and Directly accessible from the main living area.
Above ground level	15m ²	2.5 metres	Provided as a balcony.
Outdoor service court	5m ²	-	Provided for clothes drying
Dual occupancy	40m ²	3 metres	 Located at ground level. 20% shaded; and Accessed from the main living area of the dwelling.

Use	Minimum area per dwelling or accommodatio n unit	Minimum dimension	Design elements		
Dwelling house	40m ²	3 metres	 Located at ground level; 20% shaded; and Accessed from the main living area of the dwelling. 		
Home based business	40m ²	3 metres	 Located at ground level; 20% shaded; and Accessed from the main living area of the dwelling. 		
Ground level	15m ²	3 metres	 20% shaded; and Directly accessible from the main living area. 		
Above ground level	10m ²	3 metres	Directly accessible from the main living area.		
Multiple dwelling	As specified below.				
Ground level	35m ²	3 metres	 20% shaded; and Directly accessible from the main living area. 		
Above ground level	15m ²	3 metres	Directly accessible from the main living area.		
Residential care facility	6m ²	2 metres	 Provided as a shaded courtyard or balcony; and Directly accessible from the main living area. 		
Retirement facility	As specified below	1.			
Ground level	20m ²	3 metres	 Provided as a courtyard or similar space; Grade does not exceed 5%; and Directly accessible from the main living area at ground level. 		

Use	Minimum area per dwelling or accommodatio n unit	Minimum dimension	Design elements	
Above ground level	6m ²	2 metres	 Provided as a balcony or similar space; and Directly accessible from the main living area. 	
Rooming accommodation	As specified below.			
Short-term accommodation	As specified below.			
Ground level	15m ²	3 metres	 20% shaded; and Directly accessible from the main living area. 	
Above ground level	10m ²	3 metres	Directly accessible from the main living area.	

Note—For Caretaker's accommodation, the outdoor service court may form part of the provided private open space.

Table 9.3.1.3E – Maximum scale of accommodation activities associated with a Home based business

Design	Maximum number of rooms	Maximum number of guests
Bed and breakfast	3 rooms for guest accommodation	6 guests at any one time
Farm stay	1 farm stay dwelling or accommodation unit in addition to the primary dwelling	10 guests at any one time

9.4.3 Parking and access code

9.4.3.1 Application

This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.3.2 Purpose

- (1) The purpose of the Parking and access code is to ensure:
 - (a) parking areas are appropriately designed, constructed and maintained;
 - (b) the efficient functioning of the development and the local road network; and
 - (c) all development provides sufficient parking, loading/service and manoeuvring areas to meet the demand generated by the use.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Land uses have a sufficient number of parking and bicycle spaces designed in a manner to meet the requirements of the user;
 - (b) Parking spaces and associated manoeuvring areas are safe, functional and provide equitable access;
 - (c) Suitable access for all types of vehicles likely to utilise a parking area is provided in a way that does not compromise the safety and efficiency of the surrounding road network;
 - (d) Premises are adequately serviced to meet the reasonable requirements of the development; and
 - (e) End of trip facilities are provided by new major developments to facilitate alternative travel modes.

9.4.3.3 Criteria for assessment

Table 9.4.3.3A—Parking and access code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments			
For accepted development subject to requirements and assessable development						
Car parking spaces						

D	A	0	0
Performance outcomes	Acceptable outcomes	Complies	Comments
PO1 Development provides sufficient car parking to accommodate the demand likely to be generated by the use, having regard to the: (a) nature of the use; (b) location of the site; (c) proximity of the use to public transport services; (d) availability of active transport infrastructure; and (e) accessibility of the use to all members of the community.	AO1 The number of car parking spaces provided for the use is in accordance with Table 9.4.3.3B. Note—Car parking spaces provided for persons with a disability are to be considered in determining compliance with AO1.		Can be conditioned to comply. Informal, non-delineated parking will be provided adjacent the complex.
Vehicle crossovers			
PO2 Vehicle crossovers are provided to:: (a) ensure safe and efficient access between the road and premises; (b) minimize interference with the function and operation of roads; and	AO2.1 Vehicular access to/from Council roads is designed and constructed in accordance with the Standard drawings in Planning Scheme Policy 4 - FNQROC Regional Development Manual.	•	Can be conditioned to comply where relevant.
(c) minimise pedestrian to vehicle conflict.	Development on a site with two or more road frontages provides vehicular access from: (a) the primary frontage where involving Community activities or Sport and recreation activities, unless the primary road frontage is a Statecontrolled road; or (b) from the lowest order road in all other instances.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments	
	AO2.3 Vehicular access for particular uses is provided in accordance with Table 9.4.3.3E.	~	Can be conditioned to comply where relevant.	
PO3 Access, manoeuvring and car parking areas include appropriate pavement treatments having regard to: (a) the intensity of anticipated vehicle movements; (b) the nature of the use that they service; and (c) the character of the surrounding locality.	AO3 Access, manoeuvring and car parking areas include pavements that are constructed in accordance with Table 9.4.3.3C.	•	Can be conditioned to comply where relevant.	
For assessable development				
Parking area location and design				
PO4 Car parking areas are located and designed to: (a) ensure safety and efficiency in operation; and (b) be consistent with the character of the surrounding locality.	AO4.1 Car parking spaces, access and circulation areas have dimensions in accordance with AS/NZS 2890.1 Off-street car parking.	•	Can be conditioned to comply where relevant.	
	AO4.2 Disabled access and car parking spaces are located and designed in accordance with AS/NZS 2890.6 Parking facilities - Off-street parking for people with disabilities.	•	Can be conditioned to comply where relevant.	
	AO4.3 The car parking area includes designated pedestrian routes that provide connections to building entrances.	~	Can be conditioned to comply where relevant.	

Performance outcomes	Acceptable outcomes	Complies	Comments	
	AO4.4 Parking and any set down areas are: (a) wholly contained within the site; (b) visible from the street where involving Commercial activities, Community activities or a use in the Recreation and open space zone; (c) are set back behind the main building line where involving a Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility; and (d) provided at the side or rear of a building in all other instances.		Can be conditioned to comply where relevant.	
Site access and manoeuvring				
PO5 Access to, and manoeuvring within, the site is designed and located to: (a) ensure the safety and efficiency of the external road network; (b) ensure the safety of pedestrians; (c) provide a functional and convenient layout; and (d) accommodate all vehicles intended to use the site.	AO5.1 Access and manoeuvrability is in accordance with: (a) AS28901 – Car Parking Facilities (Off Street Parking); and (b) AS2890.2 – Parking Facilities (Off-street Parking) Commercial Vehicle Facilities. Note—Proposal plans should include turning circles designed in accordance with AP34/95 (Austroads 1995) Design Vehicles and Turning Path Templates.		Can be conditioned to comply where relevant.	

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO5.2 Vehicular access has a minimum sight distance in accordance with Part 5 of AUSTROADS.	•	Complies - Access is a continuation of Studt Road.
	AO5.3 Vehicular access is located and designed so that all vehicles enter and exit the site in a forward gear.	•	Complies.
	AO5.4 Pedestrian and cyclist access to the site: (a) is clearly defined; (b) easily identifiable; and (c) provides a connection between the site frontage and the entrance to buildings and end of trip facilities (where provided).	n/a	Not applicable.
PO6 Development that involves an internal road network ensures that it's design: (a) ensure safety and efficiency in operation; (b) does not impact on the amenity of residential	AO6.1 Internal roads for a Tourist park have a minimum width of: (a) 4 metres if one way; or (b) 6 metres if two way.	n/a	Not applicable.

Perf	formance outcomes	Acceptable outcomes	Complies	Comments
(c)	uses on the site and on adjoining sites, having regard to matters of: (i) hours of operation; (ii) noise (iii) light; and (iv) odour; accommodates the nature and volume of vehicle movements anticipated to be generated by the use; allows for convenient access to key on-site features by pedestrians, cyclists and motor vehicles; and	For a Tourist park, internal road design avoids the use of cul-desacs in favour of circulating roads, where unavoidable, cul-de-sacs provide a full turning circle for vehicles towing caravans having: (a) a minimum approach and departure curve radius of 12 metres; and (b) a minimum turning circle radius of 8 metres.	n/a	Not applicable.
(e)	in the Rural zone, avoids environmental degradation.	AO6.3 Internal roads are imperviously sealed and drained, apart from those for an Energy and infrastructure activity or Rural activity.	n/a	Not applicable.
		AO6.4 Speed control devices are installed along all internal roads, apart from those for an Energy and infrastructure activity or Rural activity, in accordance with Complete Streets.	n/a	Not applicable.
		AO6.5 Internal roads, apart from those for an Energy and infrastructure activity or Rural activity, are illuminated in accordance with AS 4282 (as amended) - Control of Obtrusive effects of outdoor lighting.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
		AO6.6 Where involving an accommodation activity, internal roads facilitate unobstructed access to every dwelling, accommodation unit, accommodation site and building by emergency services vehicles.	n/a	Not applicable.
		For an Energy and infrastructure activity or Rural activity, internal road gradients: (a) are no steeper than 1:5; or (b) are steeper than 1:5 and are sealed.	n/a	Not applicable.
Serv	ricing			
acce	elopment provides ess, maneuvering and icing areas on site that: accommodate a service vehicle commensurate with the likely demand generated by the use; do not impact on the safety or efficiency of internal car parking or maneuvering areas; do not adversely impact on the safety or efficiency of the road	AO7.1 All unloading, loading, service and waste disposal areas are located: (a) on the site; (b) to the side or rear of the building, behind the main building line; (c) not adjacent to a site boundary where the adjoining property is used for a sensitive use.	n/a	Not applicable.
(d) (e)	network; provide for all servicing functions associated with the use; and are located and designed to minimise their impacts on	AO7.2 Unloading, loading, service and waste disposal areas allow service vehicles to enter and exit the site in a forward gear.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
adjoining sensitive land uses and streetscape quality.	AO7.3 Development provides a servicing area, site access and maneuvering areas to accommodate the applicable minimum servicing vehicle specified in Table 9.4.3.3B.	n/a	Not applicable.
Maintenance			
PO8 Parking areas are used and maintained for their intended purpose.	AO8.1 Parking areas are kept and used exclusively for parking and are maintained in a suitable condition for parking and circulation of vehicles.	~	Will comply.
	AO8.2 All parking areas will be compacted, sealed, drained, line marked and maintained until such time as the development ceases.	•	Can be conditioned to comply.
End of trip facilities			
PO9 Development within the Centre zone; Industry zone or Emerging community zone provides facilities for active transport users that:	AO9.1 The number of bicycle parking spaces provided for the use is in accordance with Table 9.4.3.3D.	n/a	Not applicable.
 (a) meet the anticipated demand generated from the use; (b) comprise secure and convenient bicycle parking and storage; and (c) provide end of trip facilities for all active transport users. 	AO9.2 End of trip facilities are provided in accordance with Table 9.4.3.3D.	n/a	Not applicable.

If for Educational establishment or Child care centre where involving more than 100 vehicle movements per day or Renewable energy facility, Sport and recreation activities or Tourist park

Performance outcomes	Acceptable outcomes	Complies	Comments
	<u> </u>	•	
PO10 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users. If for Educational establishmy ehicle movements per day cor Tourist park			
PO11 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.	AO11 A traffic impact report is prepared by a suitably qualified person that identifies: (d) the expected traffic movements to be generated by the facility; (e) any associated impacts on the road network; and (f) any works that will be required to address the identified impacts.	n/a	Not applicable.

Table 9.4.3.3B—Vehicle Parking and Service Vehicle Space Requirements

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Rural workers' accommodation	If Accepted development subject to requirements: Nil	If accepted development subject to requirements:
	If Assessable development: As determined by Council.	If Assessable development: As determined by Council.

Note—Any use not herein defined - as determined by Council.

Table 9.4.3.3C—Pavement Standards for Access, Manoeuvring and Car Parking areas

Zone	Compacted Gravel Base (minimum thickness)	Surfacing Options	
All development	All development other than dwelling house		
All zones other than the Conservation zone or the	75mm	Reinforced concrete with a minimum thickness of: • 100mm for parking areas; and • 150mm for access ways.	
Rural zone	150mm	Asphalt with a minimum thickness of 25mm	
	150mm	Two coat sprayed bitumen seal	
	150mm	Concrete pavers	
Conservation zone or Rural zone	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free	
Dwelling house			
All zones	75mm	Reinforced concrete with a minimum thickness of: • 100mm for parking areas; and • 150mm for access ways.	
	150mm	Asphalt with a minimum thickness of 25mm	
	150mm	Two coat sprayed bitumen seal	
	150mm	Concrete pavers	
	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free	

Note—Where more than one surfacing option is listed, any one of the treatments listed may be provided.

Table 9.4.3.3D—Bicycle Parking and End of Trip Facility Requirements

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Commercial activities	New or redeveloped commercial activities buildings (other than a shopping centre), provide: • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • visitor facilities: - one bicycle rack space per 750m² NLA or part thereof; and - bicycle parking, signposted; and adjacent to a major public entrance to the building.	New or redeveloped commercial activities buildings (other than a shopping centre), provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.
Community use	Four spaces per 1,500m ² GFA.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Educational establishment	New or redeveloped education facilities, provide: • For employees - secure bicycle storage for 8% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • For students: - minimum of 8% of the peak number of students using the building at any one time (with 75% occupancy); and - bicycle storage within 100m of the building front entrance(s); or added to the campus central bicycle storage area.	New or redeveloped education facilities, provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Food & drink outlet	One space per 100m² GFA.	As determined by Council.
Function facility	One space per 300m² GFA.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Health care services	New or redeveloped healthcare facilities, provide the following facilities: • For employees - secure bicycle storage for 5% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • For visitors: - facilities with inpatient accommodation provide one space per each 30 beds; - facilities without inpatient accommodation provide one space per each 4 practitioners; - aged care facilities provide one space per each 60 beds; - In every instance above, provide a minimum of 5 bicycle parking spaces; and - bicycle parking provided: in an accessible location, signposted and within 10m a major public entrance to the building.	New or redeveloped healthcare facilities, provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Hospital	As determined by Council.	As determined by Council.
Indoor sport and recreation	One space per employee plus 1 space per 200m ² GFA	As determined by Council.
Park	As determined by Council.	As determined by Council.
Rooming accommodation	One space per 4 letting rooms.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Short term accommodation	One space per 4 letting rooms.	As determined by Council.
Shop or Shopping centre	New or redeveloped shopping centres, provide: • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and • visitor facilities: - one space per 500m² GLA or part thereof for centres under 30,000m²; or - one space per 750m² GLA or part thereof for centres between 30,000m² and 50,000m²; and - bicycle parking is signposted and within 10m of a major public entrance to the building.	New or redeveloped shopping centres, provide the following employee facilities, which are continually accessible to employees: • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof; • changing facilities adjacent to showers; and • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.
Theatre	One space per 100m ² GFA.	As determined by Council.

Table 9.4.3.3E—Vehicular Access for Specific Uses

Use	Design
Dwelling house	A secondary dwelling shares a vehicle crossover with the Dwelling house.
Car wash	Site access involves: (a) a maximum width of 9 metres of any vehicle crossover across a footpath;
Service station	 (b) a minimum separation of 12 metres between any vehicle crossover and a road intersection; (c) a separate entrance and exit; and (d) a minimum separation between vehicle crossovers of 14 metres.

Industrial activities	Each lot is provided with no more than one access point every 15 metres.
Roadside stall	A single vehicular access point is provided to the site.
Tourist park	(a) a single vehicular access point is provided to the site; and(b) no accommodation site has individual vehicular access.

Document Set ID: 4152290 Version: 1, Version Date: 19/10/2022

9.4.5 Works, services and infrastructure code

9.4.5.1 Application

(1) This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.5.2 Purpose

- (1) The purpose of the Works, services and infrastructure code is to ensure that all development is appropriately serviced by physical infrastructure, public utilities and services and that work associated with development is carried out in a manner that does not adversely impact on the surrounding area.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Development provides an adequate, safe and reliable supply of potable, fire-fighting and general use water in accordance with relevant standards;
 - (b) Development provides for the treatment and disposal of wastewater and ensures there are no adverse impacts on water quality, public health, local amenity or ecological processes;
 - (c) Development provides for the disposal of stormwater and ensures that there are no adverse impacts on water quality or ecological processes;
 - (d) Development connects to the road network and any adjoining public transport, pedestrian and cycle networks while ensuring no adverse impacts on the safe, convenient and efficient operation of these networks;
 - (e) Development provides electricity and telecommunications services that meet its desired requirements:
 - (f) Development is connected to a nearby electricity network with adequate capacity without significant environment, social or amenity impact;
 - (g) Development does not affect the efficient functioning of public utility mains, services or installations;
 - (h) Infrastructure dedicated to Council is cost effective over its life cycle;
 - (i) Work associated with development does not cause adverse impacts on the surrounding area; and
 - (j) Development prevents the spread of weeds, seeds or other pests.

9.4.5.3 Criteria for assessment

Table 9.4.5.3 - Works, services and infrastructure code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments	
For accepted development subject to requirements and assessable development				
Water supply				

Document Set ID: 4152290 Version: 1, Version Date: 19/10/2022

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1 Each lot has an adequate volume and supply of water that: (a) meets the needs of users; (b) is adequate for firefighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment.	AO1.1 Development is connected to a reticulated water supply system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated water supply service area.	n/a	Not applicable.
	Development, where located outside a reticulated water supply service area and in the Conservation zone, Rural zone or Rural residential zone is provided with: (a) a bore or bores are provided in accordance with the Design Guidelines set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; or (b) on-site water storage tank/s: (i) with a minimum capacity of 90,000L; (ii) fitted with a 50mm ball valve with a camlock fitting; and (iii) which are installed and connected prior to the occupation or use of the development.		Can be conditioned to comply. A potable water supply will be provided.
Wastewater disposal			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Each lot provides for the treatment and disposal of effluent and other waste water that: (a) meets the needs of users; (b) is adequate for firefighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment.	AO2.1 Development is connected to a reticulated sewerage system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated sewerage service area.	n/a	Not applicable.
	AO2.2 An effluent disposal system is provided in accordance with ASNZ 1547 On-Site Domestic Wastewater Management (as amended) where development is located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated sewerage service area.	•	Will comply at time of construction.
Stormwater infrastructure			
PO3 Stormwater infrastructure is designed and constructed to collect and convey the design storm event to a lawful point of discharge in a manner that mitigates impacts on life and property.	AO3.1 Where located within a Priority infrastructure area or where stormwater infrastructure is available, development is connected to Council's stormwater network in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.

C C (a	AO3.2 On-site drainage systems are constructed: a) to convey stormwater from the premises to a lawful point of discharge; and b) in accordance with the	•	Will comply at time of construction.
	b) in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.		
Electricity supply			
Each lot is provided with an adequate supply of electricity	The premises: a) is connected to the electricity supply network; or b) has arranged a connection to the transmission grid; or c) where not connected to the network, an independent energy system with sufficient capacity to service the development (at near average energy demands associated with the use) may be provided as an alternative to reticulated electricity where: (i) it is approved by the relevant regulatory authority; and (ii) it can be demonstrated that no air or noise emissions; and (iii) it can be demonstrated that no adverse impact on visual amenity will occur.		Will comply.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 Each lot is provided with an adequate supply of telecommunication infrastructure	AO5 Development is provided with a connection to the national broadband network or telecommunication services.	n/a	Not considered necessary for RWA. Workers will likely have their own mobile phone internet.
Existing public utility serv	ices		
PO6 Development and associated works do not affect the efficient functioning of public utility mains, services or installations.	A06 Public utility mains, services are relocated, altered or repaired in association with the works so that they continue to function and satisfy the relevant Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.
Excavation or filling			
PO7 Excavation or filling must not have an adverse impact on the:	AO7.1 Excavation or filling does not occur within 1.5 metres of any site boundary.	n/a	Not applicable.
 (a) streetscape; (b) scenic amenity; (c) environmental values; (d) slope stability; 	AO7.2 Excavation or filling at any point on a lot is to be no greater than 1.5 metres above or below natural ground level.	n/a	Not applicable.
(e) accessibility; or (f) privacy of adjoining premises.	AO7.3 Earthworks batters: (a) are no greater than 1.5 metres in height; (b) are stepped with a minimum width 2 metre berm; (c) do not exceed a maximum of two batters and two berms (not greater than 3.6 metres in total height) on any one lot; (d) have a slope no greater than 1 in 4; and (e) are retained.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO7.4 Soil used for filling or spoil from excavation is not stockpiled in locations that can be viewed from: (a) adjoining premises; or (b) a road frontage, for a period exceeding 1 month from the commencement of the filling or excavation.	n/a	Not applicable.
	AO7.5 All batters and berms to be constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.
	AO7.6 Retaining walls have a maximum height of 1.5 metres and are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
	AO7.7 Excavation or filling at any point on a lot is to include measures that protect trees at the foot or top of cut or fill batters by the use of appropriate retaining methods and sensitive earth removal or placement and in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
For assessable development			
Transport network			

Document Set ID: 4152290 Version: 1, Version Date: 19/10/2022

Performance outcomes	Acceptable outcomes	Complies	Comments
PO8 The development has access to a transport network of adequate standard to provide for the safe and efficient movement of vehicles, pedestrians and cyclists.	AO8.1 Vehicle access, crossovers, road geometry, pavement, utilities and landscaping to the frontage/s of the site are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	•	Can be conditioned to comply.
	AO8.2 Development provides footpath pavement treatments in accordance with Planning Scheme Policy 9 – Footpath Paving.	n/a	Not applicable.
Public infrastructure			
PO9 The design, construction and provision of any infrastructure that is to be dedicated to Council is cost effective over its life cycle and incorporates provisions to minimise adverse impacts.	AO9 Development is in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.
Stormwater quality			


Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 Development has a non-worsening effect on the site and surrounding land and is designed to: (a) optimise the interception, retention and removal of waterborne pollutants, prior to the discharge to receiving waters; (b) protect the environmental values of waterbodies affected by the development, including upstream,	AO10.1 The following reporting is prepared for all Material change	n/a	Not applicable.
on-site and downstream waterbodies; (c) achieve specified water quality objectives; (d) minimise flooding; (e) maximise the use of natural channel design principles; (f) maximise community benefit; and (g) minimise risk to public safety.	(b) an Erosion and Sediment Control Plan that meets or exceeds the Soil Erosion and Sedimentation Control Guidelines (Institute of Engineers Australia), including: (i) drainage control; (ii) erosion control; (iii) sediment control; and (iv) water quality outcomes.		

Performance outcomes	Acceptable outcomes	Complies	Comments
	For development on land greater than 2,500m² or that result in more than 5 lots or more than 5 dwellings or accommodation units, a Stormwater Quality Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) is prepared that demonstrates that the development: (a) meets or exceeds the standards of design and construction set out in the Urban Stormwater Quality Planning Guideline and the Queensland Water Quality Guideline; (b) is consistent with any local area stormwater water management planning; (c) accounts for development type, construction phase, local climatic conditions and design objectives; and (d) provides for stormwater quality treatment measures reflecting land use constraints, such as soil type, landscape features (including landform), nutrient hazardous areas, acid sulfate soil and rainfall erosivity.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO11 Storage areas for stormwater detention and retention: (a) protect or enhance the environmental values of receiving waters; (b) achieve specified water quality objectives; (c) where possible, provide for recreational use; (d) maximise community benefit; and (e) minimise risk to public safety.	AO11 No acceptable outcome is provided.	n/a	Not applicable.
Excavation or filling			
PO12 Traffic generated by filling or excavation does not impact on the amenity of the surrounding area.	AO12.1 Haul routes used for transportation of fill to or from the site only use major roads and avoid residential areas.	n/a	Not applicable.
	AO12.2 Transportation of fill to or from the site does not occur: (a) within peak traffic times; and (b) before 7am or after 6pm Monday to Friday; (c) before 7am or after 1pm Saturdays; and (d) on Sundays or Public Holidays.	n/a	Not applicable.
PO13 Air pollutants, dust and sediment particles from	AO13.1 Dust emissions do not extend beyond the boundary of the site.	n/a	Not applicable.
excavation or filling, do not cause significant environmental harm or nuisance impacts.	AO13.2 No other air pollutants, including odours, are detectable at the boundary of the site.	n/a	Not applicable.
	AO13.3 A management plan for control of dust and air pollutants is prepared and implemented.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO14 Access to the premises (including driveways and paths) does not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; and (d) privacy of adjoining premises.	AC14 Access to the premises (including all works associated with the access): (a) must follow as close as possible to the existing contours; (b) be contained within the premises and not the road reserve, and (c) are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
Weed and pest manageme	nt		
PO15 Development prevents the spread of weeds, seeds or other pests into clean areas or away from infested areas.	AO15 No acceptable outcome is provided.	n/a	Not applicable.
Contaminated land			
PO16 Development is located and designed to ensure that users and nearby sensitive land uses are not exposed to unacceptable levels of contaminants	AO16 Development is located where: (a) soils are not contaminated by pollutants which represent a health or safety risk to users; or (b) contaminated soils are remediated prior to plan sealing, operational works permit, or issuing of building works permit.	n/a	Not applicable.
Fire services in developments accessed by common private title			


Performance outcomes	Acceptable outcomes	Complies	Comments
PO17 Fire hydrants are located in positions that will enable fire services to access water safely, effectively and efficiently.	AO17.1 Fire hydrants are located in accessways or private roads held in common private title at a maximum spacing of: (a) 120 metres for residential development; and (b) 90 metres for any other development.	n/a	Not applicable.
	AO17.2 Fire hydrants are located at all intersections of accessways or private roads held in common private title.	n/a	Not applicable.




PROPOSED part SITE PLAN

siting & boundary clearance (1:2000 ON A3)







issue date: 08/09/2022

SITE AERIAL VIEW EXTRACT FROM current 'QLD GLOBE'

(approx. 1:4000 ON A3)

PROJECT: 57 STUDT RD MAREEBA 4880 (51 SP243993)

-RURAL-PROPOSED RURAL WORKERS ACCOMMODATION

SHEET No. 0713

SITE PLAN

DATE: JUNE 2022

SCALE: AS SHOWN ON 'A3' SHEET

DRAWING TITLE:


ISSUE **B DA-01A**



Planning Scheme Overlay


<u>BUSHFIRE</u>

(1:2000 ON A3)





(1:1000 ON A3)



Planning Scheme Overlay

WATERWAY BUFFER ZONE

(1:2000 ON A3)

issue date: 08/09/2022

phone: 0428 294 235 EDMONTON 4869. QUEENSLAND

GREGORY G TERZI Architectural Technology Building Design & Drafting

-Building Designer - -Medium Rise - -QBCC LICENCE: 1117048
PROJECT: DATE: JUNE 2022

SCALE: AS SHOWN ON 'A3' SHEET

DRAWING TITLE:

PROPOSED RURAL
PROPOSED RURAL
WORKERS ACCOMMODATION

O713 WD-01B

BUILDING DESIGN & DRAfting


DRAWING DESIGN & DRAfting

DATE: JUNE 2022

SCALE: AS SHOWN ON 'A3' SHEET

DRAWING SCHEME OVERLAY

JOB NO. SHEET NO. ISSUE



issue date: 08/09/2022

<u>DETAIL SITE PLAN</u>
(1:500 ON A3)



phone: 0428 294 235 EDMONTON 4869. QUEENSLAND

GREGORY G TERZI Associate Diploma
-Building Designer- -Medium Rise- -QBCC LICENCE: 1117048
PROJECT:

57 STUDT RD
MAREEBA 4880
(51 SP243993)

-RURALPROPOSED RURAL
WORKERS ACCOMMODATION


DATE: JUNE 2022
SCALE: AS SHOWN ON 'A3' SHEET
DETAIL SITE PLAN

SHEET NO. ISSUE
ACCOMMODATION


O713

DA 02

A



Rural Workers Accommodation <u>FLOOR PLAN</u> (1:100 ON A3)



BUILDING INFORMATION:

NCC BUILDING CLASSIFICATION

• 1b (workers accommodation)

1. DUE TO THE PERSONAL BEING HOUSED FOR FARM WORK, THE OWNER AND CERTIFIER ARE ADVISED TO SEEK CONCESSION FROM PARTS OF SECTION—D3 IN THE 'National Construction Code Volume—1', AND BE EXEMPT FOR A BUILDINGS ACCESS AND USE FOR PEOPLE WITH DISABILITY INTO AND WITH—IN AREAS REQUIRED (ie. 1—bedroom/ensuite and common area). IF EXEMPTION DISALLOWED FURTHER DESIGN WILL NEED TO BE PUT FORWARD FOR COMPLIANCE.


STRUCTURAL FOOTPRINT SIZE

total: 171 sqm


- 2. INCLUDES AREA-A, AREA-B & COMMON
- 3. Measure taken from corners of external posts
- 4. Measure <u>excludes</u> roof eaves.

issue date: 08/09/2022


phone: 0428 294 235 EDMONTON 4869. QUEENSLAND GREGORY G TERZI Associate Diploma Building Design & Drafting -Building Designer- -Medium Rise- -QBCC LICENCE: 1117048-DATE: JUNE 2022 SCALE: AS SHOWN ON 'A3' SHEET 57 STUDT RD MAREEBA 4880 FLOOR PLAN (51 SP243993) -RURAL-PROPOSED RURAL JOB NO. SHEET No. ISSUE **DA 03** WORKERS ACCOMMODATION В 0713




NORTH VIEW (1:100 ON A3)



WEST VIEW (1:100 ON A3)



SOUTH VIEW (1:100 ON A3)



EAST VIEW (1:100 ON A3)

issue date: 08/09/2022

	PROJECT: 57 STUDT RD MAREEBA 4880 (51 SP243993)	DATE: JUNE 2022 SCALE: AS SHOWN ON 'A3' SHEET DRAWING TITLE: ELEVATIONS
phone: 0428 294 235 EDMONTON 4869. QUEENSLAND GREGORY G TERZI Architectural Technology Building Design & Drafting -Building Designer Medium Rise QBCC LICENCE: 1117048 -	-RURAL- PROPOSED RURAL WORKERS ACCOMMODATION	JOB NO. SHEET No. ISSUE 0713 DA 04 A