

**From:** "Freshwater Planning" <FreshwaterPlanning@outlook.com>  
**Sent:** Mon, 10 Jun 2024 11:20:28 +1000  
**To:** "Dee Petersen" <DeeP@msc.qld.gov.au>  
**Subject:** DEVELOPMENT APPLICATION - MATERIAL CHANGE OF USE - 8 Vicary Road, Mareeba (Our Ref: F24/15)  
**Attachments:** 2024.06.07 Town Planning Application.pdf

Good Morning MSC Planning Department,

Please find attached the Town Planning Application for a Material Change of Use – Extension to Non-Resident Workforce Accommodation located at 8 Vicary Road, Mareeba. The Town Planning Application comprises of the following:


- Town Planning Letter
- Proposal Plans
- SmartMap
- Dirt Professionals Site Assessment and Design Report
- DA Form1

Can you please provide an Invoice for payment of the MSC Lodgement Fee so that prompt payment can be arranged.

Additionally, please do not hesitate to contact me to discuss should you require any additional information or have any questions or queries,

Thanks and Regards,


Matt Andrejic



Matthew Andrejic  
Director  
Freshwater Planning Pty Ltd

M: 0402 729 004  
E: [freshwaterplanning@outlook.com](mailto:freshwaterplanning@outlook.com)  
A: 17 Barron View Drive, Freshwater, Q4870

Your Ref:  
Our Ref: F24/15



07 June, 2024

Chief Executive Officer  
Mareeba Shire Council  
PO Box 154  
**MAREEBA QLD 4880**

**Attention: Regional Planning Group**

Dear Sir,

**RE: APPLICATION FOR A MATERIAL CHANGE OF USE – EXTENSION TO NON-RESIDENT WORKFORCE ACCOMMODATION. LOT 1 ON RP741791, 8 VICARY ROAD, MAREEBA.**

This application is for a Material Change of Use – Extension to Non-Resident Workforce Accommodation over land described as Lot 1 on RP741791, situated at 8 Vicary Road, Mareeba is submitted on behalf of the Dusty Nuts Pty Ltd.

The application comprises of Application Form, Proposal Plans, SmartMap, Dirt Professionals Site Assessment and Design Report and this Town Planning Submission. It is understood that a Representative of the proponent will provide payment of the Application Fee to Council.

### **The Site**

The subject land is described as Lot 1 on RP741791, Locality of Mareeba and situated at 8 Vicary Road, Mareeba. The site is owned by Dusty Nuts Pty Ltd who are also the applicants for the proposed development. The subject site comprises of a single regularly shaped allotment, has an area of 9,999 m<sup>2</sup> and contains frontage to the Unnamed Road. The site contains existing Dwelling Houses and associated structures and Approved Non Resident Workforce Accommodation, being Stage 1.

In relation to the current State Governmental Mapping the site is Not Mapped as containing Remnant Vegetation, Regrowth Vegetation and Essential Habitat nor is the site designated as including a Referable Wetland or Wetland Protection Area. The site is not located within 25 metres of a State Controlled Road nor within 25 metres of an Active Railway Corridor. It is considered that the proposal does not require Referral to the State Agencies.

### **The Proposed Development**

The proposed development is for a Material Change of Use – Extension to Non-Resident Workforce Accommodation, over two (2) Stages in the Rural Zone of the Mareeba Shire Council's Planning Scheme. The site is located at 8 Vicary Road, Mareeba and is more particularly described as Lot 1 on RP741791. The site is regular in shape, has an area of 9,999 m<sup>2</sup> and contains Dwelling Houses and associated structures and Approved Non Resident Workforce Accommodation, being Stage 1.

The Mareeba Shire Council on 17 May, 2023 Approved, subject to Conditions, the Undefined Use (Workforce Accommodation) for Stage 1. This proposed Development Application is for the Extension of the Non-Resident Workforce Accommodation being Stages 2 and 3.

A Development Permit for a Material Change of Use is sought to facilitate the construction of forty eight (48) person Workforce Accommodation over two (2) Stages in addition to the existing 24 Approved over the site. The site is designated within the Rural Zone of the Mareeba Shire Planning Scheme. The proposal is to provide additional necessary Workforce Accommodation supporting the immediate, surrounding, and Rural Areas of Mareeba and the Tablelands Region. This Rural Allotment contains an area of 9,999 m<sup>2</sup> and whilst including Mapped Agricultural Land is constrained by the physical shape, location and existing improvements. The proposal will ensure to take this non-viable Rural Allotment and further convert the site into additional Non-Resident Workforce Accommodation to support the surrounding Activities and Rural Industries within the Tablelands Region.

The Proponents have provided Freshwater Planning Pty Ltd with the following Letter:

*Dusty Nuts Pty Ltd is applying for approval of Stages 2 & 3 of its proposed development at 8 Vicary Rd. Due to numerous requests for worker accommodation.*

*Having completed Stage 1 receiving Certificate of Occupancy 22/02/2024 and the first 24 guests moved in on 09/03/2024. We have had dozens of requests for large numbers (in the hundreds) looking for worker accommodation. Hence, we see the need for this application.*

*In the past 2 months of occupancy, there has been no problems with the guests due to our House Rules and on Site Management. Our daily cleaners are very vigilant reporting any issues to management which is delt with the same day.*






*Gerldine and Stephen are also on site most days and available 24 hrs should anything arise. We pride ourselves on the appearance and cleanliness of our accommodation, which we think attributes to our success thus far.*

*With the numbers of workers increasing to accommodate the region's agricultural sector, a purpose built facility outside town limits with effective management controls seems a better option than unsupervised overcrowded houses within the CBD of Mareeba.*

*We look forward to working with the Mareeba Shire Council in partly solving the housing crisis within our community.*






The proposed Extension is for Stages 2 and 3 which involves the following:

### Stage 2

-  Construction of twelve (12) Modular Donga Units
-  Covered area
-  Laundries
-  Kitchens
-  Amenities (Toilets and Showers)

Stage 2 will allow for the accommodation of a further twenty-four (24) persons and include common areas, kitchens, laundries and toilets and showers.

### Stage 3

-  Construction of twelve (12) Modular Donga Units
-  Covered area
-  Laundries
-  Kitchens
-  Amenities (Toilets and Showers)

Stage 3 will allow for the accommodation of a further twenty-four (24) persons and include common areas, kitchens, laundries and toilets and showers. This is not expected to be provided in the short-term and will be dependant on occupancy rates and the Agricultural aspects of the Mareeba Shire and surrounding Tablelands Region.

The site contains frontage to the Unnamed Road and proposes access from what is considered to be a limited access road. The proposal provides for the provision of the existing car parking spaces in addition to parking fronting the frontage of the site between the proposed buildings and east boundary. This parking area provides for the parking of seven (7) minibus parking which will be utilised by the proposed development. Freshwater Planning Pty Ltd understands that the 12 seater Vans and/or minibuses will be provided to service the Worker's Accommodation with the existing parking onsite for any vehicles outside of the proposed minibuses/Vans. The site, whilst physically constrained, contains ample room for vehicle parking outside of any proposed wastewater storage, if additionally required.

The site will be connected to Water Supply from the channel for the non-potable Water Supply and Bore Water and Holding Tanks for potable Water Supply. Landscaping in the form of screening hedges/gardens with the existing Landscaping to be maintained and enhanced and extended with the provision of Stage 2 and Stage 3. Fencing is existing and the proposal provides for additional Landscaping as per annotated on the Proposal Plan. The proponents believe that the existing Fencing, Landscaping and proposed additional Landscaping is acceptable Landscaping for the proposed Use within the existing Rural location. Is it considered that the existing Approved Conditions for Stage 1 sufficiently ameliorates any issues over the property with the proposed Use.

Attached to this Submission is a Site and Soil Report from the Dirt Professionals in relation to the Effluent Disposal of the site. Freshwater Planning Pty Ltd understand that the provision of the Dirt Professionals Report demonstrates that the proposal will not require any ERA63. The provided Report ensures that an appropriate level of Effluent Disposal is achievable over the site for the proposed Stages 2 and 3.

The proposed Extension to the existing Non-Resident Workforce Accommodation provides support through infrastructure for the accommodation of a Rural Workers associated with the Rural Activities of Mareeba and the Tablelands Region. This support will ensure the ongoing viability of Rural Industries for not only Mareeba but also the Tablelands Region, which has been clearly demonstrated to be needed with the quick occupancy of Approved Stage 1.

The site is located in the Rural Zone of the Mareeba Shire Council's Planning Scheme. A Material Change of Use for Non-Resident Workforce Accommodation is an Impact Assessable Use within this Zone. The application is Impact Assessable.

This Submission provides a comprehensive assessment of the relevant planning instruments and site context for the proposed Uses. This is supported by the attached Proposal Plans and the assessment against the relevant aspects of the Mareeba Shire Council's Planning Scheme. It is considered that the proposed development is an appropriate Use for the site, immediate vicinity and surrounding environs providing supporting Rural Services/Uses to the surrounding and local residents and Agricultural Industries of Mareeba and the Tablelands Region.



Lot 1 on RP741791 is identified as being in the Regional Landscape and Rural Production Area designation of the FNQ Regional Plan Mapping.

The proposal provides additional accommodation that supports the Rural Activities within the immediate and surrounding areas of Mareeba and the Tablelands Region. The Land Use Policy of the Primary Industries within the Regional Plan nominates that *'Sites and corridors for infrastructure that supports agricultural development, are identified, maintained and protected to support operation of those facilities and the ongoing operation of agricultural activities'*. The proposed Extension to the existing Non-Resident Workforce Accommodation provides support through infrastructure for the accommodation of a Rural Workers associated with the Rural Activities of Mareeba and the Tablelands Region. This support will ensure the ongoing viability of Rural Industries for not only Mareeba but also the Tablelands Region, which has been clearly demonstrated to be needed with the quick occupancy of Approved Stage 1.

It is additionally noted that a separate assessment against the Regional Plan is not required due to the fact that the Tablelands Regional Council Planning Scheme appropriately advances the Far North Queensland Regional Plan 2009-2031, as it applies to the Planning Scheme area. However, the Objective of Rural Subdivisions within the FNQ Regional Plan is for *'the region's Rural Production Areas and Natural Resources are protected by limiting land fragmentation'*. The proposed development is not in conflict with this Objective as it does not further fragment the existing Regional Landscape and Rural Productions Area and converts a non-viable Rural Allotment, with existing Approved Uses, into a further supporting operation for the agricultural activities of the Region.

It is considered that the proposed Material Change of Use is not in conflict with the Objectives and Intent for Regional Landscape and Rural Production Areas in the FNQ Regional Plan 2009-2031.

### Rural Zone Code

The site is designated in the Rural Zone of the Mareeba Shire Planning Scheme. The Purpose of the Rural Zone *'provide opportunities for non-rural uses that are compatible with agriculture, the environmental features, and landscape character of the rural area where the uses do not compromise the long-term use of the land for rural purposes'*. The proposal provides for an Extension of the Non-Rural Use that supports Agricultural Industries and Activities situated on the Tablelands. The proposal is provided over a non-viable Rural Allotment creating much needed Accommodation to compliment and support the Rural Activities within Mareeba. It is considered that the proposed development is considered to meet the Purposes of the Rural Zone and as per exactly Approved.

Performance outcomes	Acceptable outcomes	Comments
<b>For self-assessable and assessable development</b>		
<b>Height</b>		
<b>PO1</b> Building height takes into consideration and respects the following: (a) the height of existing buildings on adjoining premises; (b) the development potential, with respect to height, on adjoining premises; (c) the height of buildings in the vicinity of the site;	<b>AO1.1</b> Development, other than buildings used for rural activities, has a maximum building height of: (a) 8.5 metres; and (b) 2 storeys above ground level.	Complies, Any non-Rural structures will be less than 8.5 metres in height (2.7 metres provided to top of wall) and not more than 2 storeys above ground level (single storey).
	<b>AO1.2</b> Buildings and structures associated with a rural activity including machinery, equipment, packing or storage buildings do not exceed 10 metres in height.	Complies Any new Buildings or structures associated with the Rural Use will not exceed 10 metres in height.

Performance outcomes	Acceptable outcomes	Comments
(d) access to sunlight and daylight for the site and adjoining sites; (e) privacy and overlooking; and (f) site area and street frontage length.		
<b>Siting, where not involving a Dwelling house</b> Note—Where for Dwelling house, the setbacks of the Queensland Development Code apply.		
<b>PO2</b> Development is sited in a manner that considers and respects: (a) the siting and use of adjoining premises; (b) access to sunlight and daylight for the site and adjoining sites; (c) privacy and overlooking; (d) air circulation and access to natural breezes; (e) appearance of building bulk; and (f) relationship with road corridors.	<b>AO2.1</b> Buildings and structures include a minimum setback of: (a) 40 metres from a frontage to a State-controlled Road; and (b) 10 metres from a boundary to an adjoining lot.	Complies, The site is located greater than 40 metres (70 m) from the frontage of a State Controlled Road (the Kennedy Highway). The site is constrained by its configuration (shape). The proposed structures are setback 10.0 metres from the frontage (eastern property boundary) as per the existing structures and given the shape of the site and location of existing structures, it is considered that the provided setback is appropriate. The site has been meticulously designed to incorporate the natural features of the site and surrounds while ensuring appropriate amenity and safety.
	<b>AO2.2</b> Buildings and structures, where for a Roadside stall, include a minimum setback of 0 metres from a frontage to a road that is not a State-controlled Road.	Not Applicable. Not Roadside Stall proposed.
	<b>AO2.3</b> Buildings and structures, except where a Roadside stall, include a minimum setback of: (a) 10 metres from a frontage to a sealed road that is not a State-controlled road; and (b) 100 metres from a frontage to any other road that is not a State-controlled road;	Complies, The site is constrained by its configuration (shape). The proposed structures are setback 10.0 metres from the frontage of the site as per the existing structures. Any new structures are setback 10 metres from the frontage. Given the shape of the site and location of existing structures, it is considered that the provided setback is appropriate. The site has been meticulously designed to incorporate the natural features of the site and surrounds while ensuring appropriate amenity and safety.
<b>Accommodation density</b>		
<b>PO3</b> The density of Accommodation activities: (a) respects the nature and density of surrounding land use; (b) is complementary and subordinate to the rural and natural landscape values of the area; and	<b>AO3.1</b> Residential density does not exceed one dwelling house per lot.	Not Applicable. No Residential Density proposed.
	<b>AO3.2</b> Residential density does not exceed two dwellings per lot and development is for: (a) a secondary dwelling; or	Not Applicable. No Residential Density proposed. The proposal is for Non-Resident Workforce Accommodation. The site is bounded by the Road Reserve and

Performance outcomes	Acceptable outcomes	Comments
(c) is commensurate to the scale and frontage of the site.	(b) Caretaker's accommodation and includes building work or minor building work with a maximum gross floor area of 100m <sup>2</sup> ; or (c) Rural worker's accommodation.	LeaseHold Land (Rail Trail) with a single Rural Allotment surrounding the site. No adjoining Residential Residence is located within proximity of the site. The proposal is considered to respect the nature of the surrounding Uses and provides for a Use to support the surrounding Rural Allotments. The Workforce Accommodation has been positioned appropriately.
<b>For assessable development</b>		
<b>Site cover</b>		
<b>PO4</b> Buildings and structures occupy the site in a manner that: (a) makes efficient use of land; (b) is consistent with the bulk and scale of buildings in the surrounding area; and (c) appropriately balances built and natural features.	<b>AO4</b> No acceptable outcome is provided.	The provision of the Extension to the Non-Resident Workforce Accommodation will be sure to make efficient Use of the land, keeping with the Rural nature, natural and physical features of the site. Any structures will be of appropriate scale and will ensure to balance the natural features of the site.
<b>PO5</b> Development complements and integrates with the established built character of the Rural zone, having regard to: (a) roof form and pitch; (b) eaves and awnings; (c) building materials, colours and textures; and (d) window and door size and location.	<b>AO5</b> No acceptable outcome is provided.	The proposed structures will be provided to compliment the Rural Zone and in particularly the natural characteristics of the site. The proposal is for a Non-Resident Workforce Accommodation over the site to support the immediate and surrounding Rural Activities. Any structures will ensure to reflect the proposed Uses of the site and surrounding Rural Allotments.
<b>Amenity</b>		
<b>PO6</b> Development must not detract from the amenity of the local area, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	<b>AO6</b> No acceptable outcome is provided.	The proposal is for an Extension to the Non-Resident Workforce Accommodation to support the surrounding Rural Activities within Mareeba and the Tablelands. Any development over the site will ensure not to detract the amenity of the local area instead protecting the area and surrounding allotments amenity. The proposed will reflect the existing amenity of the site and surrounding area whilst supporting the Rural Industries of Mareeba.
<b>PO7</b> Development must take into account and seek to ameliorate any existing negative environmental impacts, having regard to:	<b>AO7</b> No acceptable outcome is provided.	The proposal is for an Extension to the Non-Resident Workforce Accommodation to support the surrounding Rural Activities within Mareeba and the Tablelands. Any development over the site will ensure to

Performance outcomes	Acceptable outcomes	Comments
(a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.		ameliorate any existing negative environmental impacts. The purpose of the development is to support the Rural Industries of Mareeba and the Tablelands.

The proposed development is considered to generally comply with the Code achieving the Acceptable Outcomes and where not able to be met, or are available, meet the Performance Outcomes of the Code. The proposed development is considered appropriate and not in conflict with the Rural Zone Code as it provides for an additional supporting Use to service the immediate and surrounding Rural Industries and Townships in addition to providing an Expansion to the Approved Use to a non-viable Rural Allotment.

### Accommodation Activities Code

The proposed development is for the facilitation of the Extension to the Non-Resident Workforce Accommodation provided onsite ensuring to support the Rural Industries within Mareeba and on the Tablelands. Assessment against the relevant aspects of the Accommodation Activities Code is provided below.

Performance outcomes	Acceptable outcomes	Comments
<b>For accepted development subject to requirements and assessable development</b>		
<b>All Accommodation activities, apart from Dwelling house</b>		
<b>PO1</b> Accommodation activities are located on a site that includes sufficient area: (a) to accommodate all buildings, structures, open space and infrastructure associated with the use; and (b) to avoid adverse impacts on the amenity or privacy of nearby land uses.	<b>AO1</b> Development is located on a site which provides the applicable minimum site area and minimum road frontage specified in <b>Table 9.3.1.3B</b> .	Complies, The proposed Extension to the Non-Resident Workforce Accommodation is located over the Rural site containing and area of 9,999 m <sup>2</sup> with frontage to the Unnamed Road (via Vicary Road). The site contains appropriate street frontage and sufficient area for the appropriate location of the additionally Accommodation Activities.
<b>All Accommodation activities, apart from Tourist Park and Dwelling house</b>		
<b>PO2</b> Accommodation activities are provided with on-site refuse storage areas that are: (a) sufficient to meet the anticipated demand for refuse storage; and (b) appropriately located on the site having regard to potential odour and noise impacts on uses on the site and adjoining sites.	<b>AO2.1</b> A refuse area is provided that: (a) includes a water connection; (b) is of a size and configuration to accommodate 2x240 litre bins per dwelling or accommodation unit where involving a use other than a residential care facility or retirement facility; and (c) is of a size and configuration to accommodate a minimum of two bulk refuse bins where involving a residential care facility or retirement facility.	Complies, The proposal can be provided with appropriate on-site Refuse Storage Areas. The site contains large areas available for the appropriately positioning to avoid any potential odour and noise impacts.
<b>All Accommodation activities, except for Dwelling house</b>		
<b>PO3</b>	<b>AO3</b> The windows of habitable rooms:	Complies,

Performance outcomes	Acceptable outcomes	Comments
<p>Accommodation activities are designed to avoid overlooking or loss of privacy for adjoining uses.</p> <p>Note—These provisions apply to any adjoining use, both on an adjoining site and on the same site.</p>	<p>(a) do not overlook the windows of a habitable room in an adjoining dwelling or accommodation unit; or</p> <p>(b) are separated from the windows of a habitable room in an adjoining dwelling or accommodation unit by a distance greater than:</p> <p>(i) 2 metres at ground level; and</p> <p>(ii) 8 metres above ground level; or</p> <p>(c) are treated with:</p> <p>(i) a minimum sill height of 1.5 metres above floor level; or</p> <p>(ii) fixed opaque glassed installed below 1.5 metres; or</p> <p>(iii) fixed external screens; or</p> <p>(iv) a 1.5 metre high screen fence along the common boundary.</p>	<p>Any Workforce Accommodation is positioned appropriately within the site. The site does not adjoin, in proximity of, any other Residential Improvements of the adjoining Rural Allotment. It is considered that the Accommodation Activities will not impact on any privacy for the adjoining Rural Allotment.</p>
<p><b>PO4</b></p> <p>Accommodation activities are provided with sufficient private and communal open space areas which:</p> <p>(a) accommodate a range of landscape treatments, including soft and hard landscaping;</p> <p>(b) provide a range of opportunities for passive and active recreation;</p> <p>(c) provide a positive outlook and high quality of amenity to residents;</p> <p>(d) is conveniently located and easily accessible to all residents; and</p> <p>(e) contribute to an active and attractive streetscape.</p>	<p><b>AO4.1</b></p> <p>Development, except for Caretaker's accommodation, Dwelling house, Dual occupancy or Home based business, includes communal open space which meets or exceeds the minimum area, dimension and design parameters specified in <b>Table 9.3.1.3C</b>.</p>	<p>Complies,</p> <p>The site contains an area of 9,999 m<sup>2</sup> with substantial communal open spaces provided, if needed, in addition to the Communal kitchens, Common Areas and Laundry Areas.</p>
	<p><b>AO4.2</b></p> <p>Development includes private open space for each dwelling or accommodation unit which meets or exceeds the minimum area, dimension and design parameters specified in <b>Table 9.3.1.3D</b>.</p>	<p>Complies,</p> <p>Each unit contains access to a patio area or the ability for an area. This is considered appropriate and acceptable for the proposed Use.</p>
	<p><b>AO4.3</b></p> <p>Clothes drying areas are provided at the side or rear of the site so that they are not visible from the street.</p>	<p>Complies,</p> <p>Any clothes drying areas will be located within the individual Units. Laundries are provided with drying facilities.</p>
	<p><b>AO4.4</b></p> <p>If for Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility, development provides a secure storage area for each dwelling or accommodation unit which:</p> <p>(a) is located to facilitate loading and unloading from a motor vehicle;</p> <p>(b) is separate to, and does not obstruct, on-site vehicle parking or manoeuvring areas;</p> <p>(c) has a minimum space of 2.4m<sup>2</sup> per dwelling or accommodation unit;</p>	<p>Not Applicable.</p>

Performance outcomes	Acceptable outcomes	Comments
	(d) has a minimum height of 2.1 metres; (e) has minimum dimensions to enable secure bicycle storage; (f) is weather proof; and (g) is lockable.	

The proposed development is considered to generally comply with the Code achieving the Acceptable Outcomes and where not able to be met, or are available, meet the Performance Outcomes of the Code. The proposed development is considered appropriate and not in conflict with the Accommodation Activities Code as it provides for a supporting Use to service the immediate and surrounding Rural Industries and Townships in addition to providing an expanded Use to a non-viable Rural Allotment, extending the recently Approved Uses.

### Airports Environs Overlay Code

The site is located inside of the 3km Bird and Bat Zone and within the 6 km Light Intensity Zone as designated within the Mareeba Overlay Mapping. The proposed Extension to the Non-Resident Workforce Accommodation provides for additional structures to support the Rural Industries of Mareeba and the Tablelands Region. The proposed Extension to the Workforce Accommodation has been meticulously designed not adversely affecting the site, immediate vicinity, or surrounds. The proposal is not for a waste disposal site. The proposal is not considered to contribute to the potentially serious hazard from wildlife (bird or bat) strike and will ensure that potential food and waste sources are covered and collected so that they are not accessible to wildlife. It is considered that the Airports Environs Overlay Code is Not Applicable to the proposed Non-Resident Workforce Accommodation and the proposal will not affect the Bird and Bat Strike Zone and Light Intensity Zone.

### Bushfire Hazard Overlay Code

The site is Mapped as containing areas of Potential Impact Buffer (100 metres) over the site. The site is for the majority clear of any significant vegetation. It is noted that the site is bounded by Road Reserves and Leasehold Land (Rail Trail) and adjoins a Rural Banana Farm. Any future structures are able to be provided with appropriate setbacks and firebreaks if located within the Mapped Hazard and if required. The proponents will ensure that maintenance and upkeep of the site will be maintained to ensure no build-up of hazardous materials and that any existing or proposed firebreaks are maintained. It is not considered that the proposal will affect the Bushfire Hazard of the property as the site will ensure to remove any piling of fuel loads, contains existing firebreaks, and is provided with appropriate water sources. Any appropriate water source will contain sufficient storage of water for Firefighting Supply and will be provided with the appropriate connections where required.

### Landscaping Code

The proposed development is for the facilitation of an Extension to the Non-Resident Workforce Accommodation located within the Rural Zone of the Mareeba Shire Planning Scheme. The site contains an area of 9,999 m<sup>2</sup> with the site containing existing Landscaping. The proponents have informed Freshwater Planning Pty Ltd that the existing buildings and landscaping will remain as is and a Landscaping and Fencing Plan is attached. Fencing is to be provided along the adjoining boundary in proximity of existing and proposed buildings for that relevant stage as per demonstrated on the attached. The site includes large areas of Communal Open Space and Communal kitchens, Common Areas, and Laundry Areas. The Landscaped Areas will include both landscaped areas and communal open space areas to be used as leisure areas within the Workforce Accommodation. Any planting located within the nominated Landscaping Area/s will be provided as the preferred plant species which is understood to comply with the requirements of the Planning Scheme Policy. Landscaping is an important feature of a site, the proposed landscaping will be sourced from a local plant nursery to ensure that readily



available and suitable plant species are planted. Plantings of various species, colour scheme, densities and heights will be selected to create a visually attractive site. The nominated Landscaping is considered to contribute to the Landscaping character of the Shire, complimenting the immediate surrounds and surrounding vicinity. The Landscaping provides for an attractive streetscape and assists in breaking up and softening the built form of the proposed Workforce Accommodation. Any plantings provided over the site will ensure suitability of the intended Workforce Accommodation Use and will not include the provision of invasive weeds. The proposed Landscaping is considered appropriate for the proposed development ensuring that these areas are easily maintained while allowing for casual surveillance and enhance the safety of pedestrians through the Crime Preventions Through Environmental Design (CPTED) principles.

### **Parking and Access Code**

The site contains frontage to the Unnamed Road and proposes access from what is considered to be a limited access road. The proposal provides for the provision of the existing car parking spaces in addition to parking fronting the frontage of the site between the proposed buildings and east boundary. This parking area provides for the parking of seven (7) minibus/vans parking which will be utilised by the proposed development. Freshwater Planning Pty Ltd understands that the 12 seater Vans and/or minibuses will be provided to service the Worker's Accommodation with the existing parking onsite for any vehicles outside of the proposed minibuses/Vans. The site, whilst physically constrained, contains ample room for vehicle parking outside of any proposed wastewater storage, if additionally required. The site contains sufficient area for the manoeuvring, pick-up and drop off of vehicles/buses/vans and the likes.

The proposal provides for an additional forty-eight (48) Units with the property at fully developed containing seventy-two (72) units requiring seventy-two (72) parking spaces over three Stages however, it is common knowledge that the occupants for Workforce Accommodation either ride share or don't own a vehicle for the majority. While recent trends are starting to show that more and more Workforce Accommodation users are starting to obtain a vehicle, the majority of these vehicles ride share. The proposal provides for a considered sufficient amount of vehicle parking spaces for the proposed Use, in addition to this the proposed development contains the ability for the provision of seven 12-seater Vans and minibuses, if needed, to ensure that sufficient and suitable vehicle spaces are provided for the development.

The dimensions of the proposed car parking spaces can satisfy the requirements of Australian Standard AS2890.1 and all parking spaces/driveway areas will be appropriately sealed. It is considered that the proposed development is not in conflict with the Purpose or Intent of the Parking and Access Code and is acceptable.

### **Works, Services, and Infrastructure Code**

The proposed development is for the facilitation of an Extension to the Non-Resident Workforce Accommodation located within the Rural Zone of the Mareeba Shire Planning Scheme. The site contains frontage to the Unnamed Road and proposes access from what is considered to be a limited access road. The site will be connected to Water Supply from the channel for the non-potable Water Supply and Bore Water and Holding Tanks for potable Water Supply. Landscaping in the form of screening hedges/gardens with the existing Landscaping to be maintained and enhanced and extended with the provision of Stages 2 and 3 and as per the attached Landscaping and Fencing Plan. Fencing can be provided on the adjoining boundary in proximity of the existing and proposed buildings (curtilages) as per attached. The proposal will ensure that any additional Stormwater collected from the proposed Workforce Accommodation will be dispersed over the site or directed to the lawful point of discharge.



Attached to this Submission is a Site and Soil Report from the Dirt Professionals in relation to the Effluent Disposal of the site. Freshwater Planning Pty Ltd understand that the provision of the Dirt Professionals Report demonstrates that the proposal will not require any ERA63. The provided Report ensures that an appropriate level of Effluent Disposal is achievable over the site for the proposed Stages 2 and 3.

The vacant site is generally flat with any Filling or Excavation anticipated to be limited to site preparation, levels and internal servicing or be provided as a part of an Operational Works Approval.

It is considered that the proposed Non-Resident Workforce Accommodation is not in conflict with the Purposes of the Works, Services, and Infrastructure Code. The proposal is considered acceptable and appropriate.

## Conclusion


It is considered that the proposed development being a Material Change of Use to facilitate the Extension of the Non-Resident Workforce Accommodation over land described as Lot 1 on RP741791 is appropriate. The proposed design of this development represents a small-scale development that has mitigated all possible negative effects of the surrounding environment maintaining and enhancing an attractive amenity. In particular, the proposed development:

- ✚ Further converts a non-viable Rural Allotment into a Supporting Operation for the Agricultural Activities of the Region;
- ✚ Can meet the Performance Outcomes and the Purpose of the Accommodation Activities Codes;
- ✚ Is not in conflict with the Intent or Purposes for land designated in the Rural Zone, as it provides for additional supporting Uses to the Shire's Rural Industries;
- ✚ Provides for appropriate and acceptable level of servicing without compromising the environmental values of the Shire and Mareeba;
- ✚ Will encompass no significant negative impacts to the existing nature and amenity of the area, instead enhancing the amenity and character as the proposed Extension provides an additional attractive necessary service supporting the Rural Activities of Mareeba and the surrounding Townships;
- ✚ Is not in conflict with the Regional Plan's Regional Landscape and Rural Production Area Designation as the proposal provides additional necessary services to Mareeba which will continue to support the communities needs of the Mareeba Township and Region;
- ✚ The proposed development is for the Extension to the Approved Workforce Accommodation within the Mareeba Township ensuring additional Accommodation Activities to support the surrounding Mareeba Township and environs. This helps to cement Mareeba as a Major Urban Area and Regional Centre of the Tablelands while providing a much needed Use within the Township; and
- ✚ Provides for additional Workers Accommodation to that already Approved to aid in filling the numerous requests for additional Accommodation within Mareeba.


Freshwater Planning Pty Ltd request that Council provide a copy of the Draft Conditions with sufficient time for review prior to issuing a Decision Notice over the site or tabulating and Item on the Agenda. If you have any queries, please do not hesitate to contact Freshwater Planning Pty Ltd.

Yours faithfully,


  
**MATTHEW ANDREJIC**  
**FRESHWATER PLANNING PTY LTD**



STANDARD MAP NUMBER  
7963-11311



MAP WINDOW POSITION &  
NEAREST LOCATION



#### SUBJECT PARCEL DESCRIPTION

DCDB	
Lot/Plan	1/RP741791
Area/Volume	9999m <sup>2</sup>
Tenure	FREEHOLD
Local Government	MAREEBA SHIRE
Locality	MAREEBA
Segment/Parcel	21321/15

#### CLIENT SERVICE STANDARDS

PRINTED 10/06/2024

DCDB 09/06/2024

Users of the information recorded in this document (the Information) accept all responsibility and risk associated with the use of the Information and should seek independent professional advice in relation to dealings with property.

Despite Department of Resources best efforts, RESOURCES makes no representations or warranties in relation to the Information, and, to the extent permitted by law, exclude or limit all warranties relating to correctness, accuracy, reliability, completeness or currency and all liability for any direct, indirect and consequential costs, losses, damages and expenses incurred in any way (including but not limited to that arising from negligence) in connection with any use of or reliance on the Information.

For further information on SmartMap products visit  
<https://www.qld.gov.au/housing/buying-owning-home/property-land-valuations/smartmaps>



**SmartMap**

An External Product of  
SmartMap Information Services


Based upon an extraction from the  
Digital Cadastral Data Base



**Queensland  
Government**  
(c) The State of Queensland,  
(Department of Resources) 2024.



CERTIFIED AS  
STRUCTURALLY ADEQUATE

KFB Engineers

Civil & Structural

1/38-42 Pease St, Cairns | PO Box 927, Cairns Q 4870

F: 07 40320492 | F: 07 40320092 | E: email@kfbeng.com.au

Date: \_\_\_\_\_

Signed: \_\_\_\_\_

Job No: \_\_\_\_\_

RPEQ No: \_\_\_\_\_

DESIGN WIND SPEED - C2

SOIL CLASSIFICATION - M

A	18/04/23	CONSTRUCTION ISSUE
No.	DATE	DESCRIPTION

VARIAIONS INCLUDED IN THIS DRAWING

DRAWING TITLE

SITE PLAN

SHEET NO. 02

PRINT TIME: 15/04/2024 3:41:21 PM

PRELIMINARY: 3/03/23

CONSTRUCTION: 18/04/23

A2

SCALE: 1:750 AT A2

ISSUE: A

DRAWN BY: MB

CONSTRUCTION ISSUE

SSHNO JOB No. DUS458

DRAWING No. 23032401

PROJECT

STAGE 2 WORKERS ACCOMMODATION


Lot 1 on RP741791

8 VICARY ROAD

MAREEBA

CLIENT

DUSTY NUTS



PO BOX 876

ATHERTON QLD 4883

33-35 ALBRECHT ST

TOLGA INDUSTRIAL ESTATE, QLD, 4882

PH: 07 4095 4008

FAX: 07 4095 4417

EMAIL: info@sshng.com.au

WEB: www.superiorsteelhomesnq.com.au

QBSA. 1097802

THIS DRAWING IS COPYRIGHT

©

**NOTE:** (1). VERIFY ALL DIMENSIONS AND LEVELS BEFORE COMMENCING ANY WORK. (2). VERIFY ALL ON SITE DIMENSIONS BEFORE COMMENCING ANY FABRICATION. (3). FIGURED DIMENSIONS TO TAKE PRECEDENCE OVER SCALED MEASUREMENTS. (4). ALL WORK TO COMPLY WITH LOCAL AUTHORITY REQUIREMENTS, THE STANDARD BUILDING BY-LAWS, THE BUILDING CODE OF AUSTRALIA AND RELEVANT AUSTRALIAN STANDARDS. (5). SUBSTITUTION OF ANY STRUCTRAL MEMBERS, & OR VARIATIONS TO ANY PART OF THE DESIGN, **WILL VOID** ANY RESPONSIBILITIES OF THE BUILDING DESIGNER FOR THE STRUCTURAL INTEGRITY & PERFORMANCE OF THE BUILDING

Document Set ID: 4370119

Version: 1, Version Date: 12/06/2024

NOTE: ALL DOORS TO BE SOLID TIMBER LEAF AND METAL JAMBS

17000

2550 11900 2550

90 2870 90 1400 90 3270 90 1200 90 3270 90 1400 90 2870 90

2550 90 1800 90 1240 90 1600 90 1900 90 1600 90 1240 90 1800 90 2550

WC/SHWR D26 D20 D19 D18 D24 D25 D27

WC/SHWR D16 D15 D14 D21 D22 D23 D28

L'DRY TROUGH WM TUB

PTRY FREEZER SPACE FRIDGE SPACE

KITCHEN

800 1500 2700 HIGH 1200 HIGH WALL

800 1500 1200 HIGH WALL 2700 HIGH

BED 6 sd D06 W06

BED 5 sd D05 W05

BED 4 sd D04 W04

BED 3 sd D03 W03

BED 2 sd D02 W02

BED 1 sd D01 W01

RAKED CEILING

OPEN UNDERCOVER AREA

BED 12 sd D12 W12

BED 11 sd D11 W11

BED 10 sd D10 W10

BED 9 sd D09 W09

BED 8 sd D08 W08

BED 7 sd D07 W07

5KW SOLAR PANEL UNIT

90 2870 90 10900 90 2870 90

3050 10900 3050

17000



A	18/04/23	CONSTRUCTION ISSUE
<b>No.</b>	<b>DATE</b>	<b>DESCRIPTION</b>

<b>PROJECT</b> STAGE 2 WORKERS ACCOMMODATION Lot 1 on RP741791 8 VICARY ROAD MAREEBA	
<b>CLIENT</b> DUSTY NUTS	




©


**NOTE:** (1). VERIFY ALL DIMENSIONS AND LEVELS BEFORE COMMENCING ANY WORK. (2). VERIFY ALL ON SITE DIMENSIONS BEFORE COMMENCING ANY FABRICATION. (3). FIGURED DIMENSIONS TO TAKE PRECEDENCE OVER SCALED MEASUREMENTS. (4). ALL WORK TO COMPLY WITH LOCAL AUTHORITY REQUIREMENTS, THE STANDARD BUILDING BY-LAWS, THE BUILDING CODE OF AUSTRALIA AND RELEVANT AUSTRALIAN STANDARDS. (5). SUBSTITUTION OF ANY STRUCTURAL MEMBERS, & OR VARIATIONS TO ANY PART OF THE DESIGN, **WILL VOID** ANY RESPONSIBILITIES OF THE BUILDING DESIGNER FOR THE STRUCTURAL INTEGRITY & PERFORMANCE OF THE BUILDING

Set ID: 4370119

in: 1, Version Date: 12/06/2024




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4

CERTIFIED AS  
STRUCTURALLY ADEQUATE

KFB Engineers

Civil & Structural

1/38-42 Pease St, Cairns | PO Box 927, Cairns Q 4870

F: 07 40320492 | F: 07 40320092 | E: email@kfbeng.com.au

Date: \_\_\_\_\_

Signed: \_\_\_\_\_

Job No: \_\_\_\_\_

RPEQ No: \_\_\_\_\_

DESIGN WIND SPEED - C2

SOIL CLASSIFICATION - M

A

18/04/23

CONSTRUCTION ISSUE

No.

DATE

DESCRIPTION

VARIATIONS INCLUDED IN THIS DRAWING

DRAWING TITLE

ELEVATIONS

SHEET NO. 04

PRINT TIME: 15/04/2024 3:41:24 PM

PRELIMINARY: 3/03/23

CONSTRUCTION: 18/04/23

A2

SCALE: 1:100 AT A2

ISSUE: A

DRAWN BY: MB

CONSTRUCTION ISSUE

SSHQ JOB No. DUS458

DRAWING No. 23032401

PROJECT

STAGE 2 WORKERS ACCOMMODATION

Lot 1 on RP741791

8 VICARY ROAD

MAREEBA

CLIENT

DUSTY NUTS

superiorsteel

homes

Qld

PO BOX 876

ATHERTON QLD 4883

33-35 ALBRECHT ST

TOLGA INDUSTRIAL ESTATE, QLD, 4882

PH: 07 4095 4008

FAX: 07 4095 4417

EMAIL: info@sshq.com.au

WEB: www.superiorsteelhomesnq.com.au

QBSA. 1097802



THIS DRAWING IS COPYRIGHT

©


**NOTE:** (1). VERIFY ALL DIMENSIONS AND LEVELS BEFORE COMMENCING ANY WORK. (2). VERIFY ALL ON SITE DIMENSIONS BEFORE COMMENCING ANY FABRICATION. (3). FIGURED DIMENSIONS TO TAKE PRECEDENCE OVER SCALED MEASUREMENTS. (4). ALL WORK TO COMPLY WITH LOCAL AUTHORITY REQUIREMENTS, THE STANDARD BUILDING BY-LAWS, THE BUILDING CODE OF AUSTRALIA AND RELEVANT AUSTRALIAN STANDARDS. (5). SUBSTITUTION OF ANY STRUCTURAL MEMBERS, & OR VARIATIONS TO ANY PART OF THE DESIGN, WILL VOID ANY RESPONSIBILITIES OF THE BUILDING DESIGNER FOR THE STRUCTURAL INTEGRITY & PERFORMANCE OF THE BUILDING

Document Set ID: 4370119  
Version: 1, Version Date: 12/06/2024





CERTIFIED AS  
STRUCTURALLY ADEQUATE

KFB Engineers

Civil & Structural

1/38-42 Pease St, Cairns | PO Box 927, Cairns Q 4870

F: 07 40320492 | F: 07 40320092 | E: email@kfbeng.com.au

Date: \_\_\_\_\_

Signed: \_\_\_\_\_

Job No: \_\_\_\_\_

RPEQ No: \_\_\_\_\_

DESIGN WIND SPEED - C2

SOIL CLASSIFICATION - M

A18/04/23CONSTRUCTION ISSUE

No. DATE DESCRIPTION

VARIATIONS INCLUDED IN THIS DRAWING

DRAWING TITLE

3D VIEWS

SHEET NO. 05

PRINT TIME: 15/04/2024 3:41:25 PM

PRELIMINARY: 3/03/23

CONSTRUCTION 18/04/23

A2

SCALE  
NTS AT A2

ISSUE: A

DRAWN BY: MB

CONSTRUCTION ISSUE

SSHQ JOB No. DUS458

DRAWING No. 23032401

PROJECT

STAGE 2 WORKERS ACCOMMODATION


Lot 1 on RP741791

8 VICARY ROAD

MAREEBA

CLENT

DUSTY NUTS



PO BOX 876

ATHERTON QLD 4883

33-35 ALBRECHT ST

TOLGA INDUSTRIAL ESTATE, QLD, 4882

PH: 07 4095 4008

FAX: 07 4095 4417

EMAIL: info@sshq.com.au

WEB: www.superiorsteelhomesnq.com.au

QBSA. 1097802

THIS DRAWING IS COPYRIGHT


©

**NOTE:** (1). VERIFY ALL DIMENSIONS AND LEVELS BEFORE COMMENCING ANY WORK. (2). VERIFY ALL ON SITE DIMENSIONS BEFORE COMMENCING ANY FABRICATION. (3). FIGURED DIMENSIONS TO TAKE PRECEDENCE OVER SCALED MEASUREMENTS. (4). ALL WORK TO COMPLY WITH LOCAL AUTHORITY REQUIREMENTS, THE STANDARD BUILDING BY-LAWS, THE BUILDING CODE OF AUSTRALIA AND RELEVANT AUSTRALIAN STANDARDS. (5). SUBSTITUTION OF ANY STRUCTURAL MEMBERS, & OR VARIATIONS TO ANY PART OF THE DESIGN, WILL VOID ANY RESPONSIBILITIES OF THE BUILDING DESIGNER FOR THE STRUCTURAL INTEGRITY & PERFORMANCE OF THE BUILDING

Document Set ID: 4370119

Version: 1, Version Date: 12/06/2024

Door Schedule				
Mark	Room	Height	Width	Type Comments
D01	BED 1	2040 mm	820 mm	DOOR LEAF SIZE
D02	BED 2	2040 mm	820 mm	DOOR LEAF SIZE
D03	BED 3	2040 mm	820 mm	DOOR LEAF SIZE
D04	BED 4	2040 mm	820 mm	DOOR LEAF SIZE
D05	BED 5	2040 mm	820 mm	DOOR LEAF SIZE
D06	BED 6	2040 mm	820 mm	DOOR LEAF SIZE
D07	BED 7	2040 mm	820 mm	DOOR LEAF SIZE
D08	BED 8	2040 mm	820 mm	DOOR LEAF SIZE
D09	BED 9	2040 mm	820 mm	DOOR LEAF SIZE
D10	BED 10	2040 mm	820 mm	DOOR LEAF SIZE
D11	BED 11	2040 mm	820 mm	DOOR LEAF SIZE
D12	PWD BED 12	2040 mm	920 mm	DOOR LEAF SIZE
D13	WC/SHWR	2040 mm	1240 mm	SQUARE SET OPENING
D14	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D15	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D16	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D17	WC/SHWR	2040 mm	1240 mm	OPENING SIZE
D18	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D19	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D20	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D21	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D22	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D23	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D24	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D25	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D26	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D27	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D28	WC/SHWR	2040 mm	820 mm	DOOR LEAF SIZE
D29	KITCHEN	2040 mm	1200 mm	OPENING SIZE
D30	KITCHEN	2040 mm	1200 mm	OPENING SIZE



Window Schedule				
Mark	Room	Height	Width	Head Height
W01	BED 1	1000 mm	1000 mm	2100 mm
W02	BED 2	1000 mm	1000 mm	2100 mm
W03	BED 3	1000 mm	1000 mm	2100 mm
W04	BED 4	1000 mm	1000 mm	2100 mm
W05	BED 5	1000 mm	1000 mm	2100 mm
W06	BED 6	1000 mm	1000 mm	2100 mm
W07	BED 7	1000 mm	1000 mm	2100 mm
W08	BED 8	1000 mm	1000 mm	2100 mm
W09	BED 9	1000 mm	1000 mm	2100 mm
W10	BED 10	1000 mm	1000 mm	2100 mm
W11	BED 11	1000 mm	1000 mm	2100 mm
W12	PWD BED 12	1000 mm	1000 mm	2100 mm



#### ELEVATION KEY

##### FLOOR AREAS LEGEND

OPEN AREA/KIT/L'DRY	251.83 m²
BED 1-3	27.36 m²
BED 4-6	27.36 m²
BED 7-9	27.36 m²
BED 10-12	27.36 m²
FEMALE WC/SHWR	15.30 m²
MALE WC/SHWR	15.30 m²
PWD BATHROOM	7.80 m²
	399.67 m²

#### CERTIFIED AS STRUCTURALLY ADEQUATE



Date: \_\_\_\_\_ Signed: \_\_\_\_\_  
Job No: \_\_\_\_\_ RPEQ No: \_\_\_\_\_

DESIGN WIND SPEED - C2 SOIL CLASSIFICATION - M

A	18/04/23	CONSTRUCTION ISSUE
No.	DATE	DESCRIPTION

#### VARIATIONS INCLUDED IN THIS DRAWING

#### DRAWING TITLE

### FLOOR PLAN

SHEET NO. 03 PRINT TIME: 16/04/2024 5:49:31 AM

PRELIMINARY: 3/03/23 CONSTRUCTION: 18/04/23

A2 SCALE: 1:100 AT A2 ISSUE: A  
DRAWN BY: MB

#### CONSTRUCTION ISSUE

SSHQ JOB No. DUS458 DRAWING No. 23032401

**PROJECT**  
STAGE 3 WORKERS ACCOMMODATION  
Lot 1 on RP741791  
8 VICARY ROAD  
MAREEBA


**CLIENT**  
DUSTY NUTS




PO BOX 876 QBSA. 1097802  
ATHERTON QLD 4883  
33-35 ALBRECHT ST  
TOLGA INDUSTRIAL ESTATE, QLD, 4882  
PH: 07 4095 4008  
FAX: 07 4095 4417  
EMAIL: info@sshq.com.au  
WEB: www.superiorsteelhomes.com.au

THIS DRAWING IS COPYRIGHT ©







ELEVATION 1





ELEVATION 2





ELEVATION 3




ELEVATION 4

<b>CERTIFIED AS STRUCTURALLY ADEQUATE</b>			
		<b>KFB Engineers</b> Civil & Structural	
1/38-42 Pease St, Cairns   PO Box 927, Cairns Q 4870 P: 07 40320492   F: 07 40320092   E: email@kfbeng.com.au			
Date:	_____	Signed:	_____
Job No:	_____	RPEQ No:	_____
DESIGN WIND SPEED -	<b>C2</b>	SOIL CLASSIFICATION -	<b>M</b>
A	18/04/23	CONSTRUCTION ISSUE	
No.	DATE	DESCRIPTION	
<b>VARIATIONS INCLUDED IN THIS DRAWING</b>			
<b>DRAWING TITLE</b>			
<b>ELEVATIONS</b>			
SHEET NO.	<b>04</b>	PRINT TIME:	16/04/2024 5:49:35 AM
PRELIMINARY:	<b>3/03/23</b>	CONSTRUCTION:	<b>18/04/23</b>
<b>A2</b>	SCALE:	ISSUE:	<b>A</b>
	<b>1:100 AT A2</b>	DRAWN BY:	<b>MB</b>
<b>CONSTRUCTION ISSUE</b>			
SSHQ JOB No.	<b>DUS458</b>	DRAWING No.	<b>23032401</b>
<b>PROJECT</b> STAGE 3 WORKERS ACCOMMODATION Lot 1 on RP741791 8 VICARY ROAD MAREEBA			
<b>CLIENT</b> DUSTY NUTS			
			
PO BOX 876 ATHERTON QLD 4883 33-35 ALBRECHT ST TOLGA INDUSTRIAL ESTATE, QLD, 4882 PH: 07 4095 4008 FAX: 07 4095 4417 EMAIL: info@sshq.com.au WEB: www.superiorsteelhomesnq.com.au			
<b>THIS DRAWING IS COPYRIGHT ©</b>			



CERTIFIED AS  
STRUCTURALLY ADEQUATE

KFB Engineers

Civil & Structural

1/38-42 Pease St, Cairns | PO Box 927, Cairns Q 4870

F: 07 40320492 | F: 07 40320092 | E: email@kfbeng.com.au

Date: \_\_\_\_\_

Signed: \_\_\_\_\_

Job No: \_\_\_\_\_

RPEQ No: \_\_\_\_\_

DESIGN WIND SPEED -

C2

SOIL CLASSIFICATION -

M

A

18/04/23

CONSTRUCTION ISSUE

No.

DATE

DESCRIPTION

VARIATIONS INCLUDED IN THIS DRAWING

DRAWING TITLE

3D VIEWS

SHEET NO.

05

PRINT TIME:

16/04/2024 5:49:37 AM

PRELIMINARY:

3/03/23

CONSTRUCTION:

18/04/23

A2

SCALE

NTS AT A2

ISSUE:

A

DRAWN BY:

MB

CONSTRUCTION ISSUE

SSHNQ JOB No.

DUS458

DRAWING No.

23032401

PROJECT

STAGE 3 WORKERS ACCOMMODATION


Lot 1 on RP741791

8 VICARY ROAD

MAREEBA

CLIENT

DUSTY NUTS



PO BOX 876

ATHERTON QLD 4883

33-35 ALBRECHT ST

TOLGA INDUSTRIAL ESTATE, QLD, 4882

PH: 07 4095 4008

FAX: 07 4095 4417

EMAIL: info@sshnq.com.au

WEB: www.superiorsteelhomesnq.com.au

QBSA. 1097802

THIS DRAWING IS COPYRIGHT

©

**NOTE:** (1). VERIFY ALL DIMENSIONS AND LEVELS BEFORE COMMENCING ANY WORK. (2). VERIFY ALL ON SITE DIMENSIONS BEFORE COMMENCING ANY FABRICATION. (3). FIGURED DIMENSIONS TO TAKE PRECEDENCE OVER SCALED MEASUREMENTS. (4). ALL WORK TO COMPLY WITH LOCAL AUTHORITY REQUIREMENTS, THE STANDARD BUILDING BY-LAWS, THE BUILDING CODE OF AUSTRALIA AND RELEVANT AUSTRALIAN STANDARDS. (5). SUBSTITUTION OF ANY STRUCTURAL MEMBERS, & OR VARIATIONS TO ANY PART OF THE DESIGN, WILL VOID ANY RESPONSIBILITIES OF THE BUILDING DESIGNER FOR THE STRUCTURAL INTEGRITY & PERFORMANCE OF THE BUILDING

Document Set ID: 4370119  
Version: 1, Version Date: 12/06/2024









# **DIRT PROFESSIONALS**

Email: dirtprofessionals@bigpond.com

MOBILE 0417 647 477

Dusty Nuts Pty Ltd  
dustynutspl@gmail.com

Tandel Investments Pty Ltd  
QBCC No. 1173606

17 October 2022

Site Assessment and Design  
8 Vicary Road  
Mareeba Qld

**Job No 24796**

## **INTRODUCTION**

This report presents the results of a site assessment performed at 8 Vicary Road, Mareeba. The assessment is required to determine the method of effluent disposal, as per AS/NZS 1547:2012 and the Queensland Plumbing and Wastewater Code for on-site sewerage facilities.

## **EXISTING CONDITIONS**

At the time of the assessment the allotment was located in an established rural subdivision consisting of approximately 9999m<sup>2</sup>. The allotment was grassed and flat with existing buildings. The proposed development will be constructed in 3 stages and will house a total of 72 persons. Stage 1 is to accommodate 24 persons and will be located approximately 9m from the Eastern boundary. Stage 2 will accommodate 24 persons and will be located to the South of Stage 1. Stage 3 will accommodate a further 24 persons and will be located South of stage 2.

The proposed wastewater area was grassed and flat. The proposed wastewater area is to be situated at the South end of the allotment. This will require pump wells to distribute the wastewater to the treatment area.

The wastewater will be separated into blackwater and greywater. The blackwater will total a maximum amount of 3600 litres per day and the greywater a total of 7200 litres per day. The blackwater and greywater will be distributed into separate beds located at the South end of the allotment.

## **FIELD WORK**

To investigate subsurface conditions test holes were excavated to a depth of 1.8 m. The holes were at the proposed wastewater area. A disturbed sample was taken for laboratory testing.

## **SOIL PROFILE**

The test holes indicate similar soil profiles. There is a layer of clay loams to the depth of the bore holes.



## **SOIL CATEGORY FOR DOMESTIC WASTEWATER**

The clay loams are regarded as being an imperfectly drained material with a weak structure. The indicative permeability is 0.12 - 0.5 m/d. The soil category on the basis of visual inspection of the materials and AS/NZS 1547:2012, should be classified as a **Soil Category 4**.

It is proposed that an Advanced Secondary Treatment Systems is to be used for the dispersal of the black and grey wastewater. There were no drains, gullies, creeks or bores located in the area. There was no water encountered at the depth of the bore holes.

A design loading rate of 20 mm/d should be used for the sizing of the wastewater area. This shall be designed by a qualified designer based on AS/NZS 1547:2012 and the soil assessment data in this report.

## **RECOMMENDATIONS**

**Care should be taken that the base of the systems are level and no greater than 800 mm below ground level. This can be obtained by orientating the systems to follow contours, ensuring even distribution of the wastewater and avoiding any one part of the systems being more heavily loaded.**

**During construction rip and scarify the base of the beds to a depth of 300 mm and apply gypsum at a rate of 1 kg/m<sup>2</sup> to prevent the clay dispersing. The beds shall be closed in, as soon as possible to protect the gypsum from raindrop impact.**

This company is not responsible for the building levels and falls to the wastewater system. These will need to be calculated prior to construction, to determine the building platform heights and allow for sufficient fall to the wastewater area. Consideration should be given as to how the plumber will run the pipes, as this will determine the platform height. If sufficient fall is not available to construct the system as designed, a pump well will need to be installed to distribute the wastewater.

There will be no ponding of water during seasonal rains around the septic tank, pump well and wastewater area. Diversion drains will need to be put in place to divert water from the wastewater area.

**The treatment system is to be installed as per the manufacturers specifications.**

## **VALIDITY**

The excavation of a limited number of holes does not preclude the possibility of some conditions on the site being different from those encountered in the holes. Should conditions be found which differ from those described in this report, then the recommendations are not valid and this organisation should be contacted.

Yours faithfully

Angelo Tudini  
Director

Tandel Investments Pty Ltd T/as **Dirt Professionals**

Attached: Site Plan and Site Photo

AES Design Calculator, AES Pipe Layout Details & AES, Cross-sectional Details

# **BORE HOLE LOGS**

## **TEST HOLE 1**

0.0 - 1.5 m      Clay Loams with some sands - Orange Brown

## **TEST HOLE 2**

0.0 - 1.8 m      Clay Loams with some sands - Orange Brown

## **TEST HOLE 3**


0.0 - 1.3 m      Clay Loams with some sands - Orange Brown



NOT TO SCALE

# SITE LOCALITY PLAN

SECTION OF 8 VICARY ROAD, MAREEBA



**DIRT PROFESSIONALS**

EMAIL: [dirtprofessionals@bigpond.com](mailto:dirtprofessionals@bigpond.com)

CHECKED BY: A. TUDINI

DATE: 25/01/2023

SIGNATURE: \_\_\_\_\_



# SITE LOCALITY PLAN

## STAGES 1 & 2 and STAGE 3 SYSTEMS DIMENSIONS

### GREYWATER STAGES 1 AND 2

OVERALL AES SYSTEM DIMENSIONS  
FOR THE PUMPED WASTEWATER SYSTEM  
MINIIMUM AES FOOTPRINT REQUIRED  
18.6 m LONG X 12.90 m WIDE = 240 m<sup>2</sup>

AES PIPE SYSTEM DIMENSIONS  
18.6 m LONG X 4.50 m WIDE  
9 X ROWS OF AES PIPES  
6 X FULL AES PIPE LENGTHS PER ROW

AES SYSTEM EXTENSION DIMENSIONS  
18.6 m LONG X 8.40 m WIDE

### BLACKWATER STAGES 1 AND 2

OVERALL AES SYSTEM DIMENSIONS  
FOR THE PUMPED WASTEWATER SYSTEM  
MINIIMUM AES FOOTPRINT REQUIRED  
15.6 m LONG X 7.69 m WIDE = 120.0 m<sup>2</sup>

AES PIPE SYSTEM DIMENSIONS  
15.6 m LONG X 3.15 m WIDE  
6 X ROWS OF AES PIPES  
5 X FULL AES PIPE LENGTHS PER ROW

AES SYSTEM EXTENSION DIMENSIONS  
15.6 m LONG X 4.54m WIDE

### GREYWATER STAGE 3

OVERALL AES SYSTEM DIMENSIONS  
FOR THE PUMPED WASTEWATER SYSTEM  
MINIIMUM AES FOOTPRINT REQUIRED  
18.6 m LONG X 6.45 m WIDE = 120 m<sup>2</sup>

AES PIPE SYSTEM DIMENSIONS  
18.6 m LONG X 2.70 m WIDE  
5 X ROWS OF AES PIPES  
6 X FULL AES PIPE LENGTHS PER ROW

AES SYSTEM EXTENSION DIMENSIONS  
18.6 m LONG X 3.75 m WIDE

### BLACKWATER STAGE 3

OVERALL AES SYSTEM DIMENSIONS  
FOR THE PUMPED WASTEWATER SYSTEM  
MINIIMUM AES FOOTPRINT REQUIRED  
15.6 m LONG X 3.85 m WIDE = 60.0 m<sup>2</sup>

AES PIPE SYSTEM DIMENSIONS  
15.6 m LONG X 1.80 m WIDE  
3 X ROWS OF AES PIPES  
5 X FULL AES PIPE LENGTHS PER ROW

AES SYSTEM EXTENSION DIMENSIONS  
15.6 m LONG X 2.05 m WIDE

CHECKED BY: A. TUDINI SIGNATURE:  DATE: 25/01/2023

**DIRT PROFESSIONALS**

**EMAIL: [dirtprofessionals@bigpond.com](mailto:dirtprofessionals@bigpond.com)**




# SITE LOCALITY PLAN

## SYSTEM INSTALLATION REQUIREMENTS AND NOTES

### MINIMUM SETBACK DISTANCES FOR AN ADVANCED SECONDARY TREATMENT SYSTEM

SITE FEATURE	UP SLOPE	DOWN SLOPE	LEVEL
BORE, WELL, DAM, WATERCOURSE, LAKE, BAY, ESTUARY, OPEN STORMWATER DRAINAGE CHANNEL OR DRAIN	10m	10 m	10 m
PROPERTY BOUNDARIES, PEDESTRIAN PATHS, WALKWAYS, RECREATION AREAS, RETAINING WALL AND FOOTINGS FOR BUILDINGS AND OTHER STRUCTURES	2 m	4 m	2 m
INGROUND SWIMMING POOLS	6 m	6 m	6 m


- THIS REPORT MUST BE READ IN ITS ENTIRETY PRIOR TO THE CONSTRUCTION OF THE WASTEWATER AREA.
  - SUFFICIENT FALL TO THE WASTEWATER AREA MUST BE CALCULATED PRIOR TO CONSTRUCTION.
  - CARE SHOULD BE TAKEN THAT THE BASE OF THE SYSTEM IS LEVEL AND NO GREATER THAN 800 mm BELOW THE EXISTING GROUND LEVEL.
  - BEDS MUST BE BUILT ALONG THE CONTOURS TO ENSURE EVEN DISTRIBUTION AND AVOID ANY ONE PART OF THE BED BEING MORE HEAVILY LOADED.
  - DURING CONSTRUCTION RIP AND SCARIFY THE BED TO A DEPTH OF 300 mm AND APPLY GYPSUM AT 1 kg/m<sup>2</sup> TO THE BASE OF THE BED TO PREVENT THE CLAY DISPERSING.
  - DIVERSION DRAINS WILL NEED TO BE PUT IN PLACE TO DIVERT WATER AWAY FROM THE WASTEWATER AREA.
  - THE WASTEWATER SYSTEM MUST BE INSTALLED AS PER THE MANUFACTURERS SPECIFICATIONS.
- 
- THE LIMITED SPACE ON THIS SITE DOES NOT ALLOW FOR AN ALLOCATED RESERVE AREA. IN THE EVENT OF A SYSTEM FAILURE, THE AES SYSTEM WILL NEED TO BE REJUVINATED OR REPLACED
  - FINAL PLACEMENT OF THE SEPTIC TANKS AND PUMP WELLS WILL BE AT THE DISCRETION OF THE PLUMBER.
  - WE RECOMMEND THE SEPTIC TANKS BE DESLUDGED ANNUALLY.

CHECKED BY: A. TUDINI SIGNATURE:  DATE: 25/01/2023

**DIRT PROFESSIONALS**

**EMAIL: [dirtprofessionals@bigpond.com](mailto:dirtprofessionals@bigpond.com)**







PROPERTY & OR BUILDING (class 1a or 1b)  
SUBJECT TO:  
A BUSH FIRE ATTACK LEVEL RATING  
REFER DRAWING SHEET WD-01B

**LOT 1 on RP741791**  
**9,999 sqm**

**PROPERTY**  
**BOUNDARIES PLAN**  
(1:4000 ON A3)



**SITE AERIAL VIEW EXTRACT FROM current "QLD GLOBE"**  
(approx. 1:2000 ON A3)

PROJECT:	DATE: AUGUST 2022	SHEET	ISSUE
8 VICARY ROAD	SCALE: AS SHOWN ON 'A3' SHEET	DRAWING TITLE:	
MAREEBA 4880			
( 1 RP741791 )			
-RURAL- PROPOSED FARM WORKERS ACCOMMODATION	JOB NO.	SHEET NO.	ISSUE
	0715	DA 01-A	E

phone: 0428 294 235 EDMONTON 4889, QUEENSLAND  
Building Design & Drafting  
GREGORY G TERZI  
Associate Architect  
-Building Designer- -Medium Rise- -QBCC LICENCE: 117048-

issue date:  
13/12/2022









# Advanced Enviro-Septic Owner's Manual

## **Head Office**

Chankar Environmental Pty Ltd  
62 Rene Street  
Noosaville QLD 4566

(07) 5474 4055  
[www.enviro-septic.com.au](http://www.enviro-septic.com.au)  
[info@enviro-septic.com.au](mailto:info@enviro-septic.com.au)



### Important Security instructions

---



It is extremely dangerous even potentially deadly to open a septic tank, pumping station or any enclosed space that is part of a wastewater treatment system. This work must be done by a person trained in enclosed space working and rescue procedures who has the necessary equipment.

The action of the bacteria on the organic matter present in the wastewater produces gases such as carbon gas (CO<sub>2</sub>), methane gas (CH<sub>4</sub>) and sulphuric hydrogen (H<sub>2</sub>S). The H<sub>2</sub>S present in the septic tank or a pumping station can cause the death of an individual in a matter of minutes. This is why this work must be left to competent personnel.

---



Pipes are buried near your septic installation. Please speak to your contractor or the technical service of Advanced Enviro-Septic™ in order to take all the necessary precautions prior to digging or undertaking excavation jobs near your septic system.

---



Please be sure that the covers of the septic tank, the pumping station, and the sampling device are always in place and that they remain accessible at all times for periodic inspections and interventions when necessary.

---

**Advanced Enviro-Septic™ U.S. Brevet nos. 6,461,078; 5,954,451; 6,290,429; 6,899,359; 6,792,977; 7,270,532 and 5,606,786. Other patent pending.**

**Enviro-Septic® is a trademark of Presby Environmental, Inc. Advanced Enviro-Septic™ is a trademark of Presby Environmental, Inc. Bio-Accelerator<sup>MC</sup> is a trademark of Presby Environmental, Inc.**



# User's Guide –Enviro-Septic System

---

## Table of Contents

---

Introduction	4
The purpose of this document	4
Designation of the Enviro-Septic System	4
Definition of the Enviro-Septic System	5
What to do if a problem occurs?	5
Customer service and Technical support information	5
Certified Contractor	6
Enviro-Septic System Capacity	6
Residential Wastewater	7
Warranty certificate	8
Functioning of the Enviro-Septic System	8
Treatment process of the Enviro-Septic system	8
Diagram of the Enviro-Septic chain of treatment	9
Diagram of the Enviro-Septic system	1
Enviro-Septic System Components	11
Operating the Enviro-Septic System	12
Initial Use	12
Intermittent Use or Prolonged Absences	12
Enviro-Septic System Operating Instructions	12
Wastewater Volume	12
In the bathroom	13
In the kitchen	13
For the laundry	13
Elsewhere in and around the house	13
Chemicals for septic installation	14
Ventilation	14
Heavy machinery and motorized vehicle traffic	14
Vegetation	14
Enviro-Septic System Maintenance	15
Distribution box and flow equalizer	15
Advanced Enviro-Septic System Pipe Rows	16
Elements of the Enviro-Septic System installed in the ground	17
Elements of the Enviro-Septic System appearing above ground	17
Embankment surface above the Enviro-Septic System	18
Owners Responsibilities	19
What to do if water level is high	20
Appendix A - Presby Twenty Year Limited Warranty	21
Appendix B – Information Specific to Your Treatment System	22
Appendix C – Register of the Septic Tank Maintenance	23

---

# User's Guide – Advanced Enviro-Septic

## Introduction

---

Thank you for choosing the Advanced Enviro-Septic System for your septic installation. This system was developed to efficiently treat domestic wastewater. Instructions must be followed in order to maintain its treatment performance so that you can make use of it for many years.

Carefully read through this entire document and retain it in your files for future reference.

---

### The purpose of this document

This user guide explains the proper use, procedures and inspections required in order to ensure the proper operation of your Advanced Enviro-Septic System for residential wastewater treatment.

It is the owner's responsibility to ensure that the system is used properly and according to its treatment capacity. It is also their responsibility to respect the rules and regulations in effect regarding associated council and government regulations.

---

### Designation of the Enviro-Septic System

**Name:** Advanced Enviro-Septic™ Wastewater System

**Application Domain:** Residential Wastewater (sewage).

**Class and treatment type:** The Enviro-Septic system meets all the performance criteria requirements of both the Australian standard AS/NZS 1546.3: 2008, and the Queensland Plumbing and Wastewater Code: 2011 (for both Secondary and Advanced Secondary treatment)

The system cannot be used to treat wastewater to make it consumable. It is made to treat residential wastewater to an acceptable level for it to be reintroduced into the environment.

---

# User's Guide –Enviro-Septic

---

## **Definition of the Advanced Enviro-Septic System**

The Enviro-Septic system is composed primarily of two inseparable components: the rows of Advanced Enviro-Septic™ pipe and a layer of system sand.

The Enviro-Septic system must be preceded by a septic tank and a wastewater distribution device. The treated water is drained directly into the soil beneath the treatment system through a soil absorption system.

---

## **What to do if a problem occurs?**

If in the course of normal use of your septic system you notice any of the following problems:

- presence of abnormal odours in the house, around the septic system or emanating from sources of drinking water,
- abnormally wet soil, presence of persistent puddles or odours in the area of the septic tank or the Enviro-Septic system,
- slow flushing toilets or other plumbing in the home,
- presence of abnormally abundant vegetation on the surface or around the septic tank or the Enviro-Septic system installation,
- flooding in the area where the Enviro-Septic system is installed,
- erosion of the land fill on or around the Enviro-Septic system,
- alarm from the pumping station if such a device is part of your installation...

...immediately contact your contractor.

## **Customer service and Technical support information**

Please do not hesitate to contact us if you need further information.

---

We can be contacted at the following coordinates:

Telephone: (07) 5474 4055

Fax: (07) 5335 1691

Email: [info@enviro-septic.com.au](mailto:info@enviro-septic.com.au)

Internet site: [www.enviro-septic.com.au](http://www.enviro-septic.com.au)

---

## User's Guide –Enviro-Septic

---

### **Certified Contractor**

The Enviro-Septic System must be installed by a licensed contractor. Certified by Chankar Environmental. Certification is obtained by attending the online "Enviro-Septic Contractor Certification Course". The Advanced Enviro-Septic™ customer service can provide the name of contractors having the proper certification to install Enviro-Septic Systems.

---

### **Enviro-Septic System Capacity**

The capacity of the Enviro-Septic System depends on two elements:

- The number of Enviro-Septic Pipes
- The capacity of the underlying soil to evacuate the treated water.

Tables 1 and 2 present the capacity of each system in relation with the number of pipe installed for a 1 to 6 bedroom residence or other building with a daily flow of 1800 L/d or less. The total volume of wastewater fed to the system must not be more then what is shown in the table.

The system may also be limited by the capacity of the underlying soil to permit the infiltration and evacuation of wastewater. This value should be evaluated by the designer mandated to create the plans and estimates for your septic installation. It is, therefore, important to verify with the designer if the capacity of the soil permits complete infiltration and evacuation of the maximum amount of water able to be treated by the pipes installed.

Number of Advanced Enviro-Septic Pipes (3.0 m each)	Total Length of Advanced Enviro-Septic Pipes (m)	Maximum Daily Flow (L/d)
4	12	360
5	15	450
6	18	540
7	21	630
8	24	720
9	27	810
10	30	900
11	33	990
12	36	1080
13	39	1170
14	42	1260
15	45	1350
16	48	1440
17	51	1530
18	54	1620
20	60	1800

Table 1  
Enviro-Septic hydraulic capacity based on the number of pipes installed

# User's Guide –Enviro-Septic System

Parameters  
Table 2

Testing Parameters	Advanced Enviro-Septic™ Test Results	Qld Secondary	Qld Advanced Secondary	EPA Tertiary	NSF-40 Class 1	BNQ Advanced
CBOD (mg/L)	< 2	20	10	10	< 25	<15
TSS (mg/L)	< 2	30	10	10	< 30	<15
Fecal Coliforms (CFU/100ml)	N/A ** Subsoil Installation	N/A ** Subsoil Installation	N/A ** Subsoil Installation	1000	N/A ** Subsoil Installation	50,000

**Residential Wastewater** Table 3 indicates the normal characteristics of raw domestic sewage.

Table 3

Parameter	Units	Raw Sewage	Septic Tank Effluent
TSS	mg/L	237-600	50-90
CBOD <sub>5</sub>	mg/L	210-530	140-200
Fecal Coliforms	CFU/100 ml	10 <sup>6</sup> -10 <sup>10</sup>	10 <sup>3</sup> -10 <sup>6</sup>

Source: Tchobanoglous and Burton (1991)

<sup>3</sup> The hydraulic capacities shown in table 1 are the same regulation for 1 to 6 bedroom isolated dwellings (clause 1.3). The difference between the minimum number of Enviro-Septic pipe for a similar daily flow between table 1 and 2 come after different security factors that are associated with 1 to 6 bedroom house vs other types of buildings.

## Warranty certificate

Advanced Enviro-Septic™ comes with a manufacturer's limited warranty. The warranty details are presented in Appendix A.

### Functioning of the Enviro-Septic System

#### **Treatment process of the Enviro-Septic system**

---

The Enviro-Septic system is a passive technology which facilitates the proliferation of the bacteria responsible for wastewater treatment. It is comprised mainly of two inseparable components: the rows of Advanced Enviro-Septic pipes and a layer of system sand.

The Enviro-Septic system must be preceded by a septic tank and a distribution box (or another method of distribution). It must also be installed over a polishing leaching field.

---

The rows of Advanced Enviro-Septic pipes and system sand permit the treatment and distribution of wastewater on the surface of the receiving soil (surface of the polishing leaching field).


The pipes support, first of all, the separation of particles through flotation and decantation. The water is then evacuated through perforations situated all around the pipes and through the pores of the two layers of synthetic media covering the pipes. These membranes facilitate the fixation of the microbial cultures which support wastewater treatment as well as longitudinal distribution.

The layer of sand continues the treatment process and helps in dispersing the water before it infiltrates into the natural soil. In this way, the Enviro-Septic system integrates both functions.

---



## Diagram of the Enviro-Septic system



**Fig. 4**

## Enviro-Septic System Components

---

Your septic installation includes several components. All of these components are parts of the chain of treatment of your installation. Table 4 presents the list of these elements. However it should be noted that some of these are only used when site conditions require them.

The table also presents a summary of inspections required for each component. More detailed information on this subject is presented in the sections that follow.

---

## User's Guide –Enviro-Septic

**Table 4 - Enviro-Septic System Components**

<b>Component of the septic system</b>	<b>Function</b>	<b>Follow-up needed</b>	<b>Frequency</b>	<b>Responsible for follow-up</b>
Septic tank	Primary wastewater treatment	Periodic emptying	According to standards and regulations in effect	Owner is responsible to have work done by qualified person
Septic Tank Effluent Filter <sup>4</sup>	Retention of solids in low pressure pumped applications.	According to manufacturer's instructions.		
Distribution systems if required for larger dual bed systems 3 options A) Gravity Dist box and flow equalizers B) Pressure distribution (feed) system C) Automatic distributing valve	Distributes the septic tank effluent to the rows of Advanced Enviro-Septic.	A) According to water level in the inspection port  B) According to the manufacturer's directions.  C) According to the manufacturer's directions.	A) As needed	A) Owner
Rows of Advanced Enviro-Septic Pipes.	Distribute and treat wastewater			
Sampling device	To verify the treatment performance of the Enviro-Septic System	Ensure that there is access to this device	Optional	Qualified person
Vent	To allow the circulation of air in the Enviro-Septic System	Ensure that the opening is not blocked	As needed	Owner
System sand	To complete the water treatment process and to improve the drainage	No		
Pumping station (optional)	Lift septic tank effluent to the Enviro-Septic System	According to supplier's specifications		

<sup>4</sup> The effluent filter is necessary whenever the septic tank is followed by a low pressure distribution system.

### Operating the Enviro-Septic System

---

#### Initial Use

At the time of installation the septic tank must be filled with clear water.

If a pumping station is used, the contractor will verify that it is functioning properly at the time of installation. The home owner must make sure that there is adequate electricity to safely operate the equipment as well as the alarm component.

The Enviro-Septic system is now ready for use.

---

#### Intermittent Use or Prolonged Absences

The Enviro-Septic system is a passive wastewater treatment system. When properly installed, it requires no particular attention for intermittent use or in the case of prolonged absence.

---

### Enviro-Septic System Operating Instructions

---

The use and the maintenance of an Enviro-Septic System are relatively simple. In general, respecting the following rules will allow you use of your installation without problems for years to come.

---

#### Wastewater Volume

Large quantities of water that leave the house and enter the Enviro-Septic System in a short period of time could have a negative impact on the effectiveness of the treatment and the infiltration of wastewater causing agitation in the septic tank. A quantity of sludge or scum is likely to be put into suspension and be brought towards the system and the infiltration bed.

You must ensure that the volume of wastewater entering the Enviro-Septic System is reasonable when compared to the total daily flow the system was designed for.

After the installation, if changes are made to the residence (ex. addition of a bedroom), please contact the designer of the Enviro-Septic System. Make sure that the septic system is inspected by a qualified person to determine that it has the necessary capacity to treat and infiltrate the new daily design flow of wastewater being generated.

# User's Guide –Enviro-Septic

---

## In the bathroom

### Do:

- immediately repair any leaking faucet or toilet,
- use a reasonable quantity of toilet paper.
- Minimise or avoid bleach, antiseptic disinfectants, and ammonia acids in the system

### Do not :

- use disinfectant in tablet (puck) form, whether it is placed in the basin or the tank,
  - throw cigarettes, cigarette butts or medication in the toilet,
  - throw paper towels, paper napkins or other personal hygiene products in the toilet.
- 

## In the kitchen

### Do:

- repair any leaking faucet,
- use dish soap or dishwasher soap that is low in phosphate (0 to 5%),
- use the necessary quantity of soap to do the work. Take note that the necessary quantity is often less than suggested by the manufacturer.
- use biodegradable soap, low-phosphorus or phosphorus free detergents.

### Do not :

- use a food waste disposal unit in your sink that is connected to your septic installation. If you do have a waste disposal unit, your septic tank may require more frequent pump out to remove sludge build up
  - dispose of vegetables, meats, fat, oil, coffee beans, citrus products or other products into the septic system.
- 

## For the laundry

### Do:

- use phosphate free detergent, preferably in liquid form. If it is not possible, use biodegradable powder detergent,
  - use the necessary quantity of soap to do the work. Take note that the necessary quantity is often less than that suggested by the manufacturer,
  - minimize the volume of water used for the laundry according to the quantity of clothing to wash,
  - if possible spread your loads of laundry throughout the week
  - prevent harsh chemicals or products entering the system (eg. paint, nappies)
- 

## Elsewhere in and around the house

### Do:

- divert drainage and rain water away from the surface of the Advanced Enviro-Septic System.
- All vents should be mosquito-proofed to prevent mosquitoes from breeding in the tank.
- Roof and surface water should be redirected away from absorption trenches.

### Do not :

- discharge water softener backwash into your septic system,
  - discharge any water from swimming pool filters, spas or other appliances that discharge chlorinated water into your septic system.
-

## User's Guide –Enviro-Septic

---

- let water from sump pumps, roof drains (gutters) and drainage pipes. pipes discharge into the septic system,
  - dispose of solvents, paints, antifreeze, engine oil or other chemicals in the septic installation. This includes water used to wash brushes or rollers that were used with latex paint (latex paint contains elements that are harmful to septic system),
  - dispose of animal litter in the septic installation.
- 

### **Chemicals for septic installation**

Your Enviro-Septic System does not require any starting chemical, cleaning or other additives. The bacteria that carry out the treatment are naturally present in raw domestic sewage. Any chemicals or additives added to the Enviro-Septic System could possibly kill these bacteria.

---

### **Ventilation**

It is very important to ensure that good ventilation occurs so that the septic system functions correctly. The vent(s) installed at the ends of the septic system encourage this air circulation. It is important to make sure that the opening is not blocked and that air can circulate freely at all times. Air enters through the vent, circulates through the rows of pipes and the septic tank and travels through the plumbing of the house to exit through the roof vent.

The owner must be sure to have a roof vent and to keep it clear at all times. When a pumping station is used, a bypass pipe or an extra vent must be used to ensure proper ventilation of the system.

---

### **Heavy machinery and motorized vehicle traffic**

No vehicles or heavy machinery must be driven on a septic system, whether it is before, during or after its construction. Heavy machinery or motorized vehicle traffic on the soil closes the natural pores of the soil which reduces its permeability and allows for pounding and the accumulation of water.

---

### **Vegetation**

The surface of the septic system must be planted with grass. The grass must be cut regularly in order to encourage growth without the use of fertilizers. Vegetation cover contributes to the elimination of nitrogen and phosphorus.

It is important not to plant trees or other plants with invasive roots within the proximity of the septic installation (minimum distance 3 meters).

---

### Enviro-Septic System Maintenance

---

#### **Septic Tank Maintenance**

The septic tank preceding the Enviro-Septic System must be pumped out regularly (every 3-5 years for normal residential use or sludge exceeds 2/3 of the tank). Verify the current regulation, or get in touch with relevant council or government authorities.

If the septic tank is not emptied regularly, an increasingly large amount of solids and grease in suspension will leave the septic tank and end up in the treatment system and in time the performance of the Enviro-Septic System may be affected.

At all times, a professional using the proper equipment must carry out the pumping out of a septic tank

The owner is responsible to ensure his septic tank is pumped out according to council regulations. This work should always be done by a qualified person since it can be very dangerous to open a septic system without first taking the necessary precautions.

Note: It is the home owner's responsibility to make sure that at all times the septic tank lids are in their proper position and securely fastened. A lid that is not installed correctly can be harmful to the operation of the Enviro-Septic System.

---

#### **Pre-filter (Septic tank effluent filter)**

Effluent filter equipment is not necessary at the exit of the septic tank<sup>5</sup>. It is mandatory when a low pressure distribution system is used between the septic tank and the Advanced Enviro-Septic pipes.

The effluent filter must be cleaned according to the maintenance and inspection procedures provided by the manufacturer.

---

---

<sup>5</sup> The effluent filter is necessary whenever the septic tank is followed by a low pressure distribution system.

## User's Guide –Enviro-Septic

---

### **Advanced Enviro-Septic Pipe Rows**

Under normal use, the rows of Advanced Enviro-Septic pipe do not require maintenance. It is normal to find fluctuation of the water level in the pipes. If the water level reaches 260 mm, a rejuvenation of the Enviro-Septic System must be considered. A qualified person<sup>6</sup> must carry out this procedure.

---

<sup>6</sup> There may be costs related to this operation, if the problem is due to improper use of the system or due to a design or installation problem.

---

## User's Guide –Enviro-Septic

---

<b>Vent</b>	<p>The owner must however ensure that nothing prevents the circulation of air.</p> <p>There must also be a difference of at least 3 meters, at all times, between the entry vent situated at the extremity of the Enviro-Septic system and the exit vent usually located on the roof.</p>
<b>System Sand</b>	<p>There is no maintenance to be done on the system sand during normal use of the Enviro-Septic System.</p>
<b>Pumping station or low pressure distribution system</b>	<p>In certain cases, the site constraints require the use of a pumping station or a low-pressure distribution system to evenly distribute the water. The owner is then responsible to comply with the manufacturer's scheduled maintenance requirements of this equipment.</p>
<b>Embankment surface above the Enviro-Septic System</b>	<p>The surface located above the Enviro-Septic system must be covered with herbaceous vegetation. A slight slope must be given to the surface in order to help the drainage of rainwater towards the outside of the system. The grass must also be cut regularly. Finally, any depression that could be created with time must be filled in order to avoid any accumulation of water above the system and to prevent erosion.</p>



## Owner's Responsibilities

---

### Owner's Responsibilities

The owner is responsible for:

- using the Enviro-Septic System according to the instructions presented in the user guide.
  - pumping out the septic tank according to the regulations in effect.
  - maintaining the effluent filter (if present), the pumping station, the pressure distribution system or the automatic wastewater distributing valve according to manufacturer's specifications and recording the information if this equipment is part of the system.
  - ensuring that the vent openings are clear of any obstacle.
  - providing access at all times to the Enviro-Septic system.
  - adhering to the requirements of the applicable rules and regulations, in particular with regards to the discharge standards of the system to the environment.
- 

### Qualified person

The qualified person that performs the maintenance or the inspection of an Enviro-Septic System is a person who was trained and certified by Chankar Environmental or has certification from Presby Environmental to perform the tasks associated with the Enviro-Septic system. Chankar Environmental trains these people to carry out the inspections of the system, perform adjustments to the equalizers and/or carry out the rejuvenating procedure.

To obtain the name of a qualified person in your area, contact our customer service department on (07) 474 4055).

For maintenance on the pumping station and the low pressure distribution system, the owner must refer to the user guide specified by the manufacturer of these systems.

The pumping out of the septic tank must be performed by a company specializing in that field. Check with your council for the companies in your area that are qualified to do this work.

---

## Appendix A- Presby Twenty Year Limited Warranty



**PRESBY ENVIRONMENTAL, INC.**  
*INNOVATIVE SEPTIC TECHNOLOGIES*

---

This Twenty Year Limited Manufacturer's Warranty is provided by the Manufacturer, Presby Environmental, Inc., a New Hampshire corporation having a mailing address of 143 Airport Rd., Whitefield, New Hampshire, 03598 (hereinafter called "Presby"). This Warranty applies only to Presby Products sold by or through its duly authorized distributor Chankar Environmental an Australian corporation having a mailing address of Unit 6-62 Rene St, Noosaville, Qld 4566 (hereinafter called the "Distributor"). "Presby Products" means Presby's Enviro-Septic® leaching systems and Presby Maze® with the required accessories (couplings, offset adaptor).

**Warranty:** Presby warrants that Presby Products are free from defect for twenty years from the date of installation but in no event more than twenty-one years from the date of manufacture. Product Defects means defects or damage to the Products caused by or occurring during the manufacturing process. This Warranty does not cover or apply to damages to the Products caused by or resulting from transit or from accident, misuse, abuse, neglect, storage, installation, repair, maintenance or from use other than normal and ordinary use of the Products. This Warranty does not apply to damages to the Products caused by or resulting from failure to install or use the Products in accordance with distributor's instructions which have been approved by Presby or failure to properly inspect and maintain the Products.

**Warranty Registration, Claim Process and Remedy:** Any claim under the Warranty must be in writing and received by the distributor within thirty days of the date when the facts giving rise to such claim under this Warranty become known or are otherwise discovered. The distributor must be provided with an opportunity to inspect the Products as installed. Failure to comply with these requirements renders the Warranty null and void. If, during the Warranty period, the distributor and Presby find and determine that defects in Products exist, then the distributor and Presby's sole and exclusive obligation is to either repair the Products or provide replacement Products. The distributor and Presby, in their discretion, shall determine whether to repair the Products or provide replacement Products. The distributor and Presby shall have no obligation to remove any defective Products or to install any replacement Products. The distributor and Presby shall not be liable or responsible for any other damages or claims arising from or relating to defective Products, including but not limited to claims for general, consequential, or incidental damages, lost profits, or attorney fees.

**Disclaimer:** The distributor and Presby otherwise make no express warranty concerning the Products and the distributor and Presby disclaims any and all warranties, express or implied. Except as stated herein, there are no warranties express or implied, and the distributor and Presby do not warrant that the goods are merchantable or fit for any particular purpose. Any claim or controversy relating to this Warranty, or to matters of place of contracting, interpretation, performance or breach thereof, shall be brought in and adjudged in accordance with the applicable laws of state of New Hampshire.

## Appendix B - Information Specific to Your Treatment System

### Information on your Enviro- Septic System

Installation date: \_\_\_\_\_

Contractor /Engineer: \_\_\_\_\_

Contractor: \_\_\_\_\_

Plumbing inspector: \_\_\_\_\_

Number of rows of pipes: \_\_\_\_\_

Hydraulic capacity (L/d): \_\_\_\_\_

Number of 3m pipes per row: \_\_\_\_\_

Water Distribution

- Distribution box ☐
- Wastewater distributing valve ☐

Septic tank capacity: \_\_\_\_\_

### Notes

---

---

---

---

---

---

---

---

# DA Form 1 – Development application details

Approved form (version 1.4 effective 15 December 2023) made under section 282 of the Planning Act 2016.

This form **must** be used to make a development application **involving code assessment or impact assessment**, except when applying for development involving only building work.

For a development application involving **building work only**, use *DA Form 2 – Building work details*.

For a development application involving **building work associated with any other type of assessable development (i.e. material change of use, operational work or reconfiguring a lot)**, use this form (*DA Form 1*) and parts 4 to 6 of *DA Form 2 – Building work details*.

Unless stated otherwise, all parts of this form **must** be completed in full and all required supporting information **must** accompany the development application.

One or more additional pages may be attached as a schedule to this development application if there is insufficient space on the form to include all the necessary information.

This form and any other form relevant to the development application must be used to make a development application relating to strategic port land and Brisbane core port land under the *Transport Infrastructure Act 1994*, and airport land under the *Airport Assets (Restructuring and Disposal) Act 2008*. For the purpose of assessing a development application relating to strategic port land and Brisbane core port land, any reference to a planning scheme is taken to mean a land use plan for the strategic port land, Brisbane port land use plan for Brisbane core port land, or a land use plan for airport land.

**Note:** All terms used in this form have the meaning given under the Planning Act 2016, the Planning Regulation 2017, or the Development Assessment Rules (DA Rules).

## PART 1 – APPLICANT DETAILS

1) Applicant details	
Applicant name(s) (individual or company full name)	Dusty Nuts Pty Ltd
Contact name (only applicable for companies)	
Postal address (P.O. Box or street address)	C/ Freshwater Planning Pty Ltd 17 Barronview Drive
Suburb	Freshwater
State	QLD
Postcode	4870
Country	Australia
Contact number	0402729004
Email address (non-mandatory)	FreshwaterPlanning@outlook.com
Mobile number (non-mandatory)	
Fax number (non-mandatory)	
Applicant's reference number(s) (if applicable)	F24/15

2) Owner's consent	
2.1) Is written consent of the owner required for this development application?	
<input type="checkbox"/> Yes – the written consent of the owner(s) is attached to this development application	
<input checked="" type="checkbox"/> No – proceed to 3)	



## PART 2 – LOCATION DETAILS

### 3) Location of the premises (complete 3.1) or 3.2), and 3.3) as applicable)

**Note:** Provide details below and attach a site plan for any or all premises part of the development application. For further information, see [DA Forms Guide: Relevant plans](#).

#### 3.1) Street address and lot on plan

- ☒ Street address **AND** lot on plan (all lots must be listed), **or**  
☐ Street address **AND** lot on plan for an adjoining or adjacent property of the premises (appropriate for development in water but adjoining or adjacent to land e.g. jetty, pontoon. All lots must be listed).

a)	Unit No.	Street No.	Street Name and Type	Suburb
		8	Vicary Road	Mareeba
	Postcode	Lot No.	Plan Type and Number (e.g. RP, SP)	Local Government Area(s)
	4880	1	RP741791	Mareeba Shire Council
b)	Unit No.	Street No.	Street Name and Type	Suburb
	Postcode	Lot No.	Plan Type and Number (e.g. RP, SP)	Local Government Area(s)

#### 3.2) Coordinates of premises (appropriate for development in remote areas, over part of a lot or in water not adjoining or adjacent to land e.g. channel dredging in Moreton Bay)

**Note:** Place each set of coordinates in a separate row.

- ☐ Coordinates of premises by longitude and latitude

Longitude(s)	Latitude(s)	Datum	Local Government Area(s) (if applicable)
		<input type="checkbox"/> WGS84 <input type="checkbox"/> GDA94 <input type="checkbox"/> Other:	

- ☐ Coordinates of premises by easting and northing

Easting(s)	Northing(s)	Zone Ref.	Datum	Local Government Area(s) (if applicable)
		<input type="checkbox"/> 54 <input type="checkbox"/> 55 <input type="checkbox"/> 56	<input type="checkbox"/> WGS84 <input type="checkbox"/> GDA94 <input type="checkbox"/> Other:	

#### 3.3) Additional premises

- ☐ Additional premises are relevant to this development application and the details of these premises have been attached in a schedule to this development application  
☒ Not required

### 4) Identify any of the following that apply to the premises and provide any relevant details

- ☐ In or adjacent to a water body or watercourse or in or above an aquifer

Name of water body, watercourse or aquifer:

- ☐ On strategic port land under the *Transport Infrastructure Act 1994*

Lot on plan description of strategic port land:

Name of port authority for the lot:

- ☐ In a tidal area

Name of local government for the tidal area (if applicable):

Name of port authority for tidal area (if applicable):

- ☐ On airport land under the *Airport Assets (Restructuring and Disposal) Act 2008*

Name of airport:

<input type="checkbox"/> Listed on the Environmental Management Register (EMR) under the <i>Environmental Protection Act 1994</i>
EMR site identification: <input type="text"/>
<input type="checkbox"/> Listed on the Contaminated Land Register (CLR) under the <i>Environmental Protection Act 1994</i>
CLR site identification: <input type="text"/>

**5) Are there any existing easements over the premises?**

*Note: Easement uses vary throughout Queensland and are to be identified correctly and accurately. For further information on easements and how they may affect the proposed development, see [DA Forms Guide](#).*

- ☐ Yes – All easement locations, types and dimensions are included in plans submitted with this development application
- ☒ No

## PART 3 – DEVELOPMENT DETAILS

### Section 1 – Aspects of development

**6.1) Provide details about the first development aspect**

a) What is the type of development? *(tick only one box)*

- ☒ Material change of use    ☐ Reconfiguring a lot    ☐ Operational work    ☐ Building work

b) What is the approval type? *(tick only one box)*

- ☒ Development permit    ☐ Preliminary approval    ☐ Preliminary approval that includes a variation approval

c) What is the level of assessment?

- ☐ Code assessment    ☒ Impact assessment *(requires public notification)*

d) Provide a brief description of the proposal *(e.g. 6 unit apartment building defined as multi-unit dwelling, reconfiguration of 1 lot into 3 lots):*

Non-Resident Workforce Accommodation

e) Relevant plans

**Note:** *Relevant plans are required to be submitted for all aspects of this development application. For further information, see [DA Forms guide: Relevant plans](#).*

- ☒ Relevant plans of the proposed development are attached to the development application

**6.2) Provide details about the second development aspect**

a) What is the type of development? *(tick only one box)*

- ☐ Material change of use    ☐ Reconfiguring a lot    ☐ Operational work    ☐ Building work

b) What is the approval type? *(tick only one box)*

- ☐ Development permit    ☐ Preliminary approval    ☐ Preliminary approval that includes a variation approval

c) What is the level of assessment?

- ☐ Code assessment    ☐ Impact assessment *(requires public notification)*

d) Provide a brief description of the proposal *(e.g. 6 unit apartment building defined as multi-unit dwelling, reconfiguration of 1 lot into 3 lots):*

e) Relevant plans

**Note:** *Relevant plans are required to be submitted for all aspects of this development application. For further information, see [DA Forms Guide: Relevant plans](#).*

- ☐ Relevant plans of the proposed development are attached to the development application

**6.3) Additional aspects of development**

- ☐ Additional aspects of development are relevant to this development application and the details for these aspects that would be required under Part 3 Section 1 of this form have been attached to this development application
- ☒ Not required

## Section 2 – Further development details

7) Does the proposed development application involve any of the following?	
Material change of use	<input checked="" type="checkbox"/> Yes – complete division 1 if assessable against a local planning instrument
Reconfiguring a lot	<input type="checkbox"/> Yes – complete division 2
Operational work	<input type="checkbox"/> Yes – complete division 3
Building work	<input type="checkbox"/> Yes – complete DA Form 2 – Building work details

### Division 1 – Material change of use

**Note:** This division is only required to be completed if any part of the development application involves a material change of use assessable against a local planning instrument.

8.1) Describe the proposed material change of use			
Provide a general description of the proposed use	Provide the planning scheme definition (include each definition in a new row)	Number of dwelling units (if applicable)	Gross floor area (m <sup>2</sup> ) (if applicable)
Non-Resident Workforce Accommodation	Non-Resident Workforce Accommodation	48	
8.2) Does the proposed use involve the use of existing buildings on the premises?			
<input type="checkbox"/> Yes			
<input checked="" type="checkbox"/> No			

### Division 2 – Reconfiguring a lot

**Note:** This division is only required to be completed if any part of the development application involves reconfiguring a lot.

9.1) What is the total number of existing lots making up the premises?	
9.2) What is the nature of the lot reconfiguration? (tick all applicable boxes)	
<input type="checkbox"/> Subdivision (complete 10))	<input type="checkbox"/> Dividing land into parts by agreement (complete 11))
<input type="checkbox"/> Boundary realignment (complete 12))	<input type="checkbox"/> Creating or changing an easement giving access to a lot from a constructed road (complete 13))

10) Subdivision				
10.1) For this development, how many lots are being created and what is the intended use of those lots:				
Intended use of lots created	Residential	Commercial	Industrial	Other, please specify:
Number of lots created				
10.2) Will the subdivision be staged?				
<input type="checkbox"/> Yes – provide additional details below				
<input type="checkbox"/> No				
How many stages will the works include?				
What stage(s) will this development application apply to?				

11) Dividing land into parts by agreement – how many parts are being created and what is the intended use of the parts?				
Intended use of parts created	Residential	Commercial	Industrial	Other, please specify:
Number of parts created				

12) Boundary realignment			
12.1) What are the current and proposed areas for each lot comprising the premises?			
Current lot		Proposed lot	
Lot on plan description	Area (m <sup>2</sup> )	Lot on plan description	Area (m <sup>2</sup> )
12.2) What is the reason for the boundary realignment?			

13) What are the dimensions and nature of any existing easements being changed and/or any proposed easement? (attach schedule if there are more than two easements)				
Existing or proposed?	Width (m)	Length (m)	Purpose of the easement? (e.g. pedestrian access)	Identify the land/lot(s) benefitted by the easement

### Division 3 – Operational work

**Note:** This division is only required to be completed if any part of the development application involves operational work.

14.1) What is the nature of the operational work?	
<input type="checkbox"/> Road work <input type="checkbox"/> Drainage work <input type="checkbox"/> Landscaping <input type="checkbox"/> Other – please specify:	<input type="checkbox"/> Stormwater <input type="checkbox"/> Earthworks <input type="checkbox"/> Signage <input type="checkbox"/> Water infrastructure <input type="checkbox"/> Sewage infrastructure <input type="checkbox"/> Clearing vegetation
14.2) Is the operational work necessary to facilitate the creation of new lots? (e.g. subdivision)	
<input type="checkbox"/> Yes – specify number of new lots:	
<input type="checkbox"/> No	
14.3) What is the monetary value of the proposed operational work? (include GST, materials and labour)	
\$	

## PART 4 – ASSESSMENT MANAGER DETAILS

15) Identify the assessment manager(s) who will be assessing this development application
Mareeba Shire Council
16) Has the local government agreed to apply a superseded planning scheme for this development application?
<input type="checkbox"/> Yes – a copy of the decision notice is attached to this development application <input type="checkbox"/> The local government is taken to have agreed to the superseded planning scheme request – relevant documents attached <input checked="" type="checkbox"/> No



## PART 5 – REFERRAL DETAILS

17) Does this development application include any aspects that have any referral requirements?

**Note:** A development application will require referral if prescribed by the Planning Regulation 2017.

☒ No, there are no referral requirements relevant to any development aspects identified in this development application – proceed to Part 6

Matters requiring referral to the **Chief Executive of the Planning Act 2016:**

- ☐ Clearing native vegetation
- ☐ Contaminated land (*unexploded ordnance*)
- ☐ Environmentally relevant activities (ERA) (*only if the ERA has not been devolved to a local government*)
- ☐ Fisheries – aquaculture
- ☐ Fisheries – declared fish habitat area
- ☐ Fisheries – marine plants
- ☐ Fisheries – waterway barrier works
- ☐ Hazardous chemical facilities
- ☐ Heritage places – Queensland heritage place (*on or near a Queensland heritage place*)
- ☐ Infrastructure-related referrals – designated premises
- ☐ Infrastructure-related referrals – state transport infrastructure
- ☐ Infrastructure-related referrals – State transport corridor and future State transport corridor
- ☐ Infrastructure-related referrals – State-controlled transport tunnels and future state-controlled transport tunnels
- ☐ Infrastructure-related referrals – near a state-controlled road intersection
- ☐ Koala habitat in SEQ region – interfering with koala habitat in koala habitat areas outside koala priority areas
- ☐ Koala habitat in SEQ region – key resource areas
- ☐ Ports – Brisbane core port land – near a State transport corridor or future State transport corridor
- ☐ Ports – Brisbane core port land – environmentally relevant activity (ERA)
- ☐ Ports – Brisbane core port land – tidal works or work in a coastal management district
- ☐ Ports – Brisbane core port land – hazardous chemical facility
- ☐ Ports – Brisbane core port land – taking or interfering with water
- ☐ Ports – Brisbane core port land – referable dams
- ☐ Ports – Brisbane core port land – fisheries
- ☐ Ports – Land within Port of Brisbane's port limits (*below high-water mark*)
- ☐ SEQ development area
- ☐ SEQ regional landscape and rural production area or SEQ rural living area – tourist activity or sport and recreation activity
- ☐ SEQ regional landscape and rural production area or SEQ rural living area – community activity
- ☐ SEQ regional landscape and rural production area or SEQ rural living area – indoor recreation
- ☐ SEQ regional landscape and rural production area or SEQ rural living area – urban activity
- ☐ SEQ regional landscape and rural production area or SEQ rural living area – combined use
- ☐ SEQ northern inter-urban break – tourist activity or sport and recreation activity
- ☐ SEQ northern inter-urban break – community activity
- ☐ SEQ northern inter-urban break – indoor recreation
- ☐ SEQ northern inter-urban break – urban activity
- ☐ SEQ northern inter-urban break – combined use
- ☐ Tidal works or works in a coastal management district
- ☐ Reconfiguring a lot in a coastal management district or for a canal
- ☐ Erosion prone area in a coastal management district
- ☐ Urban design
- ☐ Water-related development – taking or interfering with water
- ☐ Water-related development – removing quarry material (*from a watercourse or lake*)
- ☐ Water-related development – referable dams
- ☐ Water-related development – levees (*category 3 levees only*)
- ☐ Wetland protection area

<b>Matters requiring referral to the local government:</b> <input type="checkbox"/> Airport land <input type="checkbox"/> Environmentally relevant activities (ERA) <i>(only if the ERA has been devolved to local government)</i> <input type="checkbox"/> Heritage places – Local heritage places
<b>Matters requiring referral to the Chief Executive of the distribution entity or transmission entity:</b> <input type="checkbox"/> Infrastructure-related referrals – Electricity infrastructure
<b>Matters requiring referral to:</b> <ul style="list-style-type: none"> <li>• The <b>Chief Executive of the holder of the licence</b>, if not an individual</li> <li>• The <b>holder of the licence</b>, if the holder of the licence is an individual</li> </ul> <input type="checkbox"/> Infrastructure-related referrals – Oil and gas infrastructure
<b>Matters requiring referral to the Brisbane City Council:</b> <input type="checkbox"/> Ports – Brisbane core port land
<b>Matters requiring referral to the Minister responsible for administering the Transport Infrastructure Act 1994:</b> <input type="checkbox"/> Ports – Brisbane core port land <i>(where inconsistent with the Brisbane port LUP for transport reasons)</i> <input type="checkbox"/> Ports – Strategic port land
<b>Matters requiring referral to the relevant port operator, if applicant is not port operator:</b> <input type="checkbox"/> Ports – Land within Port of Brisbane's port limits <i>(below high-water mark)</i>
<b>Matters requiring referral to the Chief Executive of the relevant port authority:</b> <input type="checkbox"/> Ports – Land within limits of another port <i>(below high-water mark)</i>
<b>Matters requiring referral to the Gold Coast Waterways Authority:</b> <input type="checkbox"/> Tidal works or work in a coastal management district <i>(in Gold Coast waters)</i>
<b>Matters requiring referral to the Queensland Fire and Emergency Service:</b> <input type="checkbox"/> Tidal works or work in a coastal management district <i>(involving a marina (more than six vessel berths))</i>

<b>18) Has any referral agency provided a referral response for this development application?</b>		
<input type="checkbox"/> Yes – referral response(s) received and listed below are attached to this development application <input checked="" type="checkbox"/> No		
Referral requirement	Referral agency	Date of referral response
Identify and describe any changes made to the proposed development application that was the subject of the referral response and this development application, or include details in a schedule to this development application <i>(if applicable)</i> .		

## PART 6 – INFORMATION REQUEST

<b>19) Information request under Part 3 of the DA Rules</b>
<input checked="" type="checkbox"/> I agree to receive an information request if determined necessary for this development application <input type="checkbox"/> I do not agree to accept an information request for this development application
<b>Note:</b> By not agreeing to accept an information request I, the applicant, acknowledge:
<ul style="list-style-type: none"> <li>• that this development application will be assessed and decided based on the information provided when making this development application and the assessment manager and any referral agencies relevant to the development application are not obligated under the DA Rules to accept any additional information provided by the applicant for the development application unless agreed to by the relevant parties</li> <li>• Part 3 of the DA Rules will still apply if the application is an application listed under section 11.3 of the DA Rules.</li> </ul>
Further advice about information requests is contained in the <a href="#">DA Forms Guide</a> .

## PART 7 – FURTHER DETAILS

20) Are there any associated development applications or current approvals? (e.g. a preliminary approval)

- ☒ Yes – provide details below or include details in a schedule to this development application  
☐ No

List of approval/development application references	Reference number	Date	Assessment manager
<input checked="" type="checkbox"/> Approval <input type="checkbox"/> Development application	MCU/23/0002	17 May, 2023	Mareeba Shire Council
<input type="checkbox"/> Approval <input type="checkbox"/> Development application			

21) Has the portable long service leave levy been paid? (only applicable to development applications involving building work or operational work)

- ☐ Yes – a copy of the receipted QLeave form is attached to this development application  
☐ No – I, the applicant will provide evidence that the portable long service leave levy has been paid before the assessment manager decides the development application. I acknowledge that the assessment manager may give a development approval only if I provide evidence that the portable long service leave levy has been paid  
☒ Not applicable (e.g. building and construction work is less than \$150,000 excluding GST)

Amount paid	Date paid (dd/mm/yy)	QLeave levy number (A, B or E)
\$		

22) Is this development application in response to a show cause notice or required as a result of an enforcement notice?

- ☐ Yes – show cause or enforcement notice is attached  
☒ No

23) Further legislative requirements

### **Environmentally relevant activities**

23.1) Is this development application also taken to be an application for an environmental authority for an **Environmentally Relevant Activity (ERA)** under section 115 of the *Environmental Protection Act 1994*?

- ☐ Yes – the required attachment (form ESR/2015/1791) for an application for an environmental authority accompanies this development application, and details are provided in the table below  
☒ No

**Note:** Application for an environmental authority can be found by searching “ESR/2015/1791” as a search term at [www.qld.gov.au](http://www.qld.gov.au). An ERA requires an environmental authority to operate. See [www.business.qld.gov.au](http://www.business.qld.gov.au) for further information.

Proposed ERA number:		Proposed ERA threshold:	
Proposed ERA name:			

- ☐ Multiple ERAs are applicable to this development application and the details have been attached in a schedule to this development application.

### **Hazardous chemical facilities**

23.2) Is this development application for a **hazardous chemical facility**?

- ☐ Yes – Form 69: Notification of a facility exceeding 10% of schedule 15 threshold is attached to this development application  
☒ No

**Note:** See [www.business.qld.gov.au](http://www.business.qld.gov.au) for further information about hazardous chemical notifications.

### **Clearing native vegetation**

23.3) Does this development application involve **clearing native vegetation** that requires written confirmation that the chief executive of the *Vegetation Management Act 1999* is satisfied the clearing is for a relevant purpose under section 22A of the *Vegetation Management Act 1999*?

☐ Yes – this development application includes written confirmation from the chief executive of the *Vegetation Management Act 1999* (s22A determination)

☒ No

**Note:** 1. Where a development application for operational work or material change of use requires a s22A determination and this is not included, the development application is prohibited development.  
2. See <https://www.qld.gov.au/environment/land/vegetation/applying> for further information on how to obtain a s22A determination.

### **Environmental offsets**

23.4) Is this development application taken to be a prescribed activity that may have a significant residual impact on a **prescribed environmental matter** under the *Environmental Offsets Act 2014*?

☐ Yes – I acknowledge that an environmental offset must be provided for any prescribed activity assessed as having a significant residual impact on a prescribed environmental matter

☒ No

**Note:** The environmental offset section of the Queensland Government's website can be accessed at [www.qld.gov.au](http://www.qld.gov.au) for further information on environmental offsets.

### **Koala habitat in SEQ Region**

23.5) Does this development application involve a material change of use, reconfiguring a lot or operational work which is assessable development under Schedule 10, Part 10 of the Planning Regulation 2017?

☐ Yes – the development application involves premises in the koala habitat area in the koala priority area

☐ Yes – the development application involves premises in the koala habitat area outside the koala priority area

☒ No

**Note:** If a koala habitat area determination has been obtained for this premises and is current over the land, it should be provided as part of this development application. See koala habitat area guidance materials at [www.des.qld.gov.au](http://www.des.qld.gov.au) for further information.

### **Water resources**

23.6) Does this development application involve **taking or interfering with underground water through an artesian or subartesian bore, taking or interfering with water in a watercourse, lake or spring, or taking overland flow water under the Water Act 2000**?

☐ Yes – the relevant template is completed and attached to this development application and I acknowledge that a relevant authorisation or licence under the *Water Act 2000* may be required prior to commencing development

☒ No

**Note:** Contact the Department of Natural Resources, Mines and Energy at [www.dnrme.qld.gov.au](http://www.dnrme.qld.gov.au) for further information.

DA templates are available from <https://planning.dsdmip.qld.gov.au/>. If the development application involves:

- Taking or interfering with underground water through an artesian or subartesian bore: complete DA Form 1 Template 1
- Taking or interfering with water in a watercourse, lake or spring: complete DA Form 1 Template 2
- Taking overland flow water: complete DA Form 1 Template 3.

### **Waterway barrier works**

23.7) Does this application involve **waterway barrier works**?

☐ Yes – the relevant template is completed and attached to this development application

☒ No

DA templates are available from <https://planning.dsdmip.qld.gov.au/>. For a development application involving waterway barrier works, complete DA Form 1 Template 4.

### **Marine activities**

23.8) Does this development application involve **aquaculture, works within a declared fish habitat area or removal, disturbance or destruction of marine plants**?

☐ Yes – an associated resource allocation authority is attached to this development application, if required under the *Fisheries Act 1994*

☒ No

**Note:** See guidance materials at [www.daf.qld.gov.au](http://www.daf.qld.gov.au) for further information.



### **Quarry materials from a watercourse or lake**

23.9) Does this development application involve the **removal of quarry materials from a watercourse or lake** under the *Water Act 2000*?

- ☐ Yes – I acknowledge that a quarry material allocation notice must be obtained prior to commencing development  
☒ No

**Note:** Contact the Department of Natural Resources, Mines and Energy at [www.dnrme.qld.gov.au](http://www.dnrme.qld.gov.au) and [www.business.qld.gov.au](http://www.business.qld.gov.au) for further information.

### **Quarry materials from land under tidal waters**

23.10) Does this development application involve the **removal of quarry materials from land under tidal water** under the *Coastal Protection and Management Act 1995*?

- ☐ Yes – I acknowledge that a quarry material allocation notice must be obtained prior to commencing development  
☒ No

**Note:** Contact the Department of Environment and Science at [www.des.qld.gov.au](http://www.des.qld.gov.au) for further information.

### **Referable dams**

23.11) Does this development application involve a **referable dam** required to be failure impact assessed under section 343 of the *Water Supply (Safety and Reliability) Act 2008* (the *Water Supply Act*)?

- ☐ Yes – the 'Notice Accepting a Failure Impact Assessment' from the chief executive administering the *Water Supply Act* is attached to this development application  
☒ No

**Note:** See guidance materials at [www.dnrme.qld.gov.au](http://www.dnrme.qld.gov.au) for further information.

### **Tidal work or development within a coastal management district**

23.12) Does this development application involve **tidal work or development in a coastal management district**?

- ☐ Yes – the following is included with this development application:
- ☐ Evidence the proposal meets the code for assessable development that is prescribed tidal work (*only required if application involves prescribed tidal work*)
  - ☐ A certificate of title
- ☒ No

**Note:** See guidance materials at [www.des.qld.gov.au](http://www.des.qld.gov.au) for further information.

### **Queensland and local heritage places**

23.13) Does this development application propose development on or adjoining a place entered in the **Queensland heritage register** or on a place entered in a local government's **Local Heritage Register**?

- ☐ Yes – details of the heritage place are provided in the table below  
☒ No

**Note:** See guidance materials at [www.des.qld.gov.au](http://www.des.qld.gov.au) for information requirements regarding development of Queensland heritage places.

Name of the heritage place:		Place ID:	
-----------------------------	--	-----------	--

### **Brothels**

23.14) Does this development application involve a **material change of use for a brothel**?

- ☐ Yes – this development application demonstrates how the proposal meets the code for a development application for a brothel under Schedule 3 of the *Prostitution Regulation 2014*  
☒ No

### **Decision under section 62 of the Transport Infrastructure Act 1994**

23.15) Does this development application involve new or changed access to a state-controlled road?

- ☐ Yes – this application will be taken to be an application for a decision under section 62 of the *Transport Infrastructure Act 1994* (subject to the conditions in section 75 of the *Transport Infrastructure Act 1994* being satisfied)  
☒ No

### Walkable neighbourhoods assessment benchmarks under Schedule 12A of the Planning Regulation

23.16) Does this development application involve reconfiguring a lot into 2 or more lots in certain residential zones (except rural residential zones), where at least one road is created or extended?

☐ Yes – Schedule 12A is applicable to the development application and the assessment benchmarks contained in schedule 12A have been considered

☒ No

**Note:** See guidance materials at [www.planning.dsdmip.qld.gov.au](http://www.planning.dsdmip.qld.gov.au) for further information.

## PART 8 – CHECKLIST AND APPLICANT DECLARATION

### 24) Development application checklist

I have identified the assessment manager in question 15 and all relevant referral requirement(s) in question 17

☒ Yes

**Note:** See the Planning Regulation 2017 for referral requirements

If building work is associated with the proposed development, Parts 4 to 6 of [DA Form 2 – Building work details](#) have been completed and attached to this development application

☐ Yes

☒ Not applicable

Supporting information addressing any applicable assessment benchmarks is with the development application

**Note:** This is a mandatory requirement and includes any relevant templates under question 23, a planning report and any technical reports required by the relevant categorising instruments (e.g. local government planning schemes, State Planning Policy, State Development Assessment Provisions). For further information, see [DA Forms Guide: Planning Report Template](#).

☒ Yes

Relevant plans of the development are attached to this development application

**Note:** Relevant plans are required to be submitted for all aspects of this development application. For further information, see [DA Forms Guide: Relevant plans](#).

☒ Yes

The portable long service leave levy for QLeave has been paid, or will be paid before a development permit is issued (see 21)

☐ Yes

☒ Not applicable

### 25) Applicant declaration

☒ By making this development application, I declare that all information in this development application is true and correct

☒ Where an email address is provided in Part 1 of this form, I consent to receive future electronic communications from the assessment manager and any referral agency for the development application where written information is required or permitted pursuant to sections 11 and 12 of the *Electronic Transactions Act 2001*

**Note:** It is unlawful to intentionally provide false or misleading information.

**Privacy** – Personal information collected in this form will be used by the assessment manager and/or chosen assessment manager, any relevant referral agency and/or building certifier (including any professional advisers which may be engaged by those entities) while processing, assessing and deciding the development application. All information relating to this development application may be available for inspection and purchase, and/or published on the assessment manager's and/or referral agency's website.

Personal information will not be disclosed for a purpose unrelated to the *Planning Act 2016*, Planning Regulation 2017 and the DA Rules except where:

- such disclosure is in accordance with the provisions about public access to documents contained in the *Planning Act 2016* and the Planning Regulation 2017, and the access rules made under the *Planning Act 2016* and Planning Regulation 2017; or
- required by other legislation (including the *Right to Information Act 2009*); or
- otherwise required by law.

This information may be stored in relevant databases. The information collected will be retained as required by the *Public Records Act 2002*.

PART 9 – FOR COMPLETION OF THE ASSESSMENT MANAGER – FOR OFFICE USE ONLY

Date received: Reference number(s):

Notification of engagement of alternative assessment manager	
Prescribed assessment manager	
Name of chosen assessment manager	
Date chosen assessment manager engaged	
Contact number of chosen assessment manager	
Relevant licence number(s) of chosen assessment manager	

QLeave notification and payment			
Note: For completion by assessment manager if applicable			
Description of the work			
QLeave project number			
Amount paid (\$)		Date paid (dd/mm/yy)	
Date receipted form sighted by assessment manager			
Name of officer who sighted the form			