

20 March 2025

Planning Officer: Carl Ewin
Direct Phone: 07 4086 4656
Our Reference: RAL/24/0009
Your Reference: F24/20

Wylandra Properties Pty Ltd
C/- Freshwater Planning Pty Ltd
17 Barron View Drive
FRESHWATER QLD 4870

Dear Applicants,

Decision Notice

Planning Act 2016

I refer to your application and advise that on 19 March 2025, Council decided to approve the application in full subject to conditions.

Details of the decision are as follows:

APPLICATION DETAILS

Application No: RAL/24/0009
Street Address: Ray Road, Mareeba
Real Property Description: Lot 224 on SP276715
Planning Scheme: Mareeba Shire Council Planning Scheme 2016

DECISION DETAILS

Type of Decision: Approval
Type of Approval: Development Permit for Reconfiguration of a Lot – Subdivision (1 into 14 Lots and Balance Area)
Date of Decision: 19 March 2025

CURRENCY PERIOD OF APPROVAL

The currency period for this development approval is **four (4) years** starting the day that this development approval takes effect. (Refer to Section 85 "Lapsing of approval at end of currency period" of the *Planning Act 2016*.)

INFRASTRUCTURE

Where conditions relate to the provision of infrastructure, these are non-trunk infrastructure conditions unless specifically nominated as a "**necessary infrastructure condition**" for the provision of trunk infrastructure as defined under Chapter 4 of the *Planning Act 2016*.

ASSESSMENT MANAGER CONDITIONS**(C) ASSESSMENT MANAGER'S CONDITIONS (COUNCIL)****(a) Development assessable against the Planning Scheme**

1. Development must be carried out generally in accordance with the approved plans and the facts and circumstances of the development as submitted with the application, and subject to any alterations:
 - found necessary by the Council's delegated officer at the time of examination of the engineering plans or during construction of the development because of particular engineering requirements; and
 - to ensure compliance with the following conditions of approval.
2. Timing of Effect
 - 2.1 The conditions of the development permit must be complied with to the satisfaction of Council's delegated officer prior to the endorsement of any plan of survey, or alternative documentation as approved by the Land Title Act, except where specified otherwise in these conditions of approval.
3. General
 - 3.1 The applicant/developer is responsible for the cost of necessary alterations to existing public utility mains, services or installations required by works in relation to the proposed development or any works required by condition(s) of this approval.
 - 3.2 All payments or bonds required to be made to the Council pursuant to any condition of this approval or the Adopted Infrastructure Charges Notice must be made prior to the endorsement of the plan of survey, or alternative documentation as approved by the Land Title Act and at the rate applicable at the time of payment.

-
- 3.3 The developer must relocate (in accordance with FNQROC standards) any services such as water, sewer, drainage, telecommunications and electricity that are not wholly located within the lots that are being created/serviced where required by the relevant authority, unless approved by Council's delegated officer.
- 3.4 Where utilities (such as sewers on non-standard alignments) traverse lots to service another lot, easements must be created in favour of Council for access and maintenance purposes. The developer is to pay all costs (including Council's legal expenses) to prepare and register the easement documents.
- 3.5 All works must be designed, constructed and carried out in accordance with FNQROC Development Manual requirements (as amended) and to the satisfaction of Council's delegated officer.
- 3.6 Charges
- All outstanding rates, charges, and expenses pertaining to the land are to be paid in full.
- 3.7 The north-east corner of Lot 175 must be truncated similar to all other corner allotments included in the development.
- 3.8 An easement in favour of Council is to be established over the detention basin required by Condition 4.2. The easement must specifically protect and preserve the detention basin as a strategic stormwater asset and must be established over any open earth drains, or flow paths constructed between the development and the detention basin as identified on any future operational works plan/s approved by Council "for construction". The easement area must also include practical access from a constructed road. The easement must state that Council is not responsible for the upkeep and maintenance of the detention basin. The extent of the easement must be approved by Council's delegated officer and is to extend 5 metres beyond the toe of any detention basin wall batter.

Council will agree to the extinguishment of the easement as future stages of the estate are developed and the detention basin is deemed to be no longer necessary.

4. Infrastructure Services and Standards

4.1 Stormwater Drainage

- (a) The applicant/developer must take all necessary steps to ensure a non-worsening effect on surrounding land as a consequence of the development.

-
- (b) Prior to works commencing the applicant must submit a Stormwater Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) that meets or exceeds the standards of design and construction set out in the Queensland Urban Drainage Manual (QUDM) and the FNQROC Development Manual to the satisfaction of Council's delegated officer.
 - (c) Prior to works commencing the applicant must submit a Stormwater Quality Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) that meets or exceeds the standards of design and construction set out in the Urban Stormwater Quality Planning Guideline and the Queensland Water Quality Guideline to the satisfaction of Council's delegated officer.
 - (d) The Stormwater Quality Management Plan must include an Erosion and Sediment Control Plan that meets or exceeds the Soil Erosion and Sedimentation Control Guidelines (Institute of Engineers Australia) to the satisfaction of Council's delegated officer.
 - (e) The applicant/developer must construct the stormwater drainage infrastructure in accordance with the approved Stormwater Management Plan and/or Stormwater Quality Management Plan and Report.
 - (f) Temporary drainage is to be provided and maintained during the construction phase of the development, discharged to a lawful point and not onto the construction site.
 - (g) All stormwater channels through private property must be registered, with the easement for drainage purposes in favour of Council. All documentation leading to the registration of the easement must be completed at no cost to Council.
 - (h) All stormwater drainage collected from the site must be discharged to an approved legal point of discharge.
 - (i) The applicant (at their cost) must video all stormwater lines and submit the video for inspection by Council's delegated officer prior to the development being taken "off maintenance" to ensure that no defects have occurred during the 12 month maintenance period.
 - (j) All drainage easements must be constructed to prevent erosion. Construction may be in the form of a concrete invert, with outlet protection.

4.2 Detention Basin

A detention basin, with a design capacity of no less than 3,500m³, must be constructed in the balance land generally in accordance with the position and orientation shown on *Plan 160-010-C126 Rev A Prepared by ERSCON Consulting Engineers, dated 14/02/2025*, submitted as part of Operational Works application OPW/25/0002.

The detention basin outlet/s must discharge to the balance land.

4.3 Earthworks

All earthworks must be carried out in accordance with the requirements of the FNQROC Development Manual (as amended) to the satisfaction of Council's delegated officer.

4.4 Roadworks – Internal

- (a) The subdivision internal roads must be designed and constructed in accordance with the relevant Road Hierarchy Classification contained in Table D1.1 of the FNQROC Development Manual, to the satisfaction of Council's delegated officer.
- (b) Individual property access must be designed in accordance with the requirements of FNQROC Development Manual. Appropriate distances are required from intersections and tangent points in accordance with AS2890.1.

The provision of layback/roll-over kerbing along the frontage of each allotment will satisfy this condition.

- (c) Temporary asphalt vehicle turnaround at the end of all partially constructed roads must be provided of a sufficient size to turnaround a refuse collection vehicle, either in a continuous forward movement or by a three-point turn.

4.5 Water Supply

- (a) A water service connection must be provided to each proposed lot in accordance with FNQROC Development Manual standards (as amended) to the satisfaction of Council's delegated officer.
- (b) Where the existing reticulated water supply does not currently service the site or is not at an adequate capacity, the developer is required to extend or upgrade the reticulated water supply infrastructure to connect the site to Council's existing infrastructure at a point that has sufficient capacity to service the development in accordance with FNQROC Development Manual standards (as amended).

4.6 Wastewater Disposal

At the time of construction of a new dwelling on each lot, any associated on-site effluent disposal system must be constructed in compliance with the latest version On-Site Domestic Wastewater Management Standard (ASNZ1547) to the satisfaction of the Council's delegated officer.

4.7 Electricity provision/supply

The applicant/developer must ensure that an appropriate level of electricity supply is provided to each allotment in accordance with FNQROC Development Manual standards (as amended) to the satisfaction of Council's delegated officer.

Written advice from an Electricity Service Provider is to be provided to Council indicating that an agreement has been made for the provision of power reticulation.

4.8 Telecommunications

The applicant/developer must enter into an agreement with a telecommunication carrier to provide telecommunication services to each allotment and arrange provision of necessary conduits and enveloping pipes.

4.9 Lighting

Prior to the issue of a development permit for Operational Works a Rate 2 lighting scheme is to be prepared by an Ergon Energy approved consultant and submitted to Council for approval. The Rate 2 lighting scheme is to be designed in accordance with the relevant Road Lighting Standard AS/NZS 1158 and the FNQROC Development Manual. The applicable lighting category is to be determined from the Road Hierarchy Table D1.1.

Plans for the development works required under Conditions 4.1 - 4.9 must be submitted to Council for approval as part of a subsequent application for operational works.

REFERRAL AGENCIES

The referral agencies applicable to this application are:

Table 1 – Reconfiguring a lot subject to an easement or near a substation site		
Development application for reconfiguring a lot that is assessable development under section 21, if— (a) all or part of the lot is subject to an easement— (i) for the benefit of a distribution entity, or transmission entity, under the Electricity Act; and (ii) for a transmission grid or supply network; or (b) part of the lot is within 100m of a substation site	Schedule 10, Part 9, Division 2, Table 1	Town Planning Ergon Energy PO Box 264 Fortitude Valley Qld 4006 townplanning@ergon.com.au Note: Referral agency may give advice only.

A copy of any referral agency conditions are attached.

APPROVED PLANS

The following plans are Approved plans for the development:

Plan/Document Number	Plan/Document Title	Prepared by	Dated
9406-LL1-Rev A	Development Plan	Twine Surveys Pty Ltd	7/06/2024

ADVISORY NOTES

The following notes are included for guidance and information purposes only and do not form part of the assessment manager conditions:

(D) ASSESSMENT MANAGER'S ADVICE

- (a) An Adopted Infrastructure Charges Notice has been issued with respect to the approved development. The Adopted Infrastructure Charges Notice details the type of infrastructure charge/s, the amount of the charge/s and when the charge/s are payable.
- (b) The Adopted Infrastructure Charges Notice does not include all charges or payments that are payable with respect to the approved development. A number of other charges or payments may be payable as conditions of approval. The applicable fee is set out in Council's Fees & Charges Schedule for each respective financial year.

(c) Easement Documents

Council has developed standard easement documentation to assist in the drafting of formal easement documents for Council easements. Please contact the Planning Section for more information regarding the drafting of easement documents for Council easements.

(d) Endorsement Fees

Council charges a fee for the endorsement of a Survey Plan, Community Management Statements, easement documents, and covenants. The fee is set out in Council's Fees & Charges Schedule applicable for each respective financial year.

(e) Compliance with applicable codes/policies

The development must be carried out to ensure compliance with the provisions of Council's Local Laws, Planning Scheme Policies, Planning Scheme and Planning Scheme Codes to the extent they have not been varied by a condition of this approval.

(f) Transportation of Soil

All soil transported to or from the site must be covered to prevent dust or spillage during transport. If soil is tracked or spilt onto the road pavements as a result of works on the subject site, it must be removed prior to the end of the working day and within four (4) hours of a request from a Council Officer.

(g) Environmental Protection and Biodiversity Conservation Act 1999

The applicant is advised that referral may be required under the *Environmental Protection and Biodiversity Conservation Act 1999* if the proposed activities are likely to have a significant impact on a matter of national environmental significance. Further information on these matters can be obtained from www.dcceew.gov.au.

(h) Cultural Heritage

In carrying out the activity the applicant must take all reasonable and practicable measures to ensure that no harm is done to Aboriginal cultural heritage (the "cultural heritage duty of care"). The applicant will comply with the cultural heritage duty of care if the applicant acts in accordance with gazetted cultural heritage duty of care guidelines. An assessment of the proposed activity against the duty of care guidelines will determine whether or to what extent Aboriginal cultural heritage may be harmed by the activity. Further information on cultural heritage, together with a copy of the duty of care guidelines and cultural heritage search forms, may be obtained from www.dsdsatsip.qld.gov.au.

(i) Electric Ants

Electric ants are designated as restricted biosecurity matter under the *Biosecurity Act 2014*.

Certain restrictions and obligations are placed on persons dealing with electric ant carriers within the electric ant restricted zone. Movement restrictions apply in accordance with Sections 74–77 of the *Biosecurity Regulation 2016*. Penalties may be imposed on movement of electric ant carriers and electric ants in contravention of the legislated restrictions. It is the responsibility of the applicant to check if the nominated property lies within a restricted zone.

All persons within and outside the electric ant biosecurity zone have an obligation (a **general biosecurity obligation**) to manage biosecurity risks and threats that are under their control, they know about, or they are expected to know about. Penalties may apply for failure to comply with a general biosecurity obligation.

For more information please visit the electric ant website at [Electric ants in Queensland | Business Queensland](#) or contact Biosecurity Queensland 13 25 23.

PROPERTY NOTES

Not Applicable.

FURTHER DEVELOPMENT PERMITS REQUIRED

- Development Permit for Operational Work

SUBMISSIONS

Not Applicable.

RIGHTS OF APPEAL

You are entitled to appeal against this decision. A copy of the relevant appeal provisions from the *Planning Act 2016* is attached.

During the appeal period, you as the applicant may suspend your appeal period and make written representations to council about the conditions contained within the development approval. If council agrees or agrees in part with the representations, a “negotiated decision notice” will be issued. Only one “negotiated decision notice” may be given. Taking this step will defer your appeal period, which will commence again from the start the day after you receive a “negotiated decision notice”.

OTHER DETAILS

If you wish to obtain more information about Council's decision, electronic copies are available on line at www.msc.qld.gov.au, or at Council Offices.

Yours faithfully





BRIAN MILLARD
COORDINATOR PLANNING & BUILDING

Enc: Approved Plans/Documents
 Referral Agency Response
 Appeal Rights
 Adopted Infrastructure Charge Notice


Copy: Town Planning – Ergon Energy, townplanning@ergon.com.au

Approved Plans/Documents






20/3/2025
B. Rich



20/3/2025
B. N. Q. 1



20/3/2025
B. n. [Signature]

Referral Agency Response



420 Flinders Street, Townsville QLD 4810
PO Box 1090, Townsville QLD 4810

ergon.com.au

17 July 2024

Chief Executive Officer
Mareeba Shire Council

Attention: Carl Ewin
Via email: info@msc.qld.gov.au

cc Wylandra Properties Pty Ltd
c/- Freshwater Planning Pty Ltd
Attention: Matt Andrejic

Dear Sir/Madam,

Ergon Advice Agency Response
Our Ref: ECM 20365875 - 20365877

This Referral Agency response is given under section 56 of the *Planning Act 2016*.

Response	
Outcome	Approved in full - subject to conditions
Date of response	17 July 2024
Referral assessment capacity	Advice
Matters referral assessment made against (S55(2))	The purpose of the <i>Electricity Act 1994</i> and <i>Electricity Safety Act 2002</i>
Reasons for decision (S56(7)(b))	<p>The works do not conflict with:</p> <ul style="list-style-type: none">the objectives set out within Part 2, Section 3 of the <i>Electricity Act 1994</i>the purpose of the <i>Electricity Safety Act 2002</i> as set out within Part 1 Division 2 Section 4 & 5. <p>The works do not adversely impact on the safe, efficient, and economically viable operation of the supply network,</p>
Development Details	
Applicant	Wylandra Properties Pty Ltd c/- Freshwater Planning Pty Ltd

Have you seen our fact sheets?

See the 'considerations when developing around electricity infrastructure' section of our website to www.ergon.com.au/referralagency

Assessment Manager	Mareeba Shire Council (<i>Carl Ewin</i>)
Council Application No.	RAL/24/2009
Street Address	Ray Road, Mareeba
Real Property Description	Lot 224 SP276715
Development Type	Reconfiguration of a Lot (Development Permit) – 1 lot into 14 lots.
Referral Trigger	<input checked="" type="checkbox"/> Schedule 10, Part 9, Division 2, Table 1, Item 1 (10.9.2.1.1) – Reconfiguring a lot subject to an easement for the benefit of a distribution entity under the Electricity Act for a supply network
Impacted Electrical Infrastructure	Easement A on RP851482 (O/H 132kV)

Ergon provides the following response to the application in accordance with Section 56(1) of the *Planning Act 2016*:

Component of Development	Advice Agency direction
ROL	<input checked="" type="checkbox"/> S56(1)(b)(i) – approval subject to stated development conditions

In accordance with Section S56(1)(b)(i) should the Assessment Manager decide to approve the proposed Change (other) application, as an Advice Agency, Ergon requires that the assessment manager impose the below conditions. These conditions have been imposed in response to the matters prescribed under Section 55 (2) of the *Planning Act 2016*.

Table 1			
Plans forming part of this Approval			
Title	Reference No.	Revision	Date
Development Plan Plan of Lots 172-177, 187-193, 215 & 500 and Easements AA & AB in Lot 500 Cancelling Lot 224 on SP276715	9406-LL1	A	07/06/2024

Table 2		
Condition	Timing	Purpose/Reason
1 Carry out the approved development generally in accordance with the	At all times	To ensure the development is carried out generally

Have you seen our fact sheets?

See the 'considerations when developing around electricity infrastructure' section of our website
www.ergon.com.au/referralagency

	<p>approved plans and documents outlined within table 1 of the approval and the following:</p> <ul style="list-style-type: none"> ▪ The specifications, facts and circumstances as set out in the development application submitted to Ergon; and ▪ Where a discrepancy or conflict exists between the written conditions of the approval and the approved plans, the requirements of the written conditions prevail 		in accordance with the plans of development submitted within the application
2	Any alterations to the plans and document(s) identified within Table 1 of this response are to be resubmitted to Ergon for comment	At all times	To ensure the development is carried out generally in accordance with the plans of development submitted within the application
4	No work are approved within Easement A on RP851482	At all times	To protect the rights of the easement Grantee and the infrastructure contained within.

General Advice:

- Compliance with the Electrical Safety Act 2002, including any Code of Practice under the Act and the Electrical safety Regulation 2013 including any safety exclusion zones defined in the Regulation is mandatory

Should any doubt exist in maintaining the prescribed clearance to the overhead conductors and electrical infrastructure then the applicant is obliged under the Act to seek advice from Ergon.

- Any costs incurred by Ergon as a result of the works on the easement are to be met by the property Developer / owner.


Have you seen our fact sheets?

See the 'considerations when developing around electricity infrastructure' section of our website www.ergon.com.au/referralagency

- This response does not constitute an approval to commence any works within the easement. Consent to commence works relevant to the conditions of the easement is required. All works on easement (including but not limited to earthworks, drainage and detention basins, road construction, underground and overhead services installation) require detailed submissions, assessment, and consent (or otherwise) by Ergon.
- All works proposed to be undertaken in close proximity to overhead or underground electrical lines are to be undertaken in accordance with Ergon's Works Practice Manual WP1323. This document refers to various standards, guidelines, calculations, legal requirements, technical details, and other information relevant to working near high voltage infrastructure. A copy of WP1323 can be found online via Ergon's document library ([Document library | Ergon](#)).

Should you require any further information on the above matter, please contact Tom Sexton on 0429 443 776 or via email at townplanning@ergon.com.au.

Yours faithfully,



Tom Sexton
Town Planner

Have you seen our fact sheets?

See the 'considerations when developing around electricity infrastructure' section of our website www.ergon.com.au/referralagency

Appeal Rights

PLANNING ACT 2016 & THE PLANNING REGULATION 2017

Chapter 6 Dispute resolution

Part 1 Appeal rights

229 Appeals to tribunal or P&E Court

(1) Schedule 1 of the *Planning Act 2016* states –

- (a) Matters that may be appealed to –
 - (i) either a tribunal or the P&E Court; or
 - (ii) only a tribunal; or
 - (iii) only the P&E Court; and
- (b) The person-
 - (i) who may appeal a matter (**the appellant**); and
 - (ii) who is a respondent in an appeal of the matter; and
 - (iii) who is a co-respondent in an appeal of the matter; and
 - (iv) who may elect to be a co-respondent in an appeal of the matter.

(Refer to Schedule 1 of the Planning Act 2016)

(2) An appellant may start an appeal within the appeal period.

(3) The **appeal period** is –

- (a) for an appeal by a building advisory agency – 10 business days after a decision notice for the decision is given to the agency; or
- (b) for an appeal against a deemed refusal – at any time after the deemed refusal happens; or
- (c) for an appeal against a decision of the Minister, under chapter 7, part 4, to register premises or to renew the registration of premises – 20 business days after a notice is published under section 269(3)(a) or (4); or
- (d) for an appeal against an infrastructure charges notice – 20 business days after the infrastructure charges notice is given to the person; or
- (e) for an appeal about a deemed approval of a development application for which a decision notice has not been given – 30 business days after the applicant gives the deemed approval notice to the assessment manager; or
- (f) for any other appeal – 20 business days after a notice of the decision for the matter, including an enforcement notice, is given to the person.

Note –

See the P&E Court Act for the court's power to extend the appeal period.

- (4) Each respondent and co-respondent for an appeal may be heard in the appeal.
- (5) If an appeal is only about a referral agency's response, the assessment manager may apply to the tribunal or P&E Court to withdraw from the appeal.
- (6) To remove any doubt. It is declared that an appeal against an infrastructure charges notice must not be about-

- (a) the adopted charge itself; or
- (b) for a decision about an offset or refund-
 - (i) the establishment cost of trunk infrastructure identified in a LGIP; or
 - (ii) the cost of infrastructure decided using the method included in the local government's charges resolution.

230 Notice of appeal

- (1) An appellant starts an appeal by lodging, with the registrar of the tribunal or P&E Court, a notice of appeal that-
 - (a) is in the approved form; and
 - (b) succinctly states the grounds of the appeal.
- (2) The notice of appeal must be accompanied by the required fee.
- (3) The appellant or, for an appeal to a tribunal, the registrar must, within the service period, give a copy of the notice of appeal to –
 - (a) the respondent for the appeal ; and
 - (b) each co-respondent for the appeal; and
 - (c) for an appeal about a development application under schedule 1, table 1, item 1 – each principal submitter for the development application; and
 - (d) for an appeal about a change application under schedule 1, table 1, item 2 – each principal submitter for the change application; and
 - (e) each person who may elect to become a co-respondent for the appeal, other than an eligible submitter who is not a principal submitter in an appeal under paragraph (c) or (d); and
 - (f) for an appeal to the P&E Court – the chief executive; and
 - (g) for an appeal to a tribunal under another Act – any other person who the registrar considers appropriate.
- (4) The *service period* is –
 - (a) if a submitter or advice agency started the appeal in the P&E Court – 2 business days after the appeal has started; or
 - (b) otherwise – 10 business days after the appeal is started.
- (5) A notice of appeal given to a person who may elect to be a co-respondent must state the effect of subsection (6).
- (6) A person elects to be a co-respondent by filing a notice of election, in the approved form, within 10 business days after the notice of appeal is given to the person.

231 Other appeals

- (1) Subject to this chapter, schedule 1 and the P&E Court Act, unless the Supreme Court decides a decision or other matter under this Act is affected by jurisdictional error, the decision or matter is non-appealable.
- (2) The *Judicial Review Act 1991*, part 5 applies to the decision or matter to the extent it is affected by jurisdictional error.
- (3) A person who, but for subsection (1) could have made an application under the *Judicial Review Act 1991* in relation to the decision or matter, may apply under part 4 of that Act for a statement of reasons in relation to the decision or matter.
- (4) In this section –
 - decision* includes-
 - (a) conduct engaged in for the purpose of making a decision; and

- (b) other conduct that relates to the making of a decision; and
- (c) the making of a decision or failure to make a decision; and
- (d) a purported decision ; and
- (e) a deemed refusal.

non-appealable, for a decision or matter, means the decision or matter-

- (a) is final and conclusive; and
- (b) may not be challenged, appealed against, reviewed, quashed, set aside or called into question in any other way under the Judicial Review Act 1991 or otherwise, whether by the Supreme Court, another court, a tribunal or another entity; and
- (c) is not subject to any declaratory, injunctive or other order of the Supreme Court, another court, a tribunal or another entity on any ground.

232 Rules of the P&E Court

- (1) A person who is appealing to the P&E Court must comply with the rules of the court that apply to the appeal.
- (2) However, the P&E Court may hear and decide an appeal even if the person has not complied with the rules of the P&E Court.