# **Assessment of application against relevant Development Codes**

# **APPLICATION DETAILS**

APPLICATION		PRE	MISES
FILE NO:	RAL/25/0006	ADDRESS:	186
			McGrath
			Road,
			Mareeba
APPLICANT:	A & A Cifuentes	RPD:	Lot 81 on
			SP179215
LODGED BY:	U&i Town Plan	AREA:	2.714 ha
DATE LODGED:	1 April 2025	OWNER:	A & A
			Cifuentes
TYPE OF APPROVAL:	Development Perm	it	
PROPOSED DEVELOPMENT:	Reconfiguring a Lot	- Subdivision	(1 into 2 lots)
PLANNING SCHEME:	Mareeba Shire Cou	ncil Planning S	Scheme 2016
ZONE:	Emerging Commun	ity zone	
LEVEL OF	Impact Assessment	:	
ASSESSMENT:	•		
SUBMISSIONS:	Nil		

# **Relevant Development Codes**

The following Development Codes are considered to be applicable to the assessment of the application:

- 6.2.4 Emerging community zone code
- 7.2.2 Mareeba local plan code
- 8.2.2 Airport environs overlay code
- 8.2.4 Environmental significance overlay code
- 8.2.6 Flood hazard overlay code
- 9.4.2 Landscaping code
- 9.4.3 Parking and access code
- 9.4.4 Reconfiguring a lot code
- 9.4.5 Works, services and infrastructure code

#### 6.2.4 Emerging community zone code

## 6.2.4.1 Application

- (1) This code applies to assessing development where:
  - (a) located in the Emerging community zone; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

# 6.2.4.2 Purpose

- (1) The purpose of the Emerging community zone code is to:
  - identify land that is suitable for urban purposes and protect land that may be suitable for urban development in the future
  - (b) manage the timely conversion of non-urban land to urban purposes.
  - (c) prevent or discourage development that is likely to compromise appropriate longer term land use.
- (2) Mareeba Shire Council's purpose of the Emerging community zone code is to provide for the sequenced release of land to meet community need and market demand for new urban development in designated urban growth areas.

Urban development may occur in the zone in accordance with an approved structure plan but the primary purpose of the zone and the code is to reserve land for future urban development, the majority of which is likely to occur beyond the life of the planning scheme.

Urban growth areas are identified within the towns of Kuranda and Mareeba. These areas are subject to Local plan codes which include further provisions.

- (3) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Land that has the potential for development for urban purposes although may contain pockets of land unsuitable for development due to scenic or environmental constraints is preserved until detailed planning studies have occurred;
  - (b) Interim development does not compromise the future development potential of the land for urban purposes;
  - (c) Development of land is based upon the provision of infrastructure, consideration of environmental constraints and desired settlement pattern for the area;
  - (d) Development is supported by necessary transport infrastructure which is designed to provide and promote safe and efficient public transport use, walking and cycling;
  - (e) Development is supported by an internal road network and does not compromise the safety or efficiency of State-controlled or Local government collector roads;
  - (f) Land is developed in an orderly sequence and, for all but minor proposals, in accordance with a structure planning process;
  - (g) Land is developed in a sustainable manner to reflect the desired land use pattern of the local government area by integrating development sites, community infrastructure, open space and important natural features:
  - (h) Non-residential development may be supported where such uses directly support the day to day needs of the immediate residential community or the precinct is identified for non-residential uses and is planned for as part of a structure plan;
  - (i) Significant historical, architectural, topographic, landscape, scenic, social, recreational and cultural features, as well as natural habitat areas, wildlife corridors, wetlands and waterway corridors are protected and enhanced as part of the development of the zone; and

(j) Roads and other transport corridors are coordinated and interconnected to ensure pedestrian, cyclists, public transport and private vehicles have accessibility between neighbourhoods, centres and other locations.

# 6.2.4.3 Criteria for assessment

Table 6.2.4.3—Emerging community zone code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development subject to requirements and assessable development					
Height					
PO1 Building height takes into consideration and respects the following:  (a) the height of existing buildings on adjoining premises;  (b) the development potential, with respect to height, on adjoining	where involving industrial activities, has a maximur building height of:  (a) 8.5 metres; and (b) 2 storeys above ground level.	al	Not applicable.  The application is for a 1 into 2 lot subdivision only.  No buildings or structures are being proposed by this application.		
premises; (c) the height of buildin the vicinity of the sit daylight for the site adjoining sites; (e) privacy and overlocand (f) site area and street frontage length.	has a maximum buildin height of 10 metres.		Industrial development is not proposed.		
Outbuildings and reside	ential scale				
PO2 Domestic outbuildings:  (a) do not dominate the on which they are located; and  (b) are in scale with the character and amenthe area.	outbuildings do not exceed  (a) 150m² in gross  floor area; and	n/a :	Not applicable.  A domestic outbuilding is not being proposed.		
	AO2.2 On lots greater than hectares, domesti outbuildings do no exceed 200m² in gros floor area.	c ot	Not applicable.  A domestic outbuilding is not being proposed.		

PO3 Development is sited in a manner that considers and respects:  (a) the siting and use of adjoining premises; (b) access to sunlight and daylight for the site and adjoining sites; (c) privacy and overlooking; (d) opportunities for casual surveillance of adjoining public spaces; (e) air circulation and access to natural breezes; (f) appearance of building bulk; and corridors.  AO3.2  AO3.2  AO3.2  AO3.2  AO3.2  AO3.2  Buildings and structures are setback from a site with an area of less than 2 hectares, the access to natural breezes; include a minimum setback of: (a) 6 metres from a frontage to a sealed road that is not a State-controlled road; (b) 20 metres from a frontage to any other road; and (c) 10 metres from a boundary to an adjoining lot.  The new boundary between proposed Lots and 2 is less than 10 metres from the sheed on proposed Lots and 2 is less than 10 metres from the sheed on proposed Lots and 2 is less than 10 metres from the sheed on proposed Lots and 2 is less than 10 metres from the sheed on proposed Lots and 2 is less than 10 metres from a frontage to any other road; and (c) 10 metres from a boundary to an adjoining lot.  The existing on a adjoining allotment and approximately metres are a minimum controlled road;  The proposed Lots and 2 is less than 10 metres from the sheed on proposed Lots and 2 is less than 10 metres from the sheed on proposed Lots and 2 is less than 10 metres from a frontage to any other road; and (c) 10 metres from a adjoining allotment and adjoining allotment and approximately metres from each other.  The development complies with PO3.	Performance outcomes	Acceptable outcomes	Complies	Comments		
Development is sited in a manner that considers and respects:  (a) the siting and use of adjoining premises; (b) access to sunlight and daylight for the site and adjoining sites; (c) privacy and overlooking; (d) opportunities for casual surveillance of adjoining public spaces; (e) air circulation and access to natural breezes; (f) appearance of building bulk; and corridors.  AO3.2  Buildings and structures are site is 2 hectares or larger.  Note—Where on a site with an area of less than 2 hectares, the clueensland Development Code apply.  AO3.2  Buildings and structures include a minimum setbacks of the Queensland Development Code apply.  AO3.2  Buildings and structures include a minimum setback of: (a) 6 metres from a frontage to a sealed road that is not a State-controlled road; (b) 20 metres from a frontage to any other road; and (c) 10 metres from a boundary to an adjoining lot.  The new boundary between proposed Lots and 2 is less than 10 metres from the shed on proposed Lot therefore noncompliant with AO3.2.(c).  The resisting and use of adjoining allotment and approximately 9 metres from a adjoining allotment and approximately 9 metres.  The development complies with PO3.	Siting, where not involving a Dwelling House					
Development is sited in a manner that considers and respects:  (a) the siting and use of adjoining premises; (b) access to sunlight and daylight for the site and adjoining sites; (c) privacy and overlooking; opportunities for casual surveillance of adjoining public spaces; (d) appearance of building bulk; and (g) relationship with road corridors.  Development considers and respect to a triangle of a sealed road that is not a State-controlled road; (b) 20 metres from a frontage to any other road; and (c) 10 metres from a boundary to an adjoining lot.  Development considers and structures are setback from a State controlled road a minimum of 40 metres where a site is 2 hectares of less than 2 hectares, the setbacks of the Queensland PPO3  AO3.2  Buildings and structures where a site with an area of less than 2 hectares, the setbacks of the Queensland PPO3  AO3.2  Buildings and structures are proposed.  No new building or structures are proposed.  Complies with PO3  Development code apply.  AO3.2  Buildings and structures in the setbacks of the Queensland PPO3  Development code apply.  AO3.2  Buildings and structures are proposed.  Complies with PO3  The new boundary between proposed Lots and 2 is less than 10 metres from a frontage to any other road; and (c) 10 metres from a boundary to an adjoining lot.  The existing dwelling on an adjoining allotment an approximately 9 metres from each other.  The development complies with pO3.	Note—Where for Dwelling house, the setback	ks of the Queensland Development Co	ode apply.			
public spaces; air circulation and access to natural breezes; (f) appearance of building bulk; and (g) relationship with road corridors.  Buildings and structures include a minimum setback of: (a) 6 metres from a frontage to a sealed road that is not a State-controlled road; (b) 20 metres from a frontage to any other road; and (c) 10 metres from a boundary to an adjoining lot.  Assessment in therefore necessary against PO3.  The existing dwelling on a adjoining allotment an approximately 9 metres from each other.  The development complies with PO3.	Development is sited in a manner that considers and espects:  a) the siting and use of adjoining premises;  b) access to sunlight and daylight for the site and adjoining sites;  c) privacy and overlooking;  d) opportunities for casual	Buildings and structures are setback from a State controlled road a minimum of 40 metres where a site is 2 hectares or larger.  Note—Where on a site with an area of less than 2 hectares, the setbacks of the Queensland	n/a	No new buildings or structures are		
	public spaces; e) air circulation and access to natural breezes; f) appearance of building bulk; and g) relationship with road	Buildings and structures include a minimum setback of:  (a) 6 metres from a frontage to a sealed road that is not a State-controlled road;  (b) 20 metres from a frontage to any other road; and  (c) 10 metres from a boundary to an		boundary between proposed Lots 1 and 2 is less than 10 metres from the shed on proposed Lot 1, therefore is noncompliant with AO3.2.(c).  Assessment is therefore necessary against PO3.  The existing dwelling house/s are a minimum of 40 metres from the nearest dwelling on an adjoining allotment and approximately 90 metres from each other.  The development complies with		
Accommodation density	Accommodation density					

Performance outcomes	Acceptable outcomes	Complies	Comments
PO4 The density of Accommodation activities does not preclude the future re-development of the land for urban purposes consistent with Structure Plans approved in accordance it PO7.	AO4  Development provides a minimum density for Accommodation activities of 1 dwelling or accommodation unit per 1,250m² site area.  Note—Calculation of Accommodation density excludes areas not developed as a result of provisions of an overlay.		The entirety of the site is within the Potential Flood Hazard area and is technically excluded from development.  The proposed density of 1 dwelling per lot complies, when the overlay impacted area is excluded.
PO5 Development where not involving urban purposes: (a) does not compromise the future development potential of the land for urban purposes; and (b) is compatible with residential uses.	AO5 Non-urban development is limited to Animal husbandry or Cropping.	n/a	No non-urban development is proposed.
PO6 Development involving urban purposes provides: (a) residential areas with a mix of lot sizes to allow for housing mix; and (b) industrial areas with a mix of industrial uses.	AO6 No acceptable outcome provided.	•	The development complies.
Structure planning			

	I		
PO7 Development occurs as outlined in a Structure Plan that:	AO7 No acceptable outcome provided.	•	Given the flood hazard constraints of the
(a) is prepared in			site and the
accordance with			surrounding
Planning Scheme Policy			properties, there
8 Structure Planning;			is very limited
(b) takes into consideration			prospects of any
land use need and the			structure planned
type, scale, density of			development
proposed urban			occurring in the
development;			future.
(c) includes a road network			
that:			This current
(i) is logically			subdivision is
designed;			only receiving a
(ii) can be delivered			positive recommendation
sequentially;			on the basis that
(iii) includes an urban			each lot will
morphology that is			contain an
consistent with the			existing dwelling
surrounding area;			house and there
(iv) provides pedestrian			is no increase in
links to centres and			dwellings within the flood hazard
open space;			area.
(d) locates any non- residential development:			a. 5a.
(i) on major roads;			
(ii) where not			
introducing non-			
residential traffic to			
residential streets;			
and			
(iii) to provide the day			
to day needs of the			
immediate			
residential			
community;			
(e) scales any non-			
residential development			
to:			
(i) be consistent with			
the scale of			
surrounding			
residential			
development;			
(ii) not undermine the			
viability of nearby			
centres or the			
centres network;			

and

Performance outcomes	Acceptable outcomes	Complies	Comments
(iii) not unduly detract from the amenity of nearby residences.			
Building design			
PO8 Development assists in the establishment of a consistent built character in the Emerging community zone, having regard to: (a) roof form and pitch; (b) eaves and awnings; (c) building materials, colours and textures; and (d) window and door size and location.	AO8 No acceptable outcome is provided.	•	Both proposed lots will contain an established dwelling house.
Amenity			
Po9 Development must not detract from the amenity of the local area, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO9 No acceptable outcome is provided.	•	Complies.  The proposed reconfiguration will not detract from the amenity of the local area.
PO10 Development must take into account and seek to ameliorate any existing negative environmental impacts, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.	AO10 No acceptable outcome is provided.	n/a	Not applicable.

## 7.2.2 Mareeba local plan code

## 7.2.2.1 Application

- (1) This code applies to assessing development where:
  - (a) located in the Mareeba local plan area; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

# 7.2.2.2 Purpose

- (1) The purpose of the Mareeba local plan code is to:
  - (a) facilitate the continued use of the historic stables area adjacent to the Mareeba Racecourse for residential horse keeping;
  - (b) facilitate the continued development of the Mareeba Airport;
  - (c) facilitate efficient development that accords with local lifestyle and amenity expectations;
  - (d) identify and direct urban growth opportunities;
  - (e) facilitate a more vibrant and integrated town centre;
  - (f) enhance accessibility to, and activation of, the Barron River and Centenary Lakes as important physical assets for Mareeba;
  - (g) enhance Mareeba's heritage and cultural elements; and
  - (h) facilitate the development of an appropriate site for special industry.
- (2) Ten precincts have been identified in the Mareeba local plan to achieve this purpose:
  - (a) The Town centre core precinct will be maintained as the retail and cultural heart of Mareeba. Development will be managed to increase the walkability of the precinct and better integrate the street and built environments. Character elements of the precinct will be maintained and new buildings or works to existing buildings will be respectful of character values.
  - (b) The Town centre fringe precinct consists of commercial and residential uses. The precinct will facilitate destination specific commercial development where it can be demonstrated that design measures can be incorporated to adequately mitigate any impacts upon residential amenity. The precinct will not detract from the role of the Town centre core precinct as the town's primary retail and commercial precinct.
  - (c) The Mareeba Airport precinct includes the existing airport facilities and an area on the south west side of the runway that is intended to be development for aviation based industry. The precinct will facilitate the continuing development of the Mareeba Airport, for passenger and freight movements, and other activities associated with the airport's primary function including industry, where it is demonstrated that these uses do not compromise efficient aircraft operation.
  - (d) The Mareeba northern investigation precinct is intended to support long term future urban development beyond the life of the planning scheme. Development in this precinct (particularly subdivision) is limited so that the future urban intent is not compromised.
  - (e) The Mareeba north-eastern expansion precinct, the Mareeba south-eastern expansion precinct and the Mareeba south-western expansion precinct are intended for urban residential development. These precincts are constrained by a range of important features including slopes, gullies, watercourses, open space and riparian linkages and the Mareeba Bypass. Development in these precincts preserves and enhances these features while supporting the development of a walkable and well connected transport network. Development in the Mareeba north-eastern expansion

- precinct supports the construction of a new bridge over the Barron River connecting Hastie Road with Lloyd Street to enable greater access to the town centre while small scale local centres are encouraged in the Mareeba south-western expansion precinct.
- (f) The Stable precinct defines an established area of residential properties incorporating horse stables adjoining the Mareeba Racecourse. The precinct is intended to protect the ongoing use of the stables on these properties, in association with residential uses.
- (g) The Industrial park precinct provides for the expansion, establishment and operation of General industry and Heavy industry uses within this precinct, where they are appropriately separated from incompatible uses.
- (h) The Noxious and hazardous industry precinct provides for the expansion, establishment and relatively unconstrained operation of Special industry in the precinct where the use is sufficiently isolated from other land uses and potential on and off site impacts can be adequately managed. Uses other than Special industry and High impact industry should not occur in this precinct in order to prevent compromising the intended function of the precinct.
- (3) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development recognises and protects the town centre as Mareeba's most important commercial and social asset that is supported by substantial public and private investment in buildings, infrastructure and culture;
  - (b) Development within the Town centre core precinct promotes greater walkability and integration between street and built environments through the consolidation and effective design of retail and commercial facilities;
  - (c) Development within the Town centre fringe precinct, accommodates destinationspecific premises that requires car and service vehicle access;
  - (d) Development provides opportunities for greater utilisation of, and improved public access to, the Barron River and open spaces;
  - (e) Development protects Mareeba's heritage places and tourist and cultural assets and enhances opportunities for their public appreciation;
  - (f) Development facilitates the continuing growth of the Mareeba Airport for passenger and freight movements and industry associated with the airport's primary function. Activities in the Mareeba Airport precinct will be limited to ensure they do not compromise efficient aircraft operation;
  - (g) Development in the Stable precinct facilitates the combination of stables and houses whilst maintaining a low density to minimise impacts;
  - (h) Development provides for the expansion, establishment and relatively unconstrained operation of Special industry in the Noxious and hazardous industry precinct; and
  - (i) The establishment and operation of a range of industries in the Industrial park precinct is supported.

#### 7.2.2.3 Criteria for assessment

Table 7.2.2.3—Mareeba local plan - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development subject to requirements and assessable development					
If affected by the vegetated buffer area element					

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1 Industrial development is appropriately screened from view to minimise impacts on the:  (a) visual amenity and character of the local plan area; and  (b) amenity of nearby land uses.	AO1 A minimum 5 metre wide vegetated buffer area is provided in all areas of the site affected by the vegetated buffer element.	n/a	Not applicable.
If in the Stable precinct			
PO2 Development facilitates the co-location of houses and stables while maintaining an appropriate level of amenity, having regard to emissions of:  (a) noise;  (b) odour; and  (c) light	AO2 Stables house no more than 10 animals and are:  (a) separated by a minimum distance of 3 metres from any residential building on the same site;  (b) separated by a minimum distance of 5 metres from any residential building on an adjoining site; and  (c) setback a minimum of 6 metres from any road frontage.	n/a	Not applicable.
If on a site with a frontage	to the Byrnes Street core e	element	
PO3 Development with a frontage to the Byrnes Street core element is designed to minimise the dominance of vehicular access within the streetscape by:  (a) providing vehicular access from an alternative frontage;  (b) minimising the size of necessary vehicle access; and  (c) maximising the area of the frontage used	AO3.1 Where development has a frontage to the Byrnes Street core element, buildings are built to side boundaries, except for pedestrian access-ways and where alternative vehicular access is not available. In such instances, vehicular and pedestrian access-ways are not wider than 7 metres.  Note—Refer to Figure A for further detail.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
for pedestrian focussed activities.	AO3.2 Vehicular access is not provided from Byrnes Street where a site has more than one frontage.	n/a	Not applicable.
If on a site affected by the	Town centre fringe 6 metre	setback element	
PO4 Larger destination-specific premises that require increased provision for car and service vehicle access are supported where it can be demonstrated that sufficient separation is provided between the use and adjoining residential uses to adequately mitigate any potential impacts on the amenity of adjoining premises, having regard to:  (a) noise;  (b) odour;  (c) light; and  (d) overlooking and privacy.	Buildings and structures are setback a minimum of 6 metres from the boundary affected by the Town centre fringe 6 metre setback element.	n/a	Not applicable.
If in the Town centre fringe	precinct		
PO5 Development's address to the primary street frontage ensures:  (a) car parking areas are not a dominant feature; and	AO5.1  No more than 50% of car parking is to be located between the building and the primary street frontage.	n/a	Not applicable.
(b) sources of visual interest and casual surveillance of the street frontage are provided.	AO5.2 Buildings include uses that orientated toward the primary street frontage with entrances and windows addressing the street.	n/a	Not applicable.

Performance outc	omes Acceptable	outcomes	Complies	Comments		
For assessable de	For assessable development					
PO6  Development in the Notes and operation of Mass the major reactivity centre of Shire;  (b) provides growth redevelopment areas within claproximity to the centre core present and contributes to the vibrancy and laidentity of the Notes are community.	AO6 No acceptal provided.  Ao6 No acceptal provided.  Ao6 No acceptal provided.	ble outcome is		Complies.		
PO7 Development does prothe future construction Mareeba Bypass.	permanent structures don land aff	nt involving buildings or does not occur fected by the pass element.	n/a	Not applicable.		
PO8 Development integration following elements id on the Mareeba local maps:  (a) open space elements id on the Mareeba local maps:  (a) open space elements id on the Mareeba local maps:  (b) indicative collements in a similar designation in a si	entified plan provided.  ements; ctor r order  r roads ign as bed; and ctions ad	ble outcome is	n/a	Not applicable.		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO9 Development integrates small-scale local retail centres that: (a) service the local neighbourhood; and (b) do not prejudice the ongoing operation of the Mareeba town centre.	AO9 No acceptable outcome is provided.	n/a	Not applicable.
If in the Stable precinct			
PO10 Development does not involve a density of residential development that is likely to prejudice the	AO10.1 Development does not result in a higher accommodation density than currently exists.	n/a	Not applicable.
ongoing use of land within the precinct for stables, having regard to the existing level of amenity.	AO10.2 Development does not result in the creation of any new lots.	n/a	Not applicable.
If in the Mareeba Airport p	recinct		
PO11 Development does not prejudice the ongoing operations or future development intentions of the Mareeba Airport.	AO11 Development is limited to activities which have a direct associated with aviation.	n/a	Not applicable.
If in the Town centre core	precinct		
PO12 Development is to be of a scale and form which complements the character of the precinct, having regard to: (a) building location; (b) building height; (c) interface with the street; and (d) scale of windows, doors and structural elements	AO12 No acceptable outcome is provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments			
PO13 The character and style of buildings in the main street, including those representing the booming tobacco period of the 1950's and 1960's is maintained and protected.	AO13.1 Buildings are re-used for new uses without alteration to their:  (a) height; (b) width (at street frontage); (c) vertical or horizontal patterning; and (d) materials.  Note—Refer to Planning Scheme Policy 1 – Character Area Design Guidelines for additional guidance in relation to the development outcomes sought.	n/a	Not applicable.			
	AO13.2  Development on sites identified as building façade to be retained that retains the external (street facing) facade(s) of the building will qualify for a 10% reduction on car parking.	n/a	Not applicable.			
If in the Town centre fringe	If in the Town centre fringe precinct					
PO14 Development does not undermine the role of the Town centre core precinct as Mareeba's primary retail and commercial precinct.	AO14 No acceptable outcome is provided.	n/a	Not applicable.			
If in the Noxious and hazar	dous industry precinct					

Performance outcomes	Acceptable outcomes	Complies	Comments	
PO15 Appropriate provision is made for siting, managing and buffering uses in the Noxious and hazardous industry precinct to limit impacts on adjoining properties, having regard to:  (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions.  Note—A facility management plan can be prepared to demonstrate that the ongoing operation of the use will maintain compliance with this outcome.	AO15 No acceptable outcome is provided.	n/a	Not applicable.	
If in the Industrial park pre	cinct			
PO16 Development that attracts the public into the Industrial park precinct does not develop within the Industrial park precinct.	AO16 No acceptable outcome is provided.	n/a	Not applicable.	
If in the Northern investiga	If in the Northern investigation precinct			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO17 Development does not compromise the long term future urban intent of this precinct.  If in the North-eastern expwestern expansion precinc		stern expansion p	Given the flood hazard constraints of the site and the surrounding properties, there is very limited prospects of any structure planned development occurring in the future.  This current subdivision is only receiving a positive recommendation on the basis that each lot will contain an existing dwelling house and there is no increase in dwellings within the flood hazard area.
PO18	AO18	n/a	Not applicable.
Development provides an average net accommodation density of at least 12 dwellings or accommodation units per hectare.  Note—Calculation of accommodation density excludes areas not developed	No acceptable outcome is provided.	Tiva	Not applicable.
as a result of provisions of an overlay.			
PO19 Development provides a wide range of housing options, including different dwelling sizes and types that meet the needs of a range of household compositions.	AO19 No acceptable outcome is provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO20 The road network is to be developed in a logical and sequential manner to provide for the co-ordinated development of the precinct.	AO20 No acceptable outcome is provided.	n/a	Not applicable.
PO21 The road network provides encourages walking and cycling to daily activities to reduce local vehicle trips by:  (a) being based on a street grid network;  (b) having walkable block sizes;  (c) providing safe, efficient and provides for the needs of all users;  (d) having a high level of connectivity for all users; and  (e) being linked to destinations such as shops, open space and schools.	AO21 No acceptable outcome is provided.	n/a	Not applicable.

BYRNES STREET

PARKING

PARKING

BYRNES STREET

A Maximum 7m

B Built to side boundaries where alternative access is available

#### 8.2.2 Airport environs overlay code

## 8.2.2.1 Application

- (1) This code applies to assessing development where:
  - (a) land the subject of development is affected by a constraint category identified on the **Airport** environs overlay maps (OM-002a-f); and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Strategic airports and aviation facilities are appropriately reflected in Overlay Map 2 and is required to be mapped by State Government in response to Infrastructure State Interests.

### 8.2.2.2 Purpose

- (1) The purpose of the Airport environs overlay code is to protect the current and ongoing operations of established airports, aerodromes and aviation infrastructure in Mareeba Shire.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) The ongoing operation of Mareeba Airport and its associated infrastructure are protected from incompatible development;
  - (b) Aerodromes in Chillagoe and Dimbulah are maintained to support recreation, mining and rural uses;
  - (c) Operational airspace is protected:
  - (d) Threats to aviation safety such as bird and bat strike and distraction or blinding of pilots are avoided or minimised:
  - (e) State significant aviation facilities associated with the Mareeba Airport are protected from encroachment by sensitive land uses; and
  - (f) Development in the vicinity of airports, aerodromes and aviation infrastructure does not compromise public safety.

# 8.2.2.3 Criteria for assessment

Table 8.2.2.3 - Airport environs overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development s	subject to requirements and as	sessable developme	ent
Protection of operational air	space		
PO1 Development does not interfere with movement of aircraft or the safe operation of an airport or aerodrome where within the:  (a) Airport environs: OLS area of Mareeba Airport identified on Airport environs overlay map (OM-002c); or  (b) Airport environs: OLS area of Cairns Airport identified on Airport identified on Airport identified on Airport identified on Airport	AO1.1  Development does not exceed the height of the Obstacle Limitation Surface (OLS) where located within the Airport environs: OLS area of:  (a) Mareeba Airport identified on Airport environs overlay map (OM-002c); or  (b) Cairns Airport identified on Airport environs overlay map (OM-002c.1).	n/a	Not applicable.
environs overlay map (OM-002c.1); or  (c) 'Airport environs: Airport buffer - 1 kilometre' of an aerodrome identified on Airport environs overlay map (OM-	AO1.2 Development has a maximum height of 10 metres where within the 'Airport environs: Airport buffer - 1 kilometre' of an aerodrome identified on Airport environs overlay map (OM-002f).	n/a	Not applicable.
(d) 'Airport environs: Airport buffer - 3 kilometres' of an aerodrome identified on Airport environs overlay map (OM- 002f).	AO1.3  Development has a maximum height of 15 metres where within the 'Airport environs: Airport buffer - 3 kilometres' of an aerodrome identified on Airport environs overlay map (OM-002f).	n/a	Not applicable.
Lighting	. , ,		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Development does not include lighting that: (a) has the potential to impact on the efficient and safe operation of Mareeba Airport or an aerodrome; or (b) could distract or confuse pilots.	AO2 Development within the 'Airport environs: Distance from airport - 6 kilometres' area for Mareeba Airport identified on Airport environs overlay map (OM- 002b) or the 'Airport environs: Airport buffer - 3 kilometres' of an aerodrome identified on Airport environs overlay map (OM-002f) does not: (a) involve external lighting, including street lighting, that creates straight parallel lines of lighting that are more than 500 metres long; and (b) does not contain reflective cladding upwards shining lights, flashing lights or sodium lights.	n/a	Not applicable.
Noise exposure			
PO3 Development not directly associated with Mareeba Airport is protected from aircraft noise levels that may cause harm or undue interference.	AO3 Sensitive land uses are acoustically insulated to at least the minimum standards specified by AS2021 Acoustics - Aircraft Noise Intrusion - Building Siting and Construction where located within the 'Airport environs: 20-25 ANEF' area identified on Airport environs overlay map (OM-002d).	n/a	Not applicable.
Public safety			
PO4 Development does not compromise public safety or risk to property.	AO4 Development is not located within the 'Airport environs: Mareeba Airport public safety area' identified on Airport environs overlay map (OM-002e).	n/a	Not applicable.
State significant aviation fac	cilities associated with Mareeb	a Airport	

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
impa signi	elopment does not air the function of state ficant aviation facilities reating: physical obstructions; or electrical or electro- magnetic interference;	AO5.1 Development within 'Airport environs: Zone B (600 metre buffer)' for the 'Saddle Mountain VHF' facility identified on Airport environs overlay map (OM-002a.1) does not exceed a height of 640 metres AHD.	n/a	Not applicable.
(c)	or deflection of signals.	AO5.2 Development within 'Airport environs: Zone B (4,000 metre buffer)' for the 'Hahn Tableland Radar (RSR)' facility identified on Airport environs overlay map (OM-002a) does not exceed a height of 950 metres AHD, unless associated with Hann Tableland Radar facility.	n/a	Not applicable.
		AO5.3  Building work does not occur within 'Airport environs: Zone A (200 metre buffer)' of the 'Biboohra CVOR' facility identified on Airport environs overlay map (OM-002a) unless associated with the Biboohra CVOR facility.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO5.4  Development within 'Airport environs: Zone B (1,500 metre buffer)' of the 'Biboohra CVOR' facility identified on Airport environs overlay map (OM-002a), but outside 'Zone A (200 metre buffer)' identified on Airport environs overlay map (OM-002a), does not include:  (a) the creation of a permanent or temporary physical line of sight obstruction above 13 metres in height; or  (b) overhead power lines exceeding 5 metres in height; or  (c) metallic structures exceeding 7.5 metres in height; or  (d) trees and open lattice towers exceeding 10 metres in height; or  (e) wooden structures exceeding 13 metres in height.	n/a	Not applicable.
For assessable developmen	nt .		
Mareeba Airport			
Protection of operational air	AO6.1	n/a	Not applicable.
Development within the vicinity of Mareeba Airport or an aerodrome does not interfere with the:  (a) movement of aircraft; or  (b) safe operation of the airport or facility.	Development involving sporting and recreational aviation activities such as parachuting, hot air ballooning or hang gliding, does not occur within the Airport environs: OLS area of:  (a) Mareeba Airport identified on Airport environs overlay map (OM-002c); or  (b) Cairns Airport identified on Airport environs overlay map (OM-002c.1).	II/a	тчот аррпсаше.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO6.2 Development involving temporary or permanent aviation activities does not occur within the 'Airport environs: Airport buffer - 3 kilometres' of an aerodrome identified on Airport environs overlay map (OM-002f).	n/a	Not applicable.
PO7 Development does not affect air turbulence, visibility or engine operation in the operational airspace of Mareeba Airport or regional aerodromes.	AO7 Development does not result in the emission of a gaseous plume, at a velocity exceeding 4.3 metres per second, or smoke, dust, ash or steam within:  (a) the Airport environs:     OLS area of Mareeba Airport identified on Airport environs overlay map (OM-002c); or  (b) the Airport environs:     OLS area of Cairns Airport identified on Airport environs overlay map (OM-002c.1); or  (c) the 'Airport environs:     Airport buffer - 1 kilometre' of a regional aerodrome identified on Airport environs overlay map (OM-002f).	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
Managing bird and bat strike	e hazard to aircraft		
PO8 Development in the environs of Mareeba Airport or an aerodrome does not contribute to the potentially serious hazard from wildlife (bird or bat) strike.	AO8.1 Development within the 'Airport environs: Distance from airport - 8 kilometres' Bird and bat strike zone of Mareeba Airport identified on Airport environs overlay map (OM-002b) or the 'Airport environs: Airport buffer - 3 kilometres' of an aerodrome identified on Airport environs overlay map (OM-002f) provides that potential food and waste sources are covered and collected so that they are not accessible to wildlife.	n/a	Not applicable.
	AO8.2  Development within the 'Airport environs: Distance from airport - 3 kilometres' Bird and bat strike zone of Mareeba Airport identified on Airport environs overlay map (OM-002b) or the 'Airport environs: Airport buffer - 1 kilometre' of an aerodrome identified on Airport environs overlay map (OM-002f) does not include:  (a) food processing; or (b) abattoir; or (c) intensive horticulture; or (d) intensive animal husbandry; or (e) garden centre; or (f) aquaculture.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO8.3 Putrescible waste disposal sites do not occur within the 'Airport environs: Distance from airport - 13 kilometres' Bird and bat strike zone of:  (a) Mareeba Airport identified on Airport environs overlay map (OM-002b); or  (b) Cairns Airport identified on Airport environs overlay map (OM-002b.1).		The site is within the 13 kilometre bird and bat strike zone.  The development is not for putrescible waste disposal.

#### 8.2.4 Environmental significance overlay code

### 8.2.4.1 Application

- (1) This code applies to assessing development where:
  - (a) land the subject of development is affected by a constraint category identified on the **Environmental significance overlay maps (OM-004a-z)**; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Biodiversity and Water quality are appropriately reflected in Overlay Map 4 and is required to be mapped by State Government in response to Environment and Heritage State Interests.

### 8.2.4.2 Purpose

(1) The purpose of the Environmental significance overlay code is to identify and protect matters of environmental significance, which include matters of state environmental significance (MSES) as defined under the state planning policy.

The Environmental significance overlay code ensures that:

- (a) waterways and high ecological significance wetlands are protected and enhanced to maintain ecosystem services and hydrological processes and provide aquatic habitat for flora and fauna; and
- (b) the environmental values of regulated vegetation, wildlife habitat, protected areas and legally secured offset areas are protected and managed.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) the biodiversity values, ecosystem services and climate change resilience of areas of environmental significance are protected, managed, enhanced and rehabilitated;
  - (b) the biodiversity values of protected areas and legally secured offset areas are protected from development unless overriding community need is demonstrated;
  - (c) development is located, designed and managed to minimise the edge effects of development on areas of regulated vegetation and wildlife habitat;
  - (d) areas of regulated vegetation and wildlife habitat are managed to minimise biodiversity losses;
  - development maintains, protects and enhances a regional network of vegetated corridors that assist in wildlife movement and contribute to the maintenance of habitat and biological diversity;
  - (f) development is appropriately setback from waterways and high ecological significance wetlands to minimise direct and indirect impacts on water quality and biodiversity; and
  - (g) riparian vegetation and vegetation associated with high ecological significance wetlands is protected and enhanced to improve water quality and natural ecosystem function.

# 8.2.4.3 Criteria for assessment

Table 8.2.4.3A - Environmental significance overlay code - For accepted development subject to requirements and assessable development

		ssessable development			
Perf	ormance outcomes	Acceptable outcomes	Complies	Comments	
For a	For accepted development subject to requirements and assessable development				
Reg	ulated vegetation				
PO1 Vegenap vegeneration vegeneration vegene	etation clearing in areas ped as 'Regulated etation' identified on the ironmental nificance Overlay Maps 1-004a-0) is avoided ss: it is demonstrated that the area does not support regulated vegetation as mapped; the loss or reduction in regulated vegetation is for community infrastructure and associated access facilities that cannot be avoided;	AO1.1 No clearing of native vegetation is undertaken within areas of 'Regulated vegetation' identified on the Environmental Significance Overlay Maps (OM-004a-o).		No clearing of regulated vegetation is proposed.	
(c) (d) Note-	11 3				
accor	sment Report is prepared in dance with Planning Scheme 2 – Ecological Assessment				
to are vege Envi Over protessigni	elopment on sites adjacent eas of 'Regulated station' identified on the ronmental Significance rlay Maps (OM-004a-o) ects the environmental ficance of regulated station and: does not interrupt, interfere, alter or otherwise impact on underlying natural	AO2 Development (excluding roads, earthworks, drainage infrastructure and underground infrastructure) is not located within 20 metres of 'Regulated vegetation' areas identified on the Environmental Significance Overlay Maps (OM-004a-o).		No new development is proposed within 20 metres of regulated vegetation.	

Performance outcomes	Acceptable outcomes	Complies	Comments
ecosystem processes such as water quality, hydrology, geomorphology and biophysical processes; (b) does not negatively impact the movement of wildlife at a local or regional scale; and (c) avoids noise, light, vibration or other edge affects, including weed and pest incursion on identified environmental values.  Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			
Regulated vegetation inters	ecting a watercourse		
PO3 Vegetation clearing in areas mapped as 'Regulated vegetation intersecting a watercourse', identified as 'Waterway' and 'Waterway buffer' on the Environmental Significance - Waterway Overlay Maps (OM-004p-z) is avoided unless wildlife interconnectivity between habitats is maintained or enhanced at a local and regional scale, to the extent that migration or normal movement of significant species between habitats or normal gene flow between populations is not inhibited.  Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z)  AO3.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p-z).  Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z)  Whore within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z)  AO3.2  No clearing of native vegetation is undertaken within the minimum setback identified at AO3.1.		The waterway traversing the site has a Stream Order 1.  A 10 metre buffer is applicable.  No new development is proposed within the 10 metre buffer.  No clearing of vegetation is proposed.
Waterways and wetlands			
•			

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
'High ecological significance wetlands' identified on the Environmental Significance Overlay Maps (OM-004a-o) and 'Waterways' on Environmental Significance - Waterway Overlay Maps (OM-		Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) AO4.1 A minimum setback in accordance with Table	•	The waterway traversing the site has a Stream Order 1.  A 10 metre buffer is applicable.
(a)	-z) and are protected by: maintaining adequate separation distances between waterways/wetlands and development; maintaining and	8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p-z).		No new development is proposed within the 10 metre buffer.
(c)	enhancing aquatic and terrestrial habitat including vegetated corridors to allow for native fauna (terrestrial and aquatic) movement; maintaining waterway bank stability by minimising bank erosion and slumping; maintaining water quality by providing buffers to allow	Where within a 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.2 A minimum buffer of 200 metres is provided between development and the edge of a 'High ecological significance wetland' identified on the Environmental Significance Overlay	n/a	Not applicable.
(e)	filtering of sediments, nutrients and other pollutants; and retaining and improving existing riparian vegetation and existing vegetation associated with a wetland.	Maps (OM-004a-o).  Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.3	~	The waterway traversing the site has a Stream Order 1.  A 10 metre buffer is applicable.  No new development is
Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.		No stormwater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).		development is proposed within the 10 metre buffer.

Performance outcomes	Acceptable outcomes	Complies	Comments
	Note— An alternative outcome is required to demonstrate that the ecological impacts of stormwater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate stormwater management / treatment (where possible).		
	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.4  No wastewater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Map (OM-004a-z).  Note— A alternative outcome is required to demonstrate that the ecological impacts of wastewater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate wastewater management /		The waterway traversing the site has a Stream Order 1.  A 10 metre buffer is applicable.  No new development is proposed within the 10 metre buffer.
For assessable developmen	treatment (where possible).		
Wildlife Habitat			
PO5 Development within a 'Wildlife habitat' area identified on the Environmental Significance Overlay Maps (OM-004a-o):  (a) protects and enhances the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance;  (b) incorporates siting and design measures to	AO5 No acceptable outcome is provided	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
Note-identification adjacetors. Note-Assessaccord	protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; maintains or enhances wildlife interconnectivity at a local and regional scale; and mitigates the impact of other forms of potential disturbance (such as presence of vehicles, pedestrian use, increased exposure to domestic animals, noise and lighting impacts) to protect critical life stage ecological processes (such as feeding, breeding or roosting).  Development applications must y any EVNT species or their ts that may be affected by the sal. In particular, applications are notify and describe how the opment avoids adverse impacts ological processes within or each to the development area.  A supporting Ecological sment Report is prepared in dance with Planning Scheme			
Repoi	2 – Ecological Assessment ts.			
Leg	ally secured offset areas			
PO6 Deviden Env Sigr (OM Legalis colorequand under impared) all n	elopment within a ally secured offset area' tified on the ironmental nificance Overlay Maps -004a-o) or other known ally Secured Offset Area ensistent with the binding irements of the offset does not prejudice, ermine, or negatively	AO6 No acceptable outcome is provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
within the Legally Secured Offset Area.			
Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			
Protected areas			
PO7 Development within a 'Protected area' identified on the Environmental Significance Overlay Maps (OM-004a-o) is consistent with the values of the Protected Area and:  (a) supports the inherent ecological and community values of the Protected Area asset;  (b) maintains or enhances wildlife interconnectivity at a local and regional scale; and  (c) does not prejudice, undermine, or negatively impact the inherent ecological values, including all naturally occurring native flora, fauna and their habitat within the Protected Area.	AO7 No acceptable outcome is provided	n/a	Not applicable.
Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
Eco	logical corridors and Ha	abitat linkages		
PO8 Dev (a)	elopment located: in the Conservation zone, Emerging community zone, Recreation and open space zone, Rural zone or Rural residential zone;	AO8 No acceptable outcome is provided	n/a	Not applicable.
(b)	and within an 'Ecological corridor' or a 'Habitat linkage' identified on the Environmental Significance Overlay Maps (OM-004a-o)			
prov conr corr	s not compromise the vision of habitat nectivity of the idor/linkage, having ard to: the environmental values of the area of the site identified in the 'Ecological corridor' or			
(b)	'Habitat linkage'; the environmental values of adjoining and nearby land within the 'Ecological corridor' or 'Habitat linkage';			
(c)	the extent of any modification proposed to the natural environment including (but not limited to) vegetation and topography;			
(d)	the location and design of proposed improvements that may impact on the functions of the 'Ecological corridor' or 'Habitat linkage' including (but not limited to) buildings, structures, fences, lighting, vehicle movement areas and infrastructure services; and			
(e)	and the ability for the 'Ecological corridor' or			

Performance outcomes	Acceptable outcomes	Complies	Comments
'Habitat linkage' to be enhanced to improve ecological connectivity.			
Note—A supporting Ecological Assessment Report prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports may be appropriate to demonstrate compliance with PO8.			

Table 8.2.4.3B - Setback and buffer distances from waterways

Stream order	Setback and buffer from waterways
1	10 metres from top of high bank
2-4	25 metres from top of high bank
5 or more	50 metres from top of high bank

Note—The steam order of a 'waterway' is to be determined on a case by case basis.

# 8.2.6 Flood hazard overlay code

### 8.2.6.1 Application

- (1) This code applies to assessing development where:
  - (a) land the subject of development is located within a Flood hazard area identified on the **Flood** hazard overlay maps (OM-006a-o); and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Natural hazards are appropriately reflected in Overlay Maps 3, 6 and 8 and are required to be mapped by State Government in response to Hazard and Safety State Interests.

Note—where new information, including flood studies or flood modelling supersedes the Flood hazard overlay maps (OM-006a-o) Council may have regard to this new information in the application of the Flood hazard overlay code in the interests of the precautionary principle and the safety of persons and property.

## 8.2.6.2 Purpose

- (1) The purpose of the Flood hazard overlay code is to manage development outcomes in flood hazard areas identified on the Flood hazard overlay maps (OM-006a-o) so that risk to life, property, community and the environment during flood events is minimised, and to ensure that development does not increase the potential for flood damage on site or to other property.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development in the 'Extreme flood hazard area':
    - maintains and enhances the hydrological function of the land;
    - ii. does not involve filling (earthworks) or changes to existing landform or drainage lines that results in a loss of the flood conveyance and flood storage capacity of the land;
    - iii. is limited to:
      - A. flood proofed Sport and recreation activities;
      - B. Rural activities where for Animal husbandry, Cropping or Permanent plantation;
      - C. flood proofed Utility installations, Substations or Major electricity infrastructure;
      - D. conservation and natural area management; and
      - E. replacement of existing lawful development, including Accommodation activities where habitable rooms are elevated above the defined flood level and include freeboard:

Where there is no increase to the number of persons at risk of flood and where development reduces existing or potential risks to life and property.

- (b) Development in the 'High flood hazard area':
  - i. maintains the hydrological function of the land;
  - ii. does not involve filling (earthworks) or changes to the existing landform or drainage lines that results in a loss of the flood conveyance and flood storage capacity of the land;
  - iii. is limited to:
    - A. flood proofed Sport and recreation activities and Club uses:
    - B. Non-resident workforce accommodation, Relocatable home park, Resort complex, Rooming accommodation, Short term accommodation and

- Tourist park uses where these uses comprise permanent on-site management and a flood evacuation management plan ensures the health and safety of persons during a flood event;
- C. a Dwelling house only where the lot existed or had a lawful reconfiguring a lot approval at the commencement of the planning scheme and the land is included in a Residential zone or the Centre zone or where for minor intensification of existing Dwelling houses;
- D. Rural activities where for Animal husbandry, Cropping or Permanent plantation;
- E. Industrial activities and Commercial activities where it is accepted development that flood damage is incurred as an operational cost and where flood sensitive elements of the development or use are elevated above the defined flood level, including freeboard;
- F. flood proofed Utility installations, Substations or Major electricity infrastructure;
- G. conservation and natural area management; and
- H. replacement of existing lawful development;

where there is no increase to the number of persons at risk of flood and where development reduces existing or potential risks to life and property.

- iv. protects surrounding land and land uses from increased flood hazard impacts;
- v. elevates habitable rooms for all accommodation activities (including where for minor building work) above the defined flood level, including freeboard.
- (c) Development in the 'Significant flood hazard area':
  - i. minimises risk to life and property from flood events;
  - ii. involves changes to the existing landform and drainage lines in this area only where detrimental impacts to the flood hazard risk of surrounding areas is avoided;
  - iii. is limited to:
    - A. Sport and recreation activities:
    - B. Industrial activities and Commercial activities where it is accepted development that flood damage is incurred as an operational cost and where flood sensitive elements of the development or use are elevated above the defined flood level, including freeboard;
    - C. Rural activities;
    - Accommodation activities, excluding Residential care facility and Retirement facility;
    - E. flood proofed Community activities, excluding Child care centre, Hospital and Community use where a flood emergency evacuation plan ensures the safety of people during a flood event;
    - F. flood proofed Utility installations, Substations or Major electricity infrastructure;
    - G. conservation and natural area management;
  - iv. locates habitable rooms for all accommodation activities above the defined flood level, including freeboard; and
  - v. locates the minimum floor level for all buildings other than accommodation activities, industrial activities and business activities above the defined flood level.

- (d) Development in the 'Low flood hazard area':
  - i. minimises risk to life and property from flood events;
  - ii. locates habitable rooms for all Accommodation activities above the defined flood level, including freeboard; and
  - iii. locates the minimum floor level for all buildings other than Accommodation activities above the defined flood level, including freeboard.
- (e) Development in the 'Potential flood hazard area':
  - maintains the safety of people on the development site from flood events and minimises the potential damage from flooding to property;
  - ii. does not result in adverse impacts on people's safety, the environment or the capacity to use land within the floodplain;
  - iii. locates habitable rooms for all Accommodation activities above a 1% Annual Exceedance Probability (AEP), including freeboard; and
  - iv. locates the minimum floor level for all building work other than Accommodation activities above the 1% AEP flood level, including freeboard.

## 8.2.6.3 Criteria for assessment

Table 8.2.6.3A - Flood hazard overlay code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted developmen	t subject to requirements and	assessable deve	elopment
All flood hazard areas			
PO1 Development prevents the carriage or dispersal of contaminants or pollutants into the receiving environment.	AO1 The processing or storage of dangerous goods or hazardous materials is:  (a) not undertaken in a flood hazard area identified on the Flood hazard overlay maps (OM-006a-o); or  (b) is located above the defined flood level plus 0.3 metre freeboard.	•	The application is not proposing the processing or storage of dangerous goods or hazardous materials.
Essential community infrastructure is able to function effectively during and immediately after flood events.	must comply with the flood immunity standards specified in Table 8.2.6.3.B and Table 8.2.6.3.C where within a flood hazard area identified on the Flood hazard overlay maps (OM-006a-o).	•	The application is not proposing essential community infrastructure.
Extreme flood hazard area			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO3 Development, where involving a Material change of use within an 'Extreme flood hazard area' on the Flood hazard overlay maps (OM006a-o), is appropriate to the flood hazard risk having regard to the:  (a) likelihood and frequency of flooding;  (b) flood risk acceptability of development;  (c) vulnerability of and safety risk to	AO3.1 Uses within the following activity groups are not located within an 'Extreme flood hazard area identified' on the Flood hazard overlay maps (OM006a-o):  (a) Accommodation activities; (b) Commercial activities; (c) Community activities except where for a Club with a maximum gross floor area of 100m²; (d) Industrial activities; (e) Rural activities, except where for Animal husbandry, Cropping,	n/a	The site is within the Potential Flood Hazard area.
safety risk to persons associated with the use;  (d) associated consequences of flooding in regard to impacts on proposed buildings, structures, and supporting infrastructure; and  (e) associated consequences of flooding in respect to undue burden on disaster response recovery capacity and capabilities.	husbandry, Cropping, or Permanent plantation.  AO3.2  Sport and recreation activities are not located within an 'Extreme flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) except where for:  (a) Environment facility; (b) Park; or (c) Outdoor sport and recreation (excluding the provision of ancillary facilities or amenities conducted within a building).	n/a	The site is within the Potential Flood Hazard area.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO4 Development is located and designed to: (a) maintain and enhance the flood conveyance capacity of the premises; (b) not increase the number of people calculated to be at risk from flooding; (c) not increase the flood impact on adjoining premises; (d) ensure the safety of	AO4.1 Buildings, including extensions to existing buildings, are:  (a) not located within an 'Extreme flood hazard area' identified on the Flood hazard overlay maps (OM006a-o); or  (b) elevated above the defined flood level, with 0.3 metres freeboard from the defined flood level provided for habitable rooms within a dwelling.	n/a	The site is within the Potential Flood Hazard area.
all persons by ensuring that development levels are set above the defined flood level; (e) reduce property damage; and (f) provide flood immune access to	AO4.2 All building work must be high set and retains the flood storage and conveyance capacity of the premises.  Note—Building work must be certified by a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris.	n/a	The site is within the Potential Flood Hazard area.
buildings.  Note—Buildings may be constructed from flood resistant, waterproof materials below the defined flood level where certified by a qualified structural engineer to be flood proof (including the ability to withstand damage from floodwater and debris) and where an alternative outcome to AO4.1-AO4.4 is also demonstrated.  Note—In the event that a lawful building or structure is destroyed by flood or other event the building may	New buildings are provided with flood free pedestrian and vehicle evacuation access between the building and a flood safe accessible road.  Note—A flood safe accessible road includes a road where identified as outside a flood hazard area or within a 'Low flood hazard area', 'Potential flood hazard area' or 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o).	n/a	The site is within the Potential Flood Hazard area.
be replaced in situ where there is no increase in:  i. gross floor area; or ii. the number of dwellings or bedrooms on the premises.	AO4.4  Development does not increase the number of lots in the 'Extreme flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) except where for the purposes of public open space.	n/a	The site is within the Potential Flood Hazard area.

			•
Performance outcomes	Acceptable outcomes	Complies	Comments
PO5	AO5	n/a	The site is within
Development involving	Filling above ground level is		the Potential
earthworks in a Flood	not undertaken in the		Flood Hazard
hazard area below the	'Extreme flood hazard area'		area.
defined flood level must	identified on the <b>Flood</b>		
protect life and property on	hazard overlay maps		
premises and off premises	(OM006a-o).		
through maintaining:			
(a) flood storage			
capacity of land;			
(b) flood conveyance			
function of land;			
(c) flood and drainage			
channels;			
(d) overland flow paths;			
and			
(e) flood warning times.			
High flood hazard area		_	
PO6	AO6.1	n/a	The site is within
Development, where for a	Uses within the following		the Potential
Material change of use	activity groups are not		Flood Hazard
within a 'High flood hazard	located within a 'High flood		area.
area' identified on the	hazard area' identified on the		
Flood hazard overlay	Flood hazard overlay maps		
<b>maps (OM-006a-o)</b> , is	(OM006a-o):		
appropriate to the flood	(a) Accommodation		
hazard risk having regard	activities, except where		
to the:	for Dwelling house and		
(a) likelihood and	only where the lot		
frequency of	existed or had a lawful		
flooding;	reconfiguring a lot		
(b) flood risk	approval at the		
acceptability of	commencement of the		
development;	planning scheme and		
(c) vulnerability of and	the land is included in a		
safety risk to persons	Residential zone or the		
associated with the	Centre zone;		
use;	(b) Community activities		
(d) associated	except where for a Club		
consequences of	with a maximum gross		
flooding in regard to	floor area of 100m <sup>2</sup> ;		
impacts on proposed	(c) Rural activities, except		
buildings, structures	where for Animal		
and supporting	husbandry, Cropping or		
infrastructure; and	Permanent plantation.		

Performance outcomes	Acceptable outcomes	Complies	Comments
(e) associated consequences of flooding in respect to undue burden on disaster response recovery capacity and capabilities.	AO6.2  Sport and recreation activities are not located within a 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) except where for:  (a) Environment facility; (b) Park; or (c) Outdoor sport and recreation (excluding the provision of ancillary facilities or amenities conducted within a building).	n/a	The site is within the Potential Flood Hazard area.
PO7 Development is located and designed to: (a) maintain hydrological function of the premises; (b) not increase the number of people calculated to be at risk from flooding; (c) minimises the flood impact on adjoining premises; (d) ensure the safety of all persons by ensuring that an	AO7.1  Buildings, including extensions to existing buildings are:  (a) not located within the 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o); or  (b) elevated above the defined flood level, with 0.3 metres freeboard from the defined flood level provided for habitable rooms within a dwelling.	n/a	The site is within the Potential Flood Hazard area.

Performance outcomes	Acceptable outcomes	Complies	Comments
proportion of buildings are set above the defined flood level; (e) reduce the carriage of debris in flood waters; (f) reduce property damage; and (g) provide flood immune access to buildings.	Buildings used for Commercial activities or Industrial activities include a minimum floor level of 0.3 metres above the defined flood where for the following components of the use:  (a) administrative areas; or  (b) services, plant and equipment associated with the building.	n/a	The site is within the Potential Flood Hazard area.
Note—Buildings may be constructed from flood resistant, waterproof materials below the defined flood level where certified by a qualified structural engineer to be flood proof (including the ability to withstand damage from floodwater and debris) and where an alternative outcome to AO8.1-AO8.9 is also demonstrated.	Note—AO8.2 accepts that the cost of flood impact is an operational cost of the Commercial activity or Industrial activity.  Note—Building work must be certified by a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris.  AO7.3  All building work below the defined flood level must be high set (comprising pier and beam construction) and	n/a	The site is within the Potential Flood Hazard area.
	retains the flood storage and conveyance capacity of the premises.  AO7.4  New buildings are provided with flood free pedestrian and vehicle evacuation access between the building and a flood safe accessible road includes a road where identified as	n/a	The site is within the Potential Flood Hazard area.
	outside a flood hazard area or within a 'Low flood hazard area', 'Potential flood hazard area' or 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o).  AO7.5  New temporary, relocatable or impermanent buildings and structures are to be anchored with the ability to withstand transportation by floodwater.  Note—Building work must be certified by a qualified structural engineer.	n/a	The site is within the Potential Flood Hazard area.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO7.6 Dwellings do not exceed four bedrooms.	n/a	The site is within the Potential Flood Hazard area.
	AO7.7 Building work on an existing dwelling does not comprise additional bedrooms.	n/a	The site is within the Potential Flood Hazard area.
	AO7.8  Building work on an existing dwelling is limited to a maximum increase of 20 percent of the lawfully approved gross floor area of the existing dwelling.	n/a	The site is within the Potential Flood Hazard area.
	AO7.9  Development does not increase the number of lots in the 'High flood hazard area; as identified on the Flood hazard overlay maps (OM006a-o) except where for the purposes of public open space.	n/a	The site is within the Potential Flood Hazard area.
PO8 Development involving earthworks in a Flood hazard area below the defined flood level must protect life and property on premises and off premises through maintaining:  (a) flood storage capacity of land;  (b) flood conveyance function of land;  (c) flood and drainage channels;  (d) overland flow paths; and  (e) flood warning times.	AO8 Filling above ground level is not undertaken in the 'High flood hazard area' identified on the Flood hazard overlay maps (OM006a-o).	n/a	The site is within the Potential Flood Hazard area.
Significant flood hazard a	rea		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO9 Development, involving a Material change of use, within a 'Significant flood hazard area' on the Flood hazard overlay maps (OM006a-o) is appropriate to the flood hazard risk having regard to the:  (a) likelihood and frequency of flooding;  (b) flood risk acceptability of	AO9 The following uses are not located within a 'Significant flood hazard area' identified on the Flood hazard overlay maps (OM006a-o):  (a) Residential care facility; (b) Retirement facility; (c) Child care centre; (d) Hospital; or (e) Community use.	n/a	The site is within the Potential Flood Hazard area.
development; (c) vulnerability of and safety risk to persons associated with the use;			
(d) associated consequences of flooding in regard to impacts on proposed buildings, structures and supporting infrastructure; and (e) associated consequences of flooding in respect to			
undue burden on disaster response recovery capacity and capabilities.	rea, Low flood hazard area or	Potential flood ha	azard area

Perform	nance outcomes	Acceptable outcomes	Complies	Comments
work, designe (a) ma hy of (b) no nu ca ris (c) mi	g a Material of use or Building is located and	AO10.1  Buildings, including extensions to existing buildings are:  (a) elevated above the defined flood level; and  (b) the defined flood event does not exceed a depth of 600mm; and  (c) elevated above the defined flood level plus 0.3 metres freeboard where for habitable rooms within a dwelling.  OR	•	Both proposed lots will contain an established dwelling house.  The proposed development will not increase the number of people or property at risk from flooding.
(d) en all en probu	nsure the safety of a persons by a persons by a poportion of wildings are set pove the defined pod level; duce the carriage debris in flood paters; duce property amage; and povide flood amune access to wildings.  The development is a 'Potential flood hazard ified on the Flood hazard maps (OM006a-o) and	AO10.2  Buildings used for Commercial activities or Industrial activities include a minimum floor level of 0.3 metres above the defined flood where for the following components of the use:  (a) administrative areas; or (b) services, plant and equipment associated with the building.  Note—AO10.2 accepts that the cost of flood impact is an operational cost of the Commercial activity or Industrial activity.  Note—Building work must be certified by a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris.	n/a	No commercial or industrial activity is proposed.
there is no hydraulic (f report pre required in alternative defined floor	o defined flood level a flood hazard assessment) epared by a RPEQ is in substantiation of an outcome is required or the od level from the adjacent tive hazard zone is used.	AO10.3  All building work below the defined flood level must be high set (comprising pier and beam construction) and retains the flood storage and conveyance capacity of the premises.  Note—Building work must be certified by a qualified structural engineer to be flood proof including the ability to withstand damage from floodwater and debris.	•	Both proposed lots will contain an established dwelling house.  The proposed development will not increase the number of people or property at risk from flooding.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO11	AO11	n/a	Not applicable.
Development involving	Development does not		
earthworks in a Flood	involve in excess of 50m <sup>3</sup> of		
hazard area below the	fill above ground level per		
defined flood level must	1,000m <sup>2</sup> of site area.		
protect life and property on			
premises and off premises			
through maintaining:			
(a) flood storage			
capacity of land;			
(b) flood conveyance			
function of land;			
(c) flood and drainage			
channels;			
(d) overland flow paths;			
and			
(e) flood warning times.			

## For assessable development

Where for Material change of use or Reconfiguring a lot that involves new gross floor area or increases the number of persons living, working or residing in the Extreme flood hazard area, High flood hazard area or Significant flood hazard area other than a Dwelling house.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO12 Flood risk management minimises the impact on property and appropriately protects the health and safety of persons at risk of Extreme, high or significant flood hazard, and:  (a) indicates the position and path of	AO12  No acceptable outcome is provided.	V	Both proposed lots will contain an established dwelling house.  The proposed development will not increase the number of people or property at risk from flooding.
all safe evacuation routes off the site; and			
(b) if the site contains or is within 100 metres of a flood hazard area, hazard warning signage and depth indicators are provided at key hazard points, such as at floodway crossings.			
Note—A Material change of use or Reconfiguring a lot that involves new gross floor area or increases the number of persons living, working or residing in the 'Extreme flood hazard area' identified on the Flood hazard overlay map (OM006a-o) is supported by a Flood Emergency Evacuation Plan prepared by suitably qualified persons having regard to Floodplain Management in Australia: Best Practice Principles and Guidelines (2000), prepared by Standing Committee on Agriculture and Resource Management (SCARM), CSIRO.			

Performance outcomes	Acceptable outcomes	Complies	Comments		
Significant flood hazard a	Significant flood hazard area, Low flood hazard area or Potential flood hazard area				
PO13 Development, where involving Reconfiguring a lot, is located and designed to:  (a) maintain	AO13 No acceptable outcome is provided.	~	Both proposed lots will contain an established dwelling house.  The proposed development will		
hydrological function of the premises; (b) not increase the number of people calculated to be at risk from flooding;			not increase the number of people or property at risk from flooding.		
(c) minimises the flood impact on adjoining premises;					
(d) ensure the safety of all persons by ensuring that a proportion of buildings are set above the defined flood level;					
(e) reduce the carriage of debris in flood waters;					
(f) reduce property damage; and					
(g) provide flood immune access to buildings.					
Note—Where the development is located in a 'Potential flood hazard area' identified on the Flood hazard overlay maps (OM006a-o) and there is no defined flood level a hydraulic (flood hazard assessment) report prepared by a RPEQ is required in substantiation of an alternative outcome is required or the defined flood level from the adjacent representative hazard zone is used.					

# Table 8.2.6.3B Flood immunity levels

Development Category	Minimum design floor or pavement levels (mAHD)
Category A	1% AEP + 0.5 metres
Category B	1% AEP + 0.3 metres
Category C	1% AEP

Category D	1% AEP
Category E	2% AEP

Note—Refer Table 8.2.6.3D for building classification by Category.

Table 8.2.6.3C Community infrastructure flood immunity levels

Development Type	Minimum design floor or pavement levels (mAHD)
Emergency services, where for:	
Emergency Shelters	0.1% AEP
Police facilities	0.5% AEP
Other Emergency services	0.1% AEP + 0.5 metres
Hospital	0.1% AEP+ 0.5 metres
Community use (where for the storage of valuable records or items of historic or cultural significance including libraries and museums)	0.5% AEP
Special industry (where for power station)	0.5% AEP
Substations	0.5% AEP
Utility installation (where for a sewage treatment plant)	Defined flood level
Utility installation (where for a water treatment plant)	0.5% AEP
Utility installation (other)	Alternative outcome required.
Air services	Alternative outcome required.

**Table 8.2.6.3D Development category** 

Building Code of Australia Building classification <sup>(1)</sup>		Category – refer to Table 8.2.6.3B for flood planning levels
Class 1–4	Habitable room	Category A
	Non-habitable room including patio and courtyard	Category B
	Non-habitable part of a Class 2 or Class 3 building excluding the essential services(2) control room	Category B
	Parking located in the building undercroft of a multiple dwelling	Category C
	Carport, unroofed car park; vehicular manoeuvring area	Category D
	Essential electrical services <sup>(2)</sup> of a Class 2 or Class 3 building only	Category A
	Basement parking entry	Category C + 0.3 metres
Class 5,	Building floor level	Category C
Class 6, or Class 8	Garage or car park located in the building undercroft	Category C

Building Code of Australia Building classification <sup>(1)</sup>	Development types and design levels, assigned design floor or pavement levels	Category – refer to Table 8.2.6.3B for flood planning levels
	Carport or unroofed car park	Category D
	Vehicular access and manoeuvring areas	Category D
	Basement parking entry	Category C
	Essential electrical services <sup>(2)</sup>	Class 8 – Category Class 5 & 6 – Category A
Class 7a	Refer to the relevant building class specific	ed in this table
Class 7b	Building floor level	Category C
	Vehicular access and manoeuvring area	Category D
	Essential electrical services <sup>(2)</sup>	Category C
Class 9	Building floor level	Category A
	Building floor level for habitable rooms in Class 9a or 9c where for a Residential care facility	0.2% AEP flood
	Building floor level for habitable rooms in Class 9b where involving children, such as a child care centre	0.2% AEP flood
	Garage or car park located in the building undercroft	Category C
	Carport or unroofed car park	Category D
	Vehicular access and manoeuvring areas	Category D
	Essential electrical services <sup>(2)</sup>	Category A
Class 10a	Car parking facility	Refer to the relevant building class specified in this table
	Shed or the like	Category D
Class 10b	Swimming pool	Category E
	Associated mechanical and electrical pool equipment	Category C
	Other structures	Flood planning levels do not apply

<sup>&</sup>lt;sup>(1)</sup> Refer to the Building Code of Australia for definitions of building classifications.

<sup>(2)</sup> Essential electrical services include any area or room used for fire control panel, telephone PABX, sensitive substation equipment including transformers, low voltage switch gear, high voltage switch gear, battery chargers, protection control and communication equipment, low voltage cables, high voltage cables, and lift or pump controls.

## 9.4.2 Landscaping code

### 9.4.2.1 Application

This code applies where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

## 9.4.2.2 Purpose

- (1) The purpose of the Landscaping code is to ensure all development is landscaped to a standard that:
  - (a) complements the scale and appearance of the development;
  - (b) protects and enhances the amenity and environmental values of the site;
  - (c) complements and enhances the streetscape and local landscape character; and
  - (d) ensures effective buffering of incompatible land uses to protect local amenity.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Landscaping is a functional part of development design and is commensurate with the intended use;
  - (b) Landscaping accommodates the retention of existing significant on site vegetation where appropriate and practical;
  - (c) Landscaping treatments complement the scale, appearance and function of the development;
  - (d) Landscaping contributes to an attractive streetscape;
  - (e) Landscaping enhances the amenity and character of the local area;
  - (f) Landscaping enhances natural environmental values of the site and the locality;
  - (g) Landscaping provides effective screening both on site, if required, and between incompatible land uses;
  - (h) Landscaping provides shade in appropriate circumstances;
  - (i) Landscape design enhances personal safety and reduces the potential for crime and vandalism; and
  - (j) Intensive land uses incorporate vegetated buffers to provide effective screening of buildings, structures and machinery associated with the use.

## 9.4.2.3 Criteria for assessment

Table 9.4.2.3A—Landscaping code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments			
For accepted development su	For accepted development subject to requirements and assessable development					
PO1 Development, other than in the Rural zone, includes landscaping that:  (a) contributes to the landscape character of the Shire;  (b) compliments the character of the immediate surrounds;  (c) provides an appropriate balance between built and natural elements; and  (d) provides a source of visual interest.	AO1 Development, other than in the Rural zone, provides: (a) a minimum of 10% of the site as landscaping; (b) planting in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species; (c) for the integration of retained significant vegetation into landscaping areas; (d) on-street landscaping works in accordance with the Design Guidelines set out in Section D9 Landscaping, of the Planning Scheme Policy 4 - FNQROC Regional Development Manual.  Note—Where development exceeds a site cover of 90%, areas of landscaping may be provided above ground level to achieve a total supply of landscaping equivalent to 10% of the site area.	n/a	No landscaping is required for this proposed subdivision.			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Development, other than is the Rural zone, include landscaping along sitt frontages that:  (a) creates an attractive streetscape;  (b) compliments the character of the immediate surrounds;  (c) assists to break up and soften elements of built form;  (d) screen areas of limited visual interest or servicing;  (e) provide shade for pedestrians; and (f) includes a range and variety of planting.	the Rural zone, includes a landscape strip along any site frontage:  (a) with a minimum width of 2 metres where adjoining a car parking area;  (b) with a minimum width of 1.5 metres in all other locations; and  (c) in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.  Note—Where development is setback from a frontage less than 1.5 metres, the	n/a	See comment for AO1.
PO3 Development include landscaping and fencing along side and real boundaries that:  (a) screens and buffer	landscape treatments along	n/a	See comment for AO1.
land uses; (b) assists to break up and soften elements of built form; (c) screens areas of limited visual interest; (d) preserves the amenity of sensitive land uses; and (e) includes a range and variety of planting.	AO3.2 Shrubs and trees provided in landscape strips along side and rear boundaries:  (a) are planted at a maximum spacing of 1 metre;  (b) will grow to a height of at least 2 metres;  (c) will grow to form a screen of no less than 2 metres in height; and  (d) are mulched to a	n/a	See comment for AO1.
	minimum depth of 0.1 metres with organic mulch.		

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO3.3 Any landscape strip provided along a side or rear boundary is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	See comment for AO1.
PO4 Car parking areas are improved with a variety of landscaping that: (a) provides visual interest; (b) provides a source of shade for pedestrians; (c) assists to break up and soften elements; and (d) improves legibility.	Landscaping is provided in car parking areas which provides:  (a) a minimum of 1 shade tree for every 4 parking spaces, or part thereof, where the car parking area includes 12 or more spaces;  (b) a minimum of 1 shade tree for every 6 parking spaces, or part thereof, otherwise; and  (c) where involving a car parking area in excess of 500m²:  (i) shade structures are provided for 50% of parking spaces; and  (ii) a minimum of 10% of the parking area as landscaping.	n/a	See comment for AO1.
	AO4.2 Landscaping in car parking areas is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	See comment for AO1.
PO5 Landscaping areas include a range and variety of planting that:	AO5.1 Plant species are selected from the Plant Schedule in Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	See comment for AO1.

Performance outcomes	Accentable outcomes	Complies	Comments
	Acceptable outcomes	-	
<ul> <li>(a) is suitable for the intended purpose and local conditions;</li> <li>(b) contributes to the natural character of the Shire;</li> <li>(c) includes native species;</li> <li>(d) includes locally endemic species, where practical; and</li> <li>(e) does not include invasive plants or weeds.</li> </ul>	AO5.2  A minimum of 25% of (new and existing) plants is provided as larger, advanced stock with a minimum plant height of 0.7 metres and mulched to a minimum depth of 0.1 metres with organic mulch.	n/a	See comment for AO1.
PO6	AO6.1	n/a	See comment for AO1.
Landscaping does not impact on the ongoing provision of infrastructure and services to the Shire.	Tree planting is a minimum of (a) 2 metres from any underground water, sewer, gas, electricity or telecommunications infrastructure; and (b) 4 metres from any inspection chamber.		AO1.
	AO6.2 Vegetation below or within 4 metres of overhead electricity lines and power poles has a maximum height of 3.5 metres at maturity.	n/a	See comment for AO1.
	AO6.3  Vegetation adjoining an electricity substation boundary, at maturity, will have:  (a) a height of less than 4 metres; and  (b) no foliage within 3 metres of the substation boundary, unless the substation has a solid wall along any boundary.	n/a	Not applicable.
For assessable development	1		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO7 Landscaping areas are	AO7 No acceptable outcome is	n/a	See comment for AO1.
designed to:	provided.		
(a) be easily maintained throughout the ongoing use of the site;	•		
(b) allow sufficient area and access to sunlight and water for plant growth;			
(c) not cause a nuisance to occupants of the site or members of the public; and			
(d) maintain or enhance the safety of pedestrians through the use of Crime Prevention Through Environmental Design principles.			

Table 9.4.2.3B—Side and rear boundary landscape treatments

Table 9.4.2.3B—Side and rear boundary landscape treatments				
Location or use	Landscape Strip Minimum Width	Screen Fencing Minimum Height	Extent of treatment	
Where car parking, servicing or manoeuvring areas adjoin a side or rear boundary	1 metre	Not applicable	To the extent these areas adjoin the boundary	
Where involving a use other than a dwelling house on a site with a common boundary with land in the Low density residential zone, the Medium density residential zone or the Rural residential zone:	1.5 metres	1.8 metres	Along the common boundary.	
Development for an industrial activity which has a common boundary with land not within the Industry zone	2 metres	1.8 metres	Along the common boundary	
Development involving (a) Tourist park not in the Rural zone (b) Sales office (c) Multiple dwelling (d) Residential care facility; or (e) Dual occupancy	Not applicable	1.8 metres	Along all side and rear boundaries and between dwellings for a Dual occupancy.	
Development involving (a) Tourist park in the Rural zone (b) Service station (c) Car wash; or (d) Utility installation	2 metres	Not applicable	Along all side and rear boundaries	
For: (a) waste storage; (b) equipment; (c) servicing areas; and (d) private open space and site facilities associated with Caretaker's accommodation.	Not applicable	1.8 metres	To prevent visibility	

Note—Where more than one landscape treatment is applicable to a development in the above table, the development is to provide a landscape treatment that satisfies all applicable minimum specifications.

## 9.4.3 Parking and access code

## 9.4.3.1 Application

This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

## 9.4.3.2 Purpose

- (1) The purpose of the Parking and access code is to ensure:
  - (a) parking areas are appropriately designed, constructed and maintained;
  - (b) the efficient functioning of the development and the local road network; and
  - (c) all development provides sufficient parking, loading/service and manoeuvring areas to meet the demand generated by the use.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Land uses have a sufficient number of parking and bicycle spaces designed in a manner to meet the requirements of the user;
  - (b) Parking spaces and associated manoeuvring areas are safe, functional and provide equitable access;
  - (c) Suitable access for all types of vehicles likely to utilise a parking area is provided in a way that does not compromise the safety and efficiency of the surrounding road network;
  - (d) Premises are adequately serviced to meet the reasonable requirements of the development; and
  - (e) End of trip facilities are provided by new major developments to facilitate alternative travel modes.

### 9.4.3.3 Criteria for assessment

Table 9.4.3.3A—Parking and access code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments	
For accepted development subject to requirements and assessable development				
Car parking spaces				

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1  Development provides sufficient car parking to accommodate the demand likely to be generated by the use, having regard to the:  (a) nature of the use;  (b) location of the site;  (c) proximity of the use to public transport services;  (d) availability of active transport infrastructure; and  (e) accessibility of the use to all members of the community.	AO1 The number of car parking spaces provided for the use is in accordance with Table 9.4.3.3B.  Note—Car parking spaces provided for persons with a disability are to be considered in determining compliance with AO1.		Both proposed lots will contain an established dwelling house.  On site parking for both dwelling houses is already in place.
Vehicle crossovers			
PO2 Vehicle crossovers are provided to: (a) ensure safe and efficient access between the road and premises; (b) minimize interference with the function and operation of roads; and	AO2.1 Vehicular access to/from Council roads is designed and constructed in accordance with the Standard drawings in Planning Scheme Policy 4 - FNQROC Regional Development Manual.	~	The development will be conditioned to comply.
(c) minimise pedestrian to vehicle conflict.	AO2.2  Development on a site with two or more road frontages provides vehicular access from:  (a) the primary frontage where involving Community activities or Sport and recreation activities, unless the primary road frontage is a Statecontrolled road; or  (b) from the lowest order road in all other instances.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO2.3 Vehicular access for particular uses is provided in accordance with Table 9.4.3.3E.	n/a	Refer to comment for AO1.
PO3 Access, manoeuvring and car parking areas include appropriate pavement treatments having regard to: (a) the intensity of anticipated vehicle movements; (b) the nature of the use that they service; and (c) the character of the surrounding locality.	AO3 Access, manoeuvring and car parking areas include pavements that are constructed in accordance with Table 9.4.3.3C.	n/a	Refer to comment for AO1.
For assessable development			
Parking area location and de	sign		
PO4 Car parking areas are located and designed to: (a) ensure safety and efficiency in operation; and (b) be consistent with the	AO4.1 Car parking spaces, access and circulation areas have dimensions in accordance with AS/NZS 2890.1 Off-street car parking.	n/a	Refer to comment for AO1.
character of the surrounding locality.	AO4.2 Disabled access and car parking spaces are located and designed in accordance with AS/NZS 2890.6 Parking facilities - Off-street parking for people with disabilities.	n/a	Refer to comment for AO1.
	AO4.3 The car parking area includes designated pedestrian routes that provide connections to building entrances.	n/a	Refer to comment for AO1.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO4.4 Parking and any set down areas are:  (a) wholly contained within the site;  (b) visible from the street where involving Commercial activities, Community activities or a use in the Recreation and open space zone;  (c) are set back behind the main building line where involving a Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility; and  (d) provided at the side or rear of a building in all other instances.	n/a	Refer to comment for AO1.
Site access and manoeuvring			
PO5 Access to, and manoeuvring within, the site is designed and located to:  (a) ensure the safety and efficiency of the external road network;  (b) ensure the safety of pedestrians;  (c) provide a functional and convenient layout; and  (d) accommodate all vehicles intended to use the site.	AO5.1  Access and manoeuvrability is in accordance with:  (a) AS28901 – Car Parking Facilities (Off Street Parking); and  (b) AS2890.2 – Parking Facilities (Off-street Parking) Commercial Vehicle Facilities.  Note—Proposal plans should include turning circles designed in accordance with AP34/95 (Austroads 1995) Design Vehicles and Turning Path Templates.	n/a	Refer to comment for AO1.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO5.2 Vehicular access has a minimum sight distance in accordance with Part 5 of AUSTROADS.	n/a	Refer to comment for AO1.
	AO5.3 Vehicular access is located and designed so that all vehicles enter and exit the site in a forward gear.	n/a	Refer to comment for AO1.
	AO5.4 Pedestrian and cyclist access to the site: (a) is clearly defined; (b) easily identifiable; and (c) provides a connection between the site frontage and the entrance to buildings and end of trip facilities (where provided).	n/a	Refer to comment for AO1.
PO6 Development that involves an internal road network ensures that it's design: (a) ensure safety and efficiency in operation; (b) does not impact on the amenity of residential	AO6.1 Internal roads for a Tourist park have a minimum width of: (a) 4 metres if one way; or (b) 6 metres if two way.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
(c)	uses on the site and on adjoining sites, having regard to matters of: (i) hours of operation; (ii) noise (iii) light; and (iv) odour; accommodates the nature and volume of vehicle movements anticipated to be generated by the use; allows for convenient access to key on-site features by pedestrians, cyclists and motor vehicles; and	For a Tourist park, internal road design avoids the use of cul-desacs in favour of circulating roads, where unavoidable, cul-de-sacs provide a full turning circle for vehicles towing caravans having:  (a) a minimum approach and departure curve radius of 12 metres; and  (b) a minimum turning circle radius of 8 metres.	n/a	Not applicable.
(e)	in the Rural zone, avoids environmental degradation.	AO6.3 Internal roads are imperviously sealed and drained, apart from those for an Energy and infrastructure activity or Rural activity.	n/a	Not applicable.
		AO6.4  Speed control devices are installed along all internal roads, apart from those for an Energy and infrastructure activity or Rural activity, in accordance with Complete Streets.	n/a	Not applicable.
		AO6.5 Internal roads, apart from those for an Energy and infrastructure activity or Rural activity, are illuminated in accordance with AS 4282 (as amended) - Control of Obtrusive effects of outdoor lighting.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO6.6 Where involving an accommodation activity, internal roads facilitate unobstructed access to every dwelling, accommodation unit, accommodation site and building by emergency services vehicles.	•	The development will comply.
	AO6.7 For an Energy and infrastructure activity or Rural activity, internal road gradients:  (a) are no steeper than 1:5; or  (b) are steeper than 1:5 and are sealed.	n/a	Not applicable.
Servicing	_		
PO7 Development provides access, maneuvering and servicing areas on site that:  (a) accommodate a service vehicle commensurate with the likely demand generated by the use;  (b) do not impact on the safety or efficiency of internal car parking or maneuvering areas;  (c) do not adversely impact on the safety or efficiency of the road network;	service and waste disposal areas are located: (a) on the site; (b) to the side or rear of the building, behind the main building line; (c) not adjacent to a site boundary	n/a	Not applicable.
(d) provide for all servicing functions associated with the use; and (e) are located and designed to minimise their impacts on adjoining sensitive land	AO7.2 Unloading, loading, service and waste disposal areas allow service vehicles to enter and exit the site in a forward gear.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
	uses and streetscape quality.	AO7.3  Development provides a servicing area, site access and maneuvering areas to accommodate the applicable minimum servicing vehicle specified in Table 9.4.3.3B.	n/a	Not applicable.
Maiı	ntenance			
mair	king areas are used and obtained for their intended bose.	AO8.1 Parking areas are kept and used exclusively for parking and are maintained in a suitable condition for parking and circulation of vehicles.	n/a	Not applicable.
		AO8.2 All parking areas will be compacted, sealed, drained, line marked and maintained until such time as the development ceases.	n/a	Not applicable.
End	of trip facilities			
Cen Eme prov	elopment within the tre zone; Industry zone or erging community zone ides facilities for active sport users that:	AO9.1 The number of bicycle parking spaces provided for the use is in accordance with Table 9.4.3.3D.	n/a	Not applicable.
(a) (b) (c)	meet the anticipated demand generated from the use; comprise secure and convenient bicycle parking and storage; and provide end of trip facilities for all active transport users.	AO9.2 End of trip facilities are provided in accordance with Table 9.4.3.3D.	n/a	Not applicable.

If for Educational establishment or Child care centre where involving more than 100 vehicle movements per day or Renewable energy facility, Sport and recreation activities or Tourist park

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.  If for Educational establishment vehicle movements per day or Tourist park			
PO11 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.	AO11 A traffic impact report is prepared by a suitably qualified person that identifies: (d) the expected traffic movements to be generated by the facility; (e) any associated impacts on the road network; and (f) any works that will be required to address the identified impacts.	n/a	Not applicable.

Table 9.4.3.3B—Vehicle Parking and Service Vehicle Space Requirements

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space
Adult store	Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 20m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².	Provision One SRV space.
Agricultural supplies store	Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 30m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Queuing for 3 vehicles should be supplied where a GFA is greater than 600m².	
Air services	If accepted development subject to requirements development: One space per 90m² or part thereof of net lettable area; or  If Assessable development: As determined by Council.	If accepted development subject to requirements: One space per 200m² or part thereof of net lettable area.  If assessable development: As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Animal husbandry	If accepted development subject to requirements: One space.  If assessable development:	If accepted development subject to requirements:
	As determined by Council.	If assessable development: As determined by Council.
Animal keeping	Minimum of three spaces or one space per 200m <sup>2</sup> of use area, whichever is greater.	One SRV space.
Aquaculture	If accepted development subject to requirements:  In the rural or rural residential zones - two spaces; or  Enclosed within a building - one space per 90m² of net lettable area.	If accepted development subject to requirements: Nil.
	If assessable development: As determined by Council.	development: As determined by Council.
Brothel	As determined by Council.	As determined by Council.
Bulk landscape supplies	Minimum of five spaces or one space per 250m <sup>2</sup> of use area, whichever is greater.	One AV if the site has an area of greater than 2,000m <sup>2</sup> ; or One HRV space.
Car wash	Minimum of two parking spaces plus 1 car queuing space for each car wash or service bay and parking at rates applicable to ancillary use/s.	One AV space.
Caretaker's accommodation	One space per dwelling unit.	Nil.
Cemetery	As determined by Council.	As determined by Council.
Child care centre	A minimum of 3 spaces will be required to be used for setting down and picking up of children, plus one space per 10 children for staff parking.	One SRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Club	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space; and One HRV space if greater than 500m <sup>2</sup> .
Community care centre	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space.
Community residence	Three spaces.	Nil.
Community use	Minimum of 5 spaces per use or one space per 50m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space if greater than 500m <sup>2</sup> GFA.
Crematorium	One space per 30m <sup>2</sup> GFA or part thereof.	As determined by Council.
Cropping	If accepted development subject to requirements: Two spaces.  If assessable development: As determined by Council.	If accepted development subject to requirements: Nil.  If assessable development: As determined
Detention facility	As determined by Council.	by Council.  As determined by Council.
Dual occupancy	One covered space per dwelling; and One visitor space.	Nil.
Dwelling house	One covered space per dwelling house. One space per secondary dwelling.	Nil.
Dwelling unit	One covered space per dwelling unit.  A minimum of 0.25 spaces per dwelling is to remain in common property for visitor use.	Nil

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Educational establishment	For all establishments:  1 space per every10 students plus 1 space per employee, and  Provision for 3 vehicles for loading and unloading of passengers in addition to the requirements above.	For accepted development subject to requirements: One HRV space; and One SRV space; and A minimum of 3 Bus / coach parking / set down areas.  For assessable development: As determined by Council.
Emergency services	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	As determined by Council.
Environment facility	As determined by Council.	As determined by Council.
Extractive industry	As determined by Council.	As determined by Council.
Food and drink outlet	Accepted in an existing building within the Centre zone.  Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA and one space per 15m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA and one space per 10m² or part thereof of GFA above 400m².  Drive-through: Queuing spaces for 6 passenger vehicles within the site boundaries.  One service vehicle space per use or one service vehicle space per 1,000m² GFA, whichever is greater.	One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Function facility	One space per 30m <sup>2</sup> or part thereof of GFA.	One SRV space.
Funeral parlour	Accepted in an existing building within the Centre zone.  Inside the Centre zone:	One SRV space.
	One space per 20m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	
Garden centre	A minimum of 5 spaces for customer parking or one space per 150m <sup>2</sup> or part thereof of use area, whichever is greater.  One service vehicle space per use or	One AV if the site has an area of greater than 2,000m <sup>2</sup> , otherwise One
	one service vehicle space per 800m² use area, whichever is greater.	HRV space.
Hardware and trade supplies	Accepted in an existing building within the Centre zone.  Inside the Centre zone:	One AV if the site has an area of greater than 2,000m <sup>2</sup> ,
	One space per 50m <sup>2</sup> or part thereof of GFA up to 400m <sup>2</sup> GFA, and one space per or part thereof of GFA above 400m <sup>2</sup> .  Outside the Centre zone:  One space per or part thereof of GFA up to 400m <sup>2</sup> GFA, and one space per 15m <sup>2</sup> or part thereof of GFA above 400m <sup>2</sup> .	otherwise One HRV space.
Health care services	Accepted in an existing building within the Centre zone.	One SRV space per 500m <sup>2</sup> GFA.
	Inside the Centre zone: One space per 40m² or part thereof of net lettable area. Outside the Centre zone: One space per 20m² of or part thereof of net lettable area.	

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
High impact industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Home based business	Bed and breakfasts: One space per guest room.  Other home based business: One space for home based business and one covered space for the dwelling.	Nil.
Hospital	One space per 6 residential care beds. One space per 4 hostel unit beds. Visitor parking at 30% of resident parking requirements.	One HRV space. One SRV for every 800m² of GFA and part thereof; and One space for an emergency vehicle.
Hotel	One space per 10m <sup>2</sup> or part thereof of GFA per bar, beer garden and other public area.  One space per 50m <sup>2</sup> or part thereof of GFA per bulk liquor sales area.  One space per guest room.	One HRV space.
Indoor sport and recreation	If accepted development subject to requirements: One space per 25m² of net lettable area. If assessable development: As determined by Council.	An internal bus set down and pick up area that enables the bus to be in a forward motion at all times whilst onsite
		dedicated taxi bays provided within 200 metres of the site entrance.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Intensive animal industries	If accepted development subject to requirements: Two spaces.	One SRV space.
	If assessable development: As determined by Council.	
Intensive horticulture	If accepted development subject to requirements: Two spaces.	If accepted development subject to requirements:
	If assessable development: As determined by Council.	If assessable development: As determined by Council.
Landing	As determined by Council.	As determined by Council.
Low impact industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Major electricity infrastructure	As determined by Council.	As determined by Council.
Major sport, recreation and entertainment facility	As determined by Council.	As determined by Council.
Marine industry	One space per 90m <sup>2</sup> GFA or part thereof.	One HRV space if the site has an area greater than 1,000m², otherwise One SRV space.
Market	As determined by Council.	As determined by Council.
Medium impact industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Motor sport facility	As determined by Council.	As determined by Council.
Multiple dwelling	One covered space per dwelling.	Nil.
	One dedicated vehicle wash-down bay for premises containing 5 or more dwellings.  A minimum of 0.25 spaces per dwelling is to remain in common property for visitor use.	
Nature-based tourism	One space per dwelling; or 0.75 spaces per guest room if in dormitory or shared facilities.	As determined by Council.
Nightclub entertainment facility	One space per 60m <sup>2</sup> GFA or part thereof.	Nil.
Non-resident workforce accommodation	One space per dwelling unit.	Nil.
Office	Accepted in an existing building within the Centre zone.  Inside the Centre zone: One space per 20m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One SRV space.
Outdoor sales	A minimum of 5 spaces for customer parking or one space per 150m² of use area, whichever is greater.  One service vehicle space per use or one service vehicle space per 800m², whichever is greater.	One AV if the site has an area of greater than 2,000m², otherwise One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Outdoor sport and recreation	Coursing, horse racing, pacing or trotting:  One space per five seated spectators; plus  One space per 5m² of other spectator areas.  Football:  50 spaces per field.  Lawn bowls:  30 spaces per green.  Swimming pool:  15 spaces; plus  One space per 100m² of useable site area.  Tennis or other Court:  Four spaces per court.  Golf Course:  Four spaces per tee on the course; plus  One space per 50m² of net lettable area.  Any other use:  As determined by council.	An internal bus set down and pick up area that enables the bus to be in a forward motion at all times whilst onsite  Internal dedicated taxi bays provided within 200 metres of the site entrance.
Park	As determined by Council.	As determined by Council.
Parking station	Not applicable	Nil.
Permanent plantation	If accepted development subject to requirements: Two spaces.  If assessable development: As determined by Council.	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.
Place of worship	Minimum of 5 spaces per use or one space per 25m <sup>2</sup> or part thereof of GFA, whichever is greater.	One SRV space.
Port services	As determined by Council.	As determined by Council.
Relocatable home park	One space for each home site plus 1 space for each 5 home sites or part thereof for visitors.	One HRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Renewable energy facility	As determined by Council.	As determined by Council.
Research and technology industry	One space per 90m <sup>2</sup> GFA or part thereof.	One HRV space if the site has an area greater than 1,000m², otherwise One SRV space.
Residential care facility	One space per 4 hostel unit beds. Visitor parking at 30% of resident parking requirements.	One SRV space; and One space for an emergency vehicle.
Resort complex	As determined by Council.	As determined by Council.
Retirement facility	One covered space per unit and 0.5 spaces for visitors parking.	One SRV space; and One space for an emergency vehicle.
Roadside stall	One space per stall.	Nil.
Rooming accommodation	Inside the Centre zone: One space per 15 beds. Outside the Centre zone: One space per 8 beds.	One SRV space. One space for a 20 seater bus.
Rural industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space.
Rural workers' accommodation	If accepted development subject to requirements: Nil	If accepted development subject to requirements:
	If Assessable development: As determined by Council.	If Assessable development: As determined by Council.
Sales office	One space per 25m <sup>2</sup> GFA or part thereof.	Nil.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Service industry	Accepted where in an existing building within the Centre zone.  Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One HRV space if the site is greater than 2,000m², otherwise One SRV space.
Service station	Minimum of four spaces plus car parking at rates applicable to ancillary use/s.	One AV space.
Shop	Accepted where in an existing building within the Centre zone.  Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One HRV space if the site is greater than 2,000m², otherwise One SRV space.
Shopping centre	Inside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA and one space per 25m² or part thereof of GFA above 400m². Outside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA and one space per 15m² or part thereof of GFA above 400m².	One AV space per 1,000m <sup>2</sup> ; and One SRV space per 500m <sup>2</sup> ; or One SRV space per every 2 specialty uses, whichever the greater.
Short-term accommodation	One space per unit.	One HRV space if involves the serving of food or beverage; otherwise One SRV space.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Showroom	Accepted in an existing building within the Centre zone.  Inside the Centre zone: One space per 25m² or part thereof of GFA up to 400m² GFA, and one space per 10m² or part thereof of GFA above 400m².  Outside the Centre zone: One space per 50m² or part thereof of GFA up to 400m² GFA, and one space per 15m² or part thereof of GFA above 400m².	One AV space and One SRV space if the site is greater than 2,000m²; or One HRV space; and One SRV Space.
Special industry	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Substation	If assessable development: As determined by Council.	As determined by Council.
Telecommunication s facility	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.	If accepted development subject to requirements: Nil.  If assessable development: As determined by Council.
Theatre	One space per 15m <sup>2</sup> or part thereof of net lettable area, or one space per 5 seated spectators whichever is the greater.	One SRV space.
Tourist attraction	As determined by Council.	As determined by Council.

Definition	Minimum number of Car parking spaces	Minimum Service Vehicle Space Provision
Tourist park	One space within each accommodation site plus 1 additional visitor space per 10 accommodation sites.	One HRV space.
	Queuing for 2 vehicles towing caravans and 1 holding bay for a vehicle towing a caravan plus additional queuing for 1 vehicle towing a caravan per 40 accommodation sites.	
Transport depot	One space per 125m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Utility installation	If accepted development subject to requirements: Nil.	If accepted development subject to requirements:
	If assessable development: As determined by Council.	If assessable development: As determined by Council.
Veterinary services	Accepted in an existing building within the Centre zone.  Inside Centre zone: One space per 40m² or part thereof of net lettable area. Outside Centre zone: One space per 20m² or part thereof of net lettable area.	One HRV space if greater than 500m² GFA; and One SRV space per 500m² GFA.
Warehouse	One space per 90m <sup>2</sup> GFA or part thereof.	One AV space if the site has an area greater than 2,000m², otherwise One HRV.
Wholesale nursery	As determined by Council.	As determined by Council.
Winery	As determined by Council.	As determined by Council.

Note—Any use not herein defined - as determined by Council.

Table 9.4.3.3C—Pavement Standards for Access, Manoeuvring and Car Parking areas

Zone	Compacted Gravel Base (minimum thickness)	Surfacing Options
All development	t other than dwe	Iling house
All zones other than the Conservation zone or the	75mm	Reinforced concrete with a minimum thickness of:  • 100mm for parking areas; and • 150mm for access ways.
Rural zone	150mm	Asphalt with a minimum thickness of 25mm
	150mm	Two coat sprayed bitumen seal
	150mm	Concrete pavers
Conservation zone or Rural zone	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free
<b>Dwelling house</b>		
All zones	75mm	Reinforced concrete with a minimum thickness of:  • 100mm for parking areas; and • 150mm for access ways.
	150mm	Asphalt with a minimum thickness of 25mm
	150mm	Two coat sprayed bitumen seal
	150mm	Concrete pavers
	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free

Note—Where more than one surfacing option is listed, any one of the treatments listed may be provided.

Table 9.4.3.3D—Bicycle Parking and End of Trip Facility Requirements

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Commercial activities	New or redeveloped commercial activities buildings (other than a shopping centre), provide:  • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • visitor facilities: - one bicycle rack space per 750m² NLA or part thereof; and - bicycle parking, signposted; and adjacent to a major public entrance to the building.	New or redeveloped commercial activities buildings (other than a shopping centre), provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.
Community use	Four spaces per 1,500m <sup>2</sup> GFA.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Educational establishment	New or redeveloped education facilities, provide:  • For employees - secure bicycle storage for 8% of building staff (based on one person per 75m² GLA).  Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • For students:  - minimum of 8% of the peak number of students using the building at any one time (with 75% occupancy); and  - bicycle storage within 100m of the building front entrance(s); or added to the campus central bicycle storage area.	New or redeveloped education facilities, provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Food & drink outlet	One space per 100m <sup>2</sup> GFA.	As determined by Council.
Function facility	One space per 300m <sup>2</sup> GFA.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Health care services	New or redeveloped healthcare facilities, provide the following facilities:  • For employees - secure bicycle storage for 5% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • For visitors:  - facilities with inpatient accommodation provide one space per each 30 beds;  - facilities without inpatient accommodation provide one space per each 4 practitioners;  - aged care facilities provide one space per each 60 beds;  - In every instance above, provide a minimum of 5 bicycle parking spaces; and  - bicycle parking provided: in an accessible location, signposted and within 10m a major public entrance to the building.	New or redeveloped healthcare facilities, provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Hospital	As determined by Council.	As determined by Council.
Indoor sport and recreation	One space per employee plus 1 space per 200m <sup>2</sup> GFA	As determined by Council.
Park	As determined by Council.	As determined by Council.
Rooming accommodation	One space per 4 letting rooms.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Short term accommodation	One space per 4 letting rooms.	As determined by Council.
Shop or Shopping centre	New or redeveloped shopping centres, provide:  • For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and  • visitor facilities:  - one space per 500m² GLA or part thereof for centres under 30,000m²; or  - one space per 750m² GLA or part thereof for centres between 30,000m² and 50,000m²; and  - bicycle parking is signposted and within 10m of a major public entrance to the building.	New or redeveloped shopping centres, provide the following employee facilities, which are continually accessible to employees:  • accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof;  • changing facilities adjacent to showers; and  • secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.
Theatre	One space per 100m <sup>2</sup> GFA.	As determined by Council.

Table 9.4.3.3E—Vehicular Access for Specific Uses

Use	Design	
Dwelling house	A secondary dwelling shares a vehicle crossover with the Dwelling house.	
Car wash	Site access involves:  (a) a maximum width of 9 metres of any vehicle crossover across a footpath;	
Service station	<ul> <li>(b) a minimum separation of 12 metres between any vehicle crossover and a road intersection;</li> <li>(c) a separate entrance and exit; and</li> <li>(d) a minimum separation between vehicle crossovers of 14 metres.</li> </ul>	

Industrial activities	Each lot is provided with no more than one access point every 15 metres.		
Roadside stall	A single vehicular access point is provided to the site.		
Tourist park  (a) a single vehicular access point is provided to the site; and (b) no accommodation site has individual vehicular access.			

### 9.4.4 Reconfiguring a lot code

## 9.4.4.1 Application

- (1) This code applies to assessing development where:
  - (a) for Reconfiguring a lot; and
  - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

# 9.4.4.2 Purpose

- (1) The purpose of the Reconfiguring a lot code is to ensure that land is:
  - arranged in a manner which is consistent with the intended scale and intensity of development within the area;
  - (b) provided with access to appropriate movement and open space networks; and
  - (c) contributes to housing diversity and accommodates a range of land uses.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Subdivision of land achieves the efficient use of land and the efficient provision of infrastructure and transport services;
  - (b) Lots are of a suitable size and shape for the intended or potential use having regard to the purpose and overall outcomes of the relevant zone or precinct.
  - (c) Subdivision of land creates lots with sufficient area and dimensions to accommodate the ultimate use, meet user requirements, protect environmental features and account for site constraints:
  - (d) A range and mix of lot sizes is provided to facilitate a variety of industry and housing types;
  - (e) Subdivision design incorporates a road network that provides connectivity and circulation for vehicles and provide safe and efficient access for pedestrians, cyclists and public transport;
  - (f) Subdivision design provides opportunities for walking and cycling for recreation and as alternative methods of travel;
  - (g) Subdivision of land provides and integrates a range of functional parkland, including local and district parks and open space links for the use and enjoyment of the residents of the locality and the shire;
  - (h) Subdivision of land contributes to an open space network that achieves connectivity along riparian corridors and between areas with conservation values;
  - (i) Subdivision within the Rural zone maintains lots equal to or larger than 60ha, except for where:
    - (a) The subdivision results in no additional lots (boundary realignment) and does not create an additional *rural lifestyle* lot or *rural residential purposes* lot; or
    - (b) The subdivision is limited to the creation of one additional allotment to accommodate a *public reconfiguration purpose*;
  - (i) Land in historical townships is not reconfigured to be used for urban purposes; and
  - (k) Residential subdivision and greenfield development is designed to consider and respect:
    - i. topography;
    - ii. climate responsive design and solar orientation;
    - iii. efficient and sustainable infrastructure provision;
    - iv. environmental values;
    - v. water sensitive urban design;
    - vi. good quality agricultural land; and
    - vii. the character and scale of surrounding development.

# 9.4.4.3 Criteria for assessment

Table 9.4.4.3A—Reconfiguring a lot code – For assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
Area and frontage of lots – e	except for Rural zone		
		Complies with PO1	The proposed development does not meet Table 9.4.4.3B minimum requirements for lot size and frontage.  Notwithstanding , the proposed development will comply with performance outcome PO1.  The proposed allotments are consistent with the design of lots in the local vicinity. The proposed lots will remain rural residential in nature.  The proposed development provides for residential amenity, good
(g) accommodates site constraints.			access, is within close proximity to Mareeba and does not involve vegetation clearing.
			The proposed lots comply with PO1.
Area and frontage of lots - F	Rural zone		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1.1 No lots are created with an area of less than 60ha, except for where:  (a) The subdivision results in no additional lots (boundary realignment) and does not create an additional rural lifestyle lot or rural residential purposes lot; or  (b) The subdivision is limited to the creation of one additional allotment to accommodate a public reconfiguration purpose.  Note: This also applies to applications for boundary realignment.	AO1.1 No acceptable outcome is provided.	n/a	Not applicable.
PO1.2 Where for a boundary realignment, the realignment only occurs where it would: (a) Improve agricultural efficiency; or (b) Facilitate agricultural activity or conservation outcomes; or (c) Resolve boundary issues where a house, structure or works is built over the boundary line of the lots.	AO1.2 No acceptable outcome is provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1.3 Where for a boundary realignment, the proposed lots are:	AO1.3 No acceptable outcome is provided.	n/a	Not applicable.
(a) Able to accommodate all buildings, structures and works associated with the rural use;			
(b) Suitable to allow the site to be provided with sufficient access;			
(c) Include enough space within the new lots to accommodate buffers from adjoining land uses to mitigate adverse impacts such as chemical spray drift, odour, noise, fire, smoke and ash;			
(d) Do not constrain existing industries from expanding or new agricultural enterprises from being established;			
(e) Do not create new lots for rural lifestyle or rural residential purposes; and			
(f) Are not for the purposes of creating a separate house lot.			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1.4 Where for the creation of one additional lot to accommodate a public reconfiguration purpose:  (a) The lot has sufficient area to be able to accommodate all buildings, structures and works associated with the intended use; and  (b) The intended use commences on the lot prior to its creation, or a statutory covenant is registered on the title restricting the future use of the lot to the intended purpose.	AO1.4 No acceptable outcome is provided.	n/a	Not applicable.
PO1.5 Reconfiguring a lot that is severed by a gazetted road and that uses the road as the boundary of division only occurs where:  (a) The subdivision divides one lot into two; and  (b) The existing lot is severed by a road that was gazetted before 9 May 2008; and  (c) The resulting lot boundaries use the road as the boundary of division; and  (d) The development:  (i) facilitates agricultural activity; or  (ii) facilitates  conservation  outcomes; and  (e) The development ensures agricultural activity is not compromised.	AO1.5 No acceptable outcome is provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1.6 All lots include a frontage that allows the site to be provided with sufficient access.	AO1.6 Lots provided a minimum frontage is accordance with Table 9.4.4.3B	n/a	Not applicable.
Existing buildings and ease	ments		
PO2 Reconfiguring a lot which contains existing land uses or existing buildings and structures ensures:	AO2.1 Each land use and associated infrastructure is contained within its individual lot.	•	Complies.
(a) new lots are of sufficient area and dimensions to accommodate existing land uses, buildings and structures; and (b) any continuing use is not compromised by the reconfiguration.	AO2.2  All lots containing existing buildings and structures achieve the setback requirements of the relevant zone.	•	QDC compliant setbacks will be achieved.
PO3 Reconfiguring a lot which contains an existing easement ensures:  (a) future buildings, structures and accessways are able to be sited to avoid the easement; and  (b) the reconfiguration does not compromise the purpose of the easement or the continued operation of any infrastructure contained within the easement.	AO3 No acceptable outcome is provided.	n/a	Not applicable.
Boundary realignment			
PO4 The boundary realignment retains all attendant and existing infrastructure connections and potential connections.	AO4 No acceptable outcome is provided.	n/a	Not applicable.
Access and road network			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 Access to a reconfigured lot (including driveways and paths) must not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; (d) privacy of adjoining premises; and (e) service provision.	AO5 No acceptable outcome is provided.	*	Complies.  The existing access driveways will service the respective dwelling houses/lots.
PO6 Reconfiguring a lot ensures that access to a lot can be provided that:  (a) is consistent with that provided in the surrounding area;  (b) maximises efficiency and safety; and  (c) is consistent with the nature of the intended use of the lot.  Note—The Parking and access code should be considered in demonstrating compliance with PO6.	AO6 Vehicle crossover and access is provided in accordance with the design guidelines and specifications set out in Planning Scheme Policy 4 – FNQROC Regional Development Manual.	•	The development will be conditioned to comply.
PO7 Roads in the Industry zone are designed having regard to: (a) the intended use of the lots; (b) the existing use of surrounding land; (c) the vehicular servicing requirements of the intended use; (d) the movement and turning requirements of B-Double vehicles.  Note—The Parking and access code should be considered in demonstrating compliance with PO7.  Rear lots	AO7 No acceptable outcome is provided.	n/a	Not applicable.
NEAL IOIS			

Performance outcomes	Acceptable outcomes	Complies	Comments	
PO8 Rear lots are designed to: (a) provide a high standard of amenity for residents and other	AO8.1 Rear lots are designed to facilitate development that adjoins or overlooks a park or open space.	n/a	Not applicable.	
users of the site; (b) provide a high standard of amenity for adjoining properties; and	AO8.2  No more than two rear lots are created behind any lot with a road frontage.	n/a	Not applicable.	
(c) not adversely affect the safety and efficiency of the road from which access is gained.	AO8.3 Access to lots is via an access strip with a minimum width of:  (a) 4 metres where in the Low density residential zone or Medium density residential zone; or  (b) 8 metres otherwise.	n/a	Not applicable.	
	AO8.4 A single access strip is provided to a rear lot along one side of the lot with direct frontage to the street.  Note—Figure A provides further guidance in relation to the desired	n/a	Not applicable.	
	AO8.5  No more than 1 in 10 lots created in a new subdivision are rear lots.	n/a	Not applicable.	
	AO8.6 Rear lots are not created in the Centre zone or the Industry zone.	n/a	Not applicable.	
Crime prevention and comm	Crime prevention and community safety			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO9 Development includes design features which enhance public safety and seek to prevent opportunities for crime, having regard to: (a) sightlines; (b) the existing and intended pedestrian movement network; (c) the existing and intended land use pattern; and (d) potential entrapment locations.	AO9 No acceptable outcome is provided.	n/a	Not applicable.
Pedestrian and cycle move	ment network		
PO10 Reconfiguring a lot must assist in the implementation of a Pedestrian and cycle movement network to achieve safe, attractive and efficient pedestrian and cycle networks.	AO10 No acceptable outcome is provided.	n/a	Not applicable.
Public transport network			
PO11 Where a site includes or adjoins a future public transport corridor or future public transport site identified through a structure planning process, development: (a) does not prejudice the future provision of the identified infrastructure; (b) appropriately treats the common boundary with the future corridor; and (c) provides opportunities to integrate with the adjoining corridor where a it will include an element which will attract pedestrian movement.	AO11 No acceptable outcome is provided.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
Res	idential subdivision			
PO1 Resi (a)	dential lots are: provided in a variety of sizes to accommodate housing choice and diversity; and located to increase variety and avoid large areas of similar lot sizes.	AO12 No acceptable outcome is provided.	n/a	Not applicable.
Rura	al residential zone			
the whe the hect	It lots are only created in Rural residential zone re land is located within 4,000m <sup>2</sup> precinct, the 1 are precinct or the 2 are precinct.	AO13 No acceptable outcome is provided.	n/a	Not applicable.
Add	itional provisions for gre	eenfield development only		
with resp (a) (b) (c) (d) (e) (f)	subdivision design ides the new community a local identity by onding to: site context site characteristics setting landmarks natural features; and views.	AO14 No acceptable outcome provided.	n/a	Not applicable.
to p conr and vehi	road network is designed brovide a high level of nectivity, permeability circulation for local cles, public transport, estrians and cyclists.	AO15 No acceptable outcome provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO16 The road network is designed to:  (a) minimise the number of cul-de-sacs;  (b) provide walkable catchments for all residents in cul-desacs; and  (c) include open cul-desacs heads.  Note—Figure B provides further guidance in relation to the desired outcome.	AO16 No acceptable outcome provided.	n/a	Not applicable.
PO17 Reconfiguring a lot provides safe and convenient access to the existing or future public transport network.	AO17 The subdivision locates 90% of lots within 400 metres walking distance of a future public transport route.	n/a	Not applicable.
PO18 The staging of the lot reconfiguration prioritises delivery of link roads to facilitate efficient bus routes.	AO18 No acceptable outcome provided.	n/a	Not applicable.
PO19 Provision is made for sufficient open space to:  (a) meet the needs of the occupiers of the lots	AO19.1 A minimum of 10% of the site area is dedicated as open space.	n/a	Not applicable.
and to ensure that the environmental and scenic values of the area are protected; (b) retain riparian corridors, significant vegetation and habitat areas and provides linkages between those areas; and (c) meet regional, district and neighbourhood open space	AO19.2 A maximum of 30% of the proposed open space can consist of land identified as significant vegetation or riparian corridor buffer.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
PO2	<b>0</b> network of parks and	AO20 No acceptable outcome	n/a	Not applicable.
1	munity land is provided:	is provided.		
(a)	to support a full range	lis provided.		
(α)	of recreational and sporting activities;			
(b)	to ensure adequate			
(6)	pedestrian, cycle and			
	vehicle access;			
(c)	which is supported by			
(-,	appropriate			
	infrastructure and			
	embellishments;			
(d)	to facilitate links			
	between public open			
	spaces;			
(e)	which is co-located			
	with other existing or			
	proposed community			
(0)	infrastructure;			
(f)	which is consistent			
	with the preferred			
	open space network; and			
(a)	which includes a			
(g)	diversity of settings;			
	diversity of settings,			

Table 9.4.4.3B—Minimum area and dimensions for Reconfiguring a lot

Zone	Туре	Minimum	Minimum
		area	frontage
Centre	All lots	800m <sup>2</sup>	20 metres
Community facilities	All lots	Not specified	Not specified
Conservation	All lots	Not specified	Not specified
Emerging community	All lots	10 hectares	100 metres
Low density residential	Where greenfield	development a	and connected to
	reticulated water a	nd sewerage	
	Rear lot	800m <sup>2</sup>	5 metres
	All other lots	350m <sup>2</sup>	10 metres
	Where connected	to reticulated wat	er and sewerage
	Rear lot	800m <sup>2</sup>	5 metres
	All other lots	600m <sup>2</sup>	16 metres
	Where connected	to reticulated wat	er
	Rear lot	1,000m <sup>2</sup>	5 metres
	All other lots	800m <sup>2</sup>	16 metres
Medium density	Rear lot	600m <sup>2</sup>	5 metres
residential	All other lots	400m <sup>2</sup>	10 metres

Zone	Туре	Minimum area	Minimum frontage
Industry	All lots	1,500m <sup>2</sup>	45 metres
Recreation and open space	All lots	Not specified	Not specified
Rural	All lots	60 hectares	400 metres
Rural residential	2 hectare precinct		
	All lots	2 hectares	60 metres
	1 hectare precinct		
	All lots	1 hectare	40 metres
	4,000m <sup>2</sup> precinct		
	All lots	4,000m <sup>2</sup>	40 metres

Figure A – Examples of access to rear lots





Figure B – Example of cul-de-sac design



#### 9.4.5 Works, services and infrastructure code

### 9.4.5.1 Application

This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

### 9.4.5.2 Purpose

- (1) The purpose of the Works, services and infrastructure code is to ensure that all development is appropriately serviced by physical infrastructure, public utilities and services and that work associated with development is carried out in a manner that does not adversely impact on the surrounding area.
- (2) The purpose of the code will be achieved through the following overall outcomes:
  - (a) Development provides an adequate, safe and reliable supply of potable, fire-fighting and general use water in accordance with relevant standards;
  - (b) Development provides for the treatment and disposal of wastewater and ensures there are no adverse impacts on water quality, public health, local amenity or ecological processes;
  - (c) Development provides for the disposal of stormwater and ensures that there are no adverse impacts on water quality or ecological processes;
  - (d) Development connects to the road network and any adjoining public transport, pedestrian and cycle networks while ensuring no adverse impacts on the safe, convenient and efficient operation of these networks;
  - (e) Development provides electricity and telecommunications services that meet its desired requirements:
  - (f) Development is connected to a nearby electricity network with adequate capacity without significant environment, social or amenity impact;
  - (g) Development does not affect the efficient functioning of public utility mains, services or installations;
  - (h) Infrastructure dedicated to Council is cost effective over its life cycle;
  - (i) Work associated with development does not cause adverse impacts on the surrounding area; and
  - (j) Development prevents the spread of weeds, seeds or other pests.

#### 9.4.5.3 Criteria for assessment

Table 9.4.5.3 - Works, services and infrastructure code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development subject to requirements and assessable development					
Water supply					

Performance outcomes	Acceptable outcomes	Complies	Comments
PO1 Each lot has an adequate volume and supply of water that:  (a) meets the needs of users;  (b) is adequate for firefighting purposes;  (c) ensures the health, safety and convenience of the community; and  (d) minimises adverse impacts on the receiving environment.	AO1.1  Development is connected to a reticulated water supply system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located:  (a) in the Conservation zone, Rural zone or Rural residential zone; and  (b) outside a reticulated water supply service area.	n/a	Not applicable.
	Development, where located outside a reticulated water supply service area and in the Conservation zone, Rural zone or Rural residential zone is provided with:  (a) a bore or bores are provided in accordance with the Design Guidelines set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; or  (b) on-site water storage tank/s:  (i) with a minimum capacity of 90,000L;  (ii) fitted with a 50mm ball valve with a camlock fitting; and  (iii) which are installed and connected prior to the occupation or use of the development.		The development will be conditioned to comply.
Wastewater disposal			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO2 Each lot provides for the treatment and disposal of effluent and other waste water that: (a) meets the needs of users; (b) is adequate for firefighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment.	AO2.1  Development is connected to a reticulated sewerage system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located:  (a) in the Conservation zone, Rural zone or Rural residential zone; and  (b) outside a reticulated sewerage service area.	n/a	Not applicable.
CHVII OHIII CHL	AO2.2 An effluent disposal system is provided in accordance with ASNZ 1547 On-Site Domestic Wastewater Management (as amended) where development is located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated sewerage service area.	*	The development will be conditioned to comply.
Stormwater infrastructure			
PO3 Stormwater infrastructure is designed and constructed to collect and convey the design storm event to a lawful point of discharge in a manner that mitigates impacts on life and property.	Where located within a Priority infrastructure area or where stormwater infrastructure is available, development is connected to Council's stormwater network in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO3.2 On-site drainage systems are constructed: (a) to convey stormwater from the premises to a lawful point of discharge; and (b) in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	•	The development will be conditioned to comply.
Electricity supply			
Each lot is provided with an adequate supply of electricity	The premises:  (a) is connected to the electricity supply network; or  (b) has arranged a connection to the transmission grid; or  (c) where not connected to the network, an independent energy system with sufficient capacity to service the development (at near average energy demands associated with the use) may be provided as an alternative to reticulated electricity where:  (i) it is approved by the relevant regulatory authority; and  (ii) it can be demonstrated that no air or noise emissions; and  (iii) it can be demonstrated that no adverse impact on visual amenity will occur.		The development will be conditioned to comply.
Telecommunications infrastru	ucture		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 Each lot is provided with an adequate supply of telecommunication infrastructure	AO5 Development is provided with a connection to the national broadband network or telecommunication services.	•	The development will be conditioned to comply.
Existing public utility servi	ces		
PO6 Development and associated works do not affect the efficient functioning of public utility mains, services or installations.	AO6 Public utility mains, services are relocated, altered or repaired in association with the works so that they continue to function and satisfy the relevant Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	•	The development will be conditioned to comply.
Excavation or filling			
PO7 Excavation or filling must not have an adverse impact on the:	AO7.1 Excavation or filling does not occur within 1.5 metres of any site boundary.	n/a	Not applicable.
(a) streetscape; (b) scenic amenity; (c) environmental values; (d) slope stability;	AO7.2 Excavation or filling at any point on a lot is to be no greater than 1.5 metres above or below natural ground level.	n/a	Not applicable.
(e) accessibility; or (f) privacy of adjoining premises.	AO7.3  Earthworks batters:  (a) are no greater than 1.5 metres in height;  (b) are stepped with a minimum width 2 metre berm;  (c) do not exceed a maximum of two batters and two berms (not greater than 3.6 metres in total height) on any one lot;  (d) have a slope no greater than 1 in 4; and  (e) are retained.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO7.4 Soil used for filling or spoil from excavation is not stockpiled in locations that can be viewed from:  (a) adjoining premises; or (b) a road frontage, for a period exceeding 1 month from the commencement of the filling or excavation.	n/a	Not applicable.
	AO7.5  All batters and berms to be constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.
	AO7.6 Retaining walls have a maximum height of 1.5 metres and are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
	AO7.7  Excavation or filling at any point on a lot is to include measures that protect trees at the foot or top of cut or fill batters by the use of appropriate retaining methods and sensitive earth removal or placement and in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
For assessable development			
Transport network			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO8 The development has access to a transport network of adequate standard to provide for the safe and efficient movement of vehicles, pedestrians and cyclists.	AO8.1 Vehicle access, crossovers, road geometry, pavement, utilities and landscaping to the frontage/s of the site are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	•	The development will be conditioned to comply.
	AO8.2  Development provides footpath pavement treatments in accordance with Planning Scheme Policy 9 – Footpath Paving.	n/a	Not applicable.
Public infrastructure			
PO9 The design, construction and provision of any infrastructure that is to be dedicated to Council is cost effective over its life cycle and incorporates provisions to minimise adverse impacts.	AO9 Development is in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	•	The development will be conditioned to comply.
Stormwater quality			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10  Development has a non-worsening effect on the site and surrounding land and is designed to:  (a) optimise the interception, retention and removal of waterborne pollutants, prior to the discharge to receiving waters;  (b) protect the environmental values of waterbodies affected by the development, including upstream, on-site and	AO10.1 The following reporting is prepared for all Material change of use or Reconfiguring a lot proposals: (a) a Stormwater Management Plan and Report that meets or exceeds the standards of design and construction set out in the Queensland Urban Drainage Manual (QUDM) and the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; and (b) an Erosion and Sediment		There will no change to established stormwater management.
downstream waterbodies; (c) achieve specified water quality objectives; (d) minimise flooding; (e) maximise the use of natural channel design principles;	Control Plan that meets or exceeds the Soil Erosion and Sedimentation Control Guidelines (Institute of Engineers Australia), including:  (i) drainage control;  (ii) erosion control;		
(f) maximise community benefit; and (g) minimise risk to public safety.	(iii) sediment control; and (iv) water quality outcomes.		

Performance outcomes	Acceptable outcomes	Complies	Comments
	For development on land greater than 2,500m² or that result in more than 5 lots or more than 5 dwellings or accommodation units, a Stormwater Quality Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) is prepared that demonstrates that the development:  (a) meets or exceeds the standards of design and construction set out in the Urban Stormwater Quality Planning Guideline and the Queensland Water Quality Guideline;  (b) is consistent with any local area stormwater water management planning;  (c) accounts for development type, construction phase, local climatic conditions and design objectives; and (d) provides for stormwater quality treatment measures reflecting land use constraints, such as soil type, landscape features (including landform), nutrient hazardous areas, acid sulfate soil and rainfall erosivity.		There will no change to established stormwater management.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO11 Storage areas for stormwater detention and retention:  (a) protect or enhance the environmental values of receiving waters;  (b) achieve specified water quality objectives;  (c) where possible, provide for recreational use;  (d) maximise community benefit; and  (e) minimise risk to public safety.	AO11 No acceptable outcome is provided.	n/a	Not applicable.
Excavation or filling			
PO12 Traffic generated by filling or excavation does not impact on the amenity of the surrounding area.	AO12.1  Haul routes used for transportation of fill to or from the site only use major roads and avoid residential areas.	n/a	Not applicable.
	AO12.2 Transportation of fill to or from the site does not occur: (a) within peak traffic times; and (b) before 7am or after 6pm Monday to Friday; (c) before 7am or after 1pm Saturdays; and (d) on Sundays or Public Holidays.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments		
PO13 Air pollutants, dust and sediment particles from excavation or filling, do not cause significant environmental harm or nuisance impacts.	AO13.1 Dust emissions do not extend beyond the boundary of the site.	n/a	Not applicable.		
	AO13.2  No other air pollutants, including odours, are detectable at the boundary of the site.	n/a	Not applicable.		
	AO13.3 A management plan for control of dust and air pollutants is prepared and implemented.	n/a	Not applicable.		
PO14 Access to the premises (including driveways and paths) does not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; and (d) privacy of adjoining premises.	ACCESS to the premises (including all works associated with the access):  (a) must follow as close as possible to the existing contours;  (b) be contained within the premises and not the road reserve, and  (c) are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.		
Weed and pest management					
PO15 Development prevents the spread of weeds, seeds or other pests into clean areas or away from infested areas.	AO15 No acceptable outcome is provided.	n/a	Not applicable.		
Contaminated land					

Performance outcomes	Acceptable outcomes	Complies	Comments
PO16 Development is located and designed to ensure that users and nearby sensitive land uses are not exposed to unacceptable levels of contaminants	AO16  Development is located where:  (a) soils are not contaminated by pollutants which represent a health or safety risk to users; or  (b) contaminated soils are remediated prior to plan sealing, operational works permit, or issuing of building works permit.	n/a	Not applicable.
Fire services in developme	ents accessed by common priva	te title	
PO17 Fire hydrants are located in positions that will enable fire services to access water safely, effectively and efficiently.	I -	n/a	Not applicable.
	AO17.2 Fire hydrants are located at all intersections of accessways or private roads held in common private title.	n/a	Not applicable.