Assessment of application against relevant Development Codes

APPLICATION		PRE	MISES
FILE NO:	MCU/18/0012	ADDRESS:	14A-14B
			Anzac
			Avenue,
			Mareeba
APPLICANT:	K O'Brien	RPD:	Lot 200 on
			SP282407
LODGED BY:	Max Slade	AREA:	1,404m ²
	Designs Pty Ltd		
DATE LODGED:	26 April 2018	OWNER :	K & C
			O'Brien
TYPE OF APPROVAL:	Development Permi	t	
PROPOSED DEVELOPMENT:	Material Change of	Use - Dual Oc	cupancy
PLANNING SCHEME:	Mareeba Shire Council Planning Scheme 2016		
ZONE:	Low Density Residential		
LEVEL OF	Code Assessment		
ASSESSMENT:			
SUBMISSIONS:	N/A - Code Assessr	ment Only	

APPLICATION DETAILS

Relevant Development Codes

The following Development Codes are considered to be applicable to the assessment of the application:

- 6.2.6 Low density residential zone code
- 8.2.4 Environmental significance overlay code
- 9.3.1 Accommodation activities code
- 9.4.2 Landscaping code
- 9.4.3 Parking and access code
- 9.4.5 Works, services and infrastructure code

6.2.6 Low density residential zone code

6.2.6.1 Application

- (1) This code applies to assessing development where:
 - (a) located in the Low density residential zone; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

6.2.6.2 Purpose

- (1) The purpose of the Low density residential zone code is to provide for predominantly dwelling houses supported by community uses and small-scale services and facilities that cater for local residents.
- (2) Mareeba Shire Council's purpose of the Low density residential zone code is to:
 - (a) maintain the integrity of established residential areas, which are characterised primarily by Dwelling houses and Dual occupancy development;
 - (b) provide opportunities for other forms of residential development where existing character and amenity will not be compromised; and
 - (c) facilitate non-residential development that directly supports the day to day needs of the immediate residential community, in new residential areas.
- (3) The purpose of the code will be achieved through the following overall outcomes:
 - (a) The dominant form of development is detached dwelling houses, on a range of lot sizes;
 - (b) In greenfield areas, in proximity to activity centres, a wider range of higher density residential development may occur where existing low density residential amenity is not compromised;
 - (c) High quality Residential care facilities and Retirement facilities are located on larger sites;
 - (d) Development provides for an efficient land use pattern and is well connected to other developments;
 - (e) Development is designed to provide safe and walkable neighbourhoods that connect residents to desirable destinations including schools, parks, shops and community facilities;
 - (f) Development facilitates other small-scale uses that integrate personal employment and residential activities, provided they complement local residential amenity;
 - (g) Development maintains a high level of residential amenity avoiding uses that introduce impacts associated with noise, hours of operation, traffic, advertising devices, visual amenity, privacy, lighting, odour and emissions;
 - (h) Development reflects and enhances the existing low density scale and character of the area;
 - (i) Development is supported by necessary transport infrastructure which is designed to provide and promote safe and efficient public transport use, walking and cycling;
 - Development is supported by necessary community facilities, open space and recreational areas and appropriate infrastructure to meet the needs of the local community;
 - (k) Non-residential development may be supported in new residential areas where such uses directly support the day to day needs of the immediate residential community;
 - (I) Development takes account of the environmental constraints of the land; and

(m) Any unavoidable impacts are minimised through location, design, operation and management requirements.

6.2.6.3 Criteria for assessment

 Table 6.2.6.3A—Low density residential zone code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development su	bject to requirements and ass	sessable deve	elopment
Height			
 PO1 Building height takes into consideration and respects the following: (a) the height of existing buildings on adjoining premises; (b) the development potential, with respect to height, on adjoining premises; (c) the height of buildings in the vicinity of the site; (d) access to sunlight and daylight for the site and adjoining sites; (e) privacy and overlooking; and (f) site area and street frontage length. 	AO1 Development has a maximum building height of: (a) 8.5 metres; and (b) 2 storeys above ground level.	~	Complies.
Outbuildings and residential			
PO2 Domestic outbuildings: (a) do not dominate the lot on which they are located; and (b) are consistent with the scale and character of development in the Low-density residential zone.	 AO2 Domestic outbuildings do not exceed: (a) 100m² in gross floor area; and (b) 5.5 metres in height above natural ground level. 	n/a	Not applicable.
Siting			

Performance outcomes	Acceptable outcomes	Complies	Comments
 PO3 Development is sited in a manner that considers and respects: (a) the siting and use of adjoining premises; (b) access to sunlight and daylight for the site and adjoining sites; 	 AO3.1 Buildings and structures include a minimum setback of: (a) 6 metres from the primary road frontage; and (b) 3 metres from any secondary road frontage. 	~	Complies.
 (c) privacy and overlooking; (d) opportunities for casual surveillance of adjoining public spaces; (e) air circulation and access to natural breezes; and (f) appearance of building bulk; and (g) relationship with road corridors. 	AO3.2 Buildings and structures include a minimum setback of 2 metres from side and rear boundaries.	Complies with PO3	The proposed unit development will achieve a setback of just 1.5 metres from the north-east side boundary and is therefore non-compliant with AO3.1. The non- compliance is considered only minor and the setbacks proposed are in line with standard Queensland Development Code setbacks which would apply to a conventional dwelling house constructed in the same location. The lesser setback proposed is not likely to compromise PO3.
Accommodation density			-
 PO4 The density of Accommodation activities: (a) contributes to housing choice and affordability; (b) respects the nature and density of surrounding land use; (c) does not cause amenity impacts beyond the reasonable expectation of accommodation density for the zone; and 	AO4 Development provides a maximum density for Accommodation activities in compliance with Table 6.2.6.3B.	~	Complies.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
(d)	is commensurate to the scale and frontage of the site.			
Gro	ss floor area			
	dings and structures upy the site in a manner makes efficient use of land; is consistent with the bulk and scale of surrounding buildings; and appropriately balances built and natural features.	A05 Gross floor area does not exceed 600m ² .	~	Complies.
For	assessable developme	nt		
Buil	ding design			
PO6 Build appr (a) (b) (c) (d) (e)	ding facades are opriately designed to: include visual interest and architectural variation; maintain and enhance the character of the surrounds; provide opportunities for casual surveillance; include a human scale; and encourage occupation of outdoor space.	AO6 Buildings include habitable space, pedestrian entrances and recreation space facing the primary road frontage.	Complies with PO6	The proposed unit development is situated at the north-east end of the site and does not address Anzac Avenue, instead the unit façade addresses the shared access driveway situated along the south-east edge of the site. Despite the proposed development not facing Anzac Avenue, the design represents an appropriate use of the site and has been designed to allow for future development on the front half of the allotment. The proposed arrangement will be no different to the majority of unit developments in Mareeba that are constructed perpendicular to the frontage of the site. The unit design is not unreasonable and is not

Performance outcomes	Acceptable outcomes	Complies	Comments	
			likely to compromise the relevant criteria contained in PO6.	
 PO7 Development complements and integrates with the established built character of the Low density residential zone, having regard to: (a) roof form and pitch; (b) eaves and awnings; (c) building materials, colours and textures; and (d) window and door size and location. 	A07 No acceptable outcome is provided.	~	Complies.	
Non-residential developme	nt			
 PO8 Non-residential development is only located in new residential areas and: (a) is consistent with the scale of existing development; (b) does not detract from the amenity of nearby residential uses; (c) directly supports the day to day needs of the immediate residential community; and (d) does not impact on the orderly provision of non-residential development in other locations in the shire.	AO8 No acceptable outcome is provided.	~	Complies.	
Amenity				
PO9 Development must not detract from the amenity of the local area, having regard to: (a) noise;	AO9 No acceptable outcome is provided.	~	Complies.	

Performance outcomes	Acceptable outcomes	Complies	Comments
 (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions. 			
 PO10 Development must take into account and seek to ameliorate any existing negative environmental impacts, having regard to: (a) noise; (b) hours of operation; (c) traffic; (d) advertising devices; (e) visual amenity; (f) privacy; (g) lighting; (h) odour; and (i) emissions. 	AO10 No acceptable outcome is provided.	n/a	Not applicable - There are no known negative environmental impacts associated with the site.

Table 6.2.6.3B—Maximum densities for Accommodation activities

Use	Maximum density
Dual occupancy	1 dwelling per 400m ² of site area
Multiple dwelling	 (a) 1 dwelling per 400m² of site area; and (b) 1 bedroom per 200m² of site area.
Residential care facility	1 dwelling or accommodation unit per 250m ² of site area.
Retirement facility	1 dwelling or accommodation unit per 400m ² of site area

8.2.4 Environmental significance overlay code

8.2.4.1 Application

- (1) This code applies to assessing development where:
 - (a) land the subject of development is affected by a constraint category identified on the **Environmental significance overlay maps (OM-004a-z)**; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

Note—Biodiversity and Water quality are appropriately reflected in Overlay Map 4 and is required to be mapped by State Government in response to Environment and Heritage State Interests.

8.2.4.2 Purpose

(1) The purpose of the Environmental significance overlay code is to identify and protect matters of environmental significance, which include matters of state environmental significance (MSES) as defined under the state planning policy.

The Environmental significance overlay code ensures that:

- (a) waterways and high ecological significance wetlands are protected and enhanced to maintain ecosystem services and hydrological processes and provide aquatic habitat for flora and fauna; and
- (b) the environmental values of regulated vegetation, wildlife habitat, protected areas and legally secured offset areas are protected and managed.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) the biodiversity values, ecosystem services and climate change resilience of areas of environmental significance are protected, managed, enhanced and rehabilitated;
 - (b) the biodiversity values of protected areas and legally secured offset areas are protected from development unless overriding community need is demonstrated;
 - (c) development is located, designed and managed to minimise the edge effects of development on areas of regulated vegetation and wildlife habitat;
 - (d) areas of regulated vegetation and wildlife habitat are managed to minimise biodiversity losses;
 - development maintains, protects and enhances a regional network of vegetated corridors that assist in wildlife movement and contribute to the maintenance of habitat and biological diversity;
 - (f) development is appropriately setback from waterways and high ecological significance wetlands to minimise direct and indirect impacts on water quality and biodiversity; and
 - (g) riparian vegetation and vegetation associated with high ecological significance wetlands is protected and enhanced to improve water quality and natural ecosystem function.

8.2.4.3 Criteria for assessment

Table 8.2.4.3A - Environmental significance overlay code - For accepted development
subject to requirements and assessable development

	ormance outcomes	Acceptable outcomes	Complies	Comments
For	For accepted development subject to requirements and assessable development			
Reg	ulated vegetation			
PO1 Vega map vega Env Sigr	etation clearing in areas ped as 'Regulated etation' identified on the ironmental hificance Overlay Maps -004a-o) is avoided	AO1.1 No clearing of native vegetation is undertaken within areas of 'Regulated vegetation' identified on the Environmental Significance Overlay Maps (OM-004a-o).		Although the site is mapped as Regulated Vegetation, It is understood that there is no native vegetation on site that will be cleared as a result of the proposed development.
accor	ssment Report is prepared in dance with Planning Scheme 2 – Ecological Assessment			
PO2 Deve to ar vege Envi Over prote signi		AO2 Development (excluding roads, earthworks, drainage infrastructure and underground infrastructure) is not located within 20 metres of 'Regulated vegetation' areas identified on the Environmental Significance Overlay Maps (OM-004a-o).	~	Complies - See comment for AO1.

Performance outcomes	Acceptable outcomes	Complies	Comments
 ecosystem processes such as water quality, hydrology, geomorphology and biophysical processes; (b) does not negatively impact the movement of wildlife at a local or regional scale; and (c) avoids noise, light, vibration or other edge affects, including weed and pest incursion on identified environmental values. 			
Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			
Regulated vegetation interse	ecting a watercourse		- -
PO3 Vegetation clearing in areas mapped as 'Regulated vegetation intersecting a watercourse', identified as 'Waterway' and 'Waterway buffer' on the Environmental Significance - Waterway Overlay Maps (OM-004p-z) is avoided unless wildlife interconnectivity between habitats is maintained or enhanced at a local and regional scale, to the extent that migration or normal movement of significant species between habitats or	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) AO3.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p- z).	n/a	Not applicable.
Normal gene flow between populations is not inhibited. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) AO3.2 No clearing of native vegetation is undertaken within the minimum setback identified at AO3.1.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
 PO4 'High ecological significance wetlands' identified on the Environmental Significance Overlay Maps (OM-004a-o) and 'Waterways' on Environmental Significance - Waterway Overlay Maps (OM-004p-z) and are protected by: (a) maintaining adequate separation distances between waterways/wetlands and development; (b) maintaining and 	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) AO4.1 A minimum setback in accordance with Table 8.2.4.3B is provided between development and the top of the high bank of a 'Waterway' identified on the Environmental Significance - Waterway Overlay Maps (OM-004p- z).	n/a	Not applicable.
 enhancing aquatic and terrestrial habitat including vegetated corridors to allow for native fauna (terrestrial and aquatic) movement; (c) maintaining waterway bank stability by minimising bank erosion and slumping; (d) maintaining water quality by providing buffers to allow filtering of sediments, 	2). Where within a 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.2 A minimum buffer of 200 metres is provided between development and the edge of a 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).	n/a	Not applicable.
nutrients and other pollutants; and (e) retaining and improving existing riparian vegetation and existing vegetation associated with a wetland. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.3 No stormwater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Maps (OM-004a-o).	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	Note— An alternative outcome is required to demonstrate that the ecological impacts of stormwater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate stormwater management / treatment (where possible).		
	Where within a 'Waterway buffer' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) or 'High ecological significance wetland buffer' on Environmental Significance Overlay Maps (OM-004a-o) AO4.4 No wastewater is discharged to a 'Waterway' on Environmental Significance - Waterway Overlay Maps (OM-004p- z) or 'High ecological significance wetland' identified on the Environmental Significance Overlay Map (OM-004a-z). Note— A alternative outcome is required to demonstrate that the ecological impacts of wastewater discharge to a 'Waterway' or 'High ecological significance wetland' are mitigated in accordance with PO3 through appropriate wastewater management /	n/a	Not applicable.
For assessable developmen	treatment (where possible). t		
Wildlife Habitat			
 PO5 Development within a 'Wildlife habitat' area identified on the Environmental Significance Overlay Maps (OM-004a-o): (a) protects and enhances the habitat of Endangered, Vulnerable and Near Threatened (EVNT) species and local species of significance; (b) incorporates siting and design measures to 	AO5 No acceptable outcome is provided	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
 protect and retain identified ecological values and underlying ecosystem processes within or adjacent to the development site; (c) maintains or enhances wildlife interconnectivity at a local and regional scale; and (d) mitigates the impact of other forms of potential disturbance (such as presence of vehicles, pedestrian use, increased exposure to domestic animals, noise and lighting impacts) to protect critical life stage ecological processes (such as feeding, breeding or roosting). Note—Development applications must identify any EVNT species or their habitats that may be affected by the proposal. In particular, applications are to identify and describe how the development avoids adverse impacts on ecological processes within or adjacent to the development area. Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment			
Reports.			
Legally secured offset areas		n/a	Not applicable
PO6 Development within a 'Legally secured offset area' identified on the Environmental Significance Overlay Maps (OM-004a-o) or other known Legally Secured Offset Area is consistent with the binding requirements of the offset and does not prejudice, undermine, or negatively impact the inherent ecological values, including all naturally occurring native flora, fauna and their habitat	AO6 No acceptable outcome is provided.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
within the Legally Secured Offset Area.			
Note—A supporting Ecological Assessment Report is prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports.			
Protected areas			
 PO7 Development within a 'Protected area' identified on the Environmental Significance Overlay Maps (OM-004a-o) is consistent with the values of the Protected Area and: (a) supports the inherent ecological and community values of the Protected Area asset; (b) maintains or enhances wildlife interconnectivity at a local and regional scale; and (c) does not prejudice, undermine, or negatively impact the inherent ecological values, including all naturally occurring native flora, fauna and their habitat within the Protected Area. 	A07 No acceptable outcome is provided	n/a	Not applicable.

Performance	outcomes	Acceptable outcomes	Complies	Comments	
Ecological	Ecological corridors and Habitat linkages				
zone, E commu Recrea space z or Rura	t located: Conservation Emerging nity zone, tion and open zone, Rural zone I residential zone;	AO8 No acceptable outcome is provided	n/a	Not applicable.	
corridor linkage Enviro Signific	n 'Ecological '' or a 'Habitat ' identified on the nmental cance Overlay OM-004a-o)				
provision connectivity corridor/linka regard to: (a) the env of the a identifie 'Ecolog	ironmental values irea of the site ed in the ical corridor' or				
(b) the env of adjoi land wit 'Ecolog	ical corridor' or				
(c) the extern modific the nate includin	t linkage'; ent of any ation proposed to ural environment ig (but not limited etation and				
(d) the loca of propu- improve impact of the 'f corridor linkage not limi structur lighting movem	ation and design				
(e) the abil	ity for the ical corridor' or				

Performance outcomes	Acceptable outcomes	Complies	Comments
'Habitat linkage' to be enhanced to improve ecological connectivity.			
Note—A supporting Ecological Assessment Report prepared in accordance with Planning Scheme Policy 2 – Ecological Assessment Reports may be appropriate to demonstrate compliance with PO8.			

Table 8.2.4.3B - Setback and buffer distances from waterways

Stream order	Setback and buffer from waterways
1	10 metres from top of high bank
2-4	25 metres from top of high bank
5 or more	50 metres from top of high bank

Note—The steam order of a 'waterway' is to be determined on a case by case basis.

9.3.1 Accommodation activities code

9.3.1.1 Application

- (1) This code applies to assessing development where:
 - (a) involving Accommodation activities; and
 - (b) it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.3.1.2 Purpose

- (1) The purpose of the Accommodation activities code is to facilitate the provision of Accommodation activities in appropriate locations throughout the shire.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Accommodation activities are designed, located and operated to minimise any adverse impacts on the natural environment and amenity of surrounding uses;
 - (b) Accommodation activities in the Centre zone are facilitated where they can integrate and enhance the fabric of the centre and are located behind or above commercial development;
 - (c) Accommodation activities provide a high level of amenity and are reflective of the surrounding character of the area;
 - (d) Accommodation activities are generally established in accessible, well-connected locations with access or future access to public transport, cycling and pedestrian networks;
 - (e) Accommodation activities do not compromise the viability of the hierarchy and network of centres, namely:
 - Mareeba as a major regional activity centre, which accommodates the most significant concentrations of regional-scale business, retail, entertainment, government administration, secondary and tertiary educational facilities and health and social services within the shire;
 - (ii) Kuranda as a village activity centre, which accommodates services, arts and cultural facilities, sports and recreation facilities, business and employment uses to support the village and its constituent surrounding rural and rural residential communities;
 - (iii) Chillagoe and Dimbulah as Rural activity centres, which provide commercial and community services to their rural catchments; and
 - (iv) Biboohra, Irvinebank, Julatten, Koah, Mutchilba, Mt Molloy, Myola and Speewah as rural villages, that have limited centre activities and other non-residential activities; and
 - (f) Accommodation activities are responsive to site characteristics and employ best practice industry standards.

9.3.1.3 Criteria for assessment

Table 9.3.1.3A—Accommodation activities code – For accepted development subject to
requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development su	bject to requirements and asses	ssable develop	oment
All Accommodation activities,	, apart from Dwelling house		
PO1 Accommodation activities are located on a site that includes sufficient area: (a) to accommodate all buildings, structures, open space and infrastructure associated with the use; and (b) to avoid adverse impacts on the amenity or privacy of nearby land uses.	AO1 Development is located on a site which provides the applicable minimum site area and minimum road frontage specified in Table 9.3.1.3B .		Complies.
All Accommodation activities,	, apart from Tourist park and Dw	velling house	
 PO2 Accommodation activities are provided with on-site refuse storage areas that are: (a) sufficient to meet the anticipated demand for refuse storage; and (b) appropriately located on the site having regard to potential odour and noise impacts on uses on the site and adjoining sites. All Accommodation activities, and adjoining activities, and activities,	AO2.1 A refuse area is provided that: (a) includes a water connection; (b) is of a size and configuration to accommodate 2x240 litre bins per dwelling or accommodation unit where involving a use other than a residential care facility or retirement facility; and (c) is of a size and configuration to accommodate a minimum of two bulk refuse bins where involving a residential care facility or retirement facility.		Can be conditioned to comply.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO3 Accommodation activities are designed to avoid overlooking or loss of privacy for adjoining uses. Note—These provisions apply to any adjoining use, both on an adjoining site and on the same site.	AO3 The windows of habitable rooms: (a) do not overlook the windows of a habitable room in an adjoining dwelling or accommodation unit; or (b) are separated from the windows of a habitable room in an adjoining dwelling or accommodation unit by a distance greater than: (i) 2 metres at ground level; and (ii) 8 metres above ground level; or (c) are treated with: (i) a minimum sill height of 1.5 metres above floor level; or (ii) fixed opaque glassed installed below 1.5 metres; or (iii) fixed external screens; or (iv) a 1.5 metre high screen fence along the common boundary.		The proposed unit design complies.
 PO4 Accommodation activities are provided with sufficient private and communal open space areas which: (a) accommodate a range of landscape treatments, including soft and hard landscaping; (b) provide a range of 	AO4.1 Development, except for Caretaker's accommodation, Dwelling house, Dual occupancy or Home based business, includes communal open space which meets or exceeds the minimum area, dimension and design parameters specified in Table 9.3.1.3C.	n/a	Not applicable - The proposed development is for a dual occupancy.
 opportunities for passive and active recreation; (c) provide a positive outlook and high quality of amenity to residents; (d) is conveniently located 	AO4.2 Development includes private open space for each dwelling or accommodation unit which meets or exceeds the minimum area, dimension and design parameters specified in Table 9.3.1.3D.	~	Complies.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
(e)	and easily accessible to all residents; and contribute to an active and attractive streetscape.	AO4.3 Clothes drying areas are provided at the side or rear of the site so that they are not visible from the street.	~	Complies.
		 AO4.4 If for Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility, development provides a secure storage area for each dwelling or accommodation unit which: (a) is located to facilitate loading and unloading from a motor vehicle; (b) is separate to, and does not obstruct, on-site vehicle parking or manoeuvring areas; (c) has a minimum space of 2.4m² per dwelling or accommodation unit; (d) has a minimum height of 2.1 metres; (e) has minimum dimensions to enable secure bicycle storage; (f) is weather proof; and (g) is lockable. 	~	Complies - additional storage provided for in enclosed garage space.
	r Caretaker's Accommod	Γ	1	
is of whic	etaker's accommodation a scale and intensity h is consistent with that e surrounding area.	AO5.1 Only one caretaker's accommodation is established on the title of the non- residential use.	n/a	Not applicable.
Accor develo bench	-Where Caretaker's nmodation is assessable opment additional assessment marks are provided under "for sable development".	AO5.2 In the Rural zone, Caretaker's accommodation has a maximum gross floor area of 200m ² .	n/a	Not applicable.

Perfo	ormance outcomes	Acceptable outcomes	Complies	Comments
If for	Dwelling house			
involv dwell	re a Dwelling house ves a secondary ing, it is designed and ed to: not dominate the site; remain subservient to the primary dwelling; and be consistent with the character of the	 AO6.1 The secondary dwelling is located within: (a) 10 metres of the primary dwelling where on a lot that has an area of 2 hectares or less; or (b) 20 metres of the primary dwelling where on a lot that has an area of greater than 2 hectares. 	n/a	Not applicable.
	surrounding area;	AO6.2 A secondary dwelling has a maximum gross floor area of 100m ² .	n/a	Not applicable.
If for	Dual occupancy			
occu	re establishing a Dual pancy on a corner lot, uilding is designed to: maximise opportunities	AO7.1 Where located on a corner allotment, each dwelling is accessed from a different road frontage.	n/a	Not applicable.
(b) (c)	for causal surveillance; provide for separation between the two dwellings; and provide activity and visual interest on both frontages.	AO7.2 The maximum width of garage or carport openings that face a public street is 6 metres or 50% of the building width, whichever is the lesser.	n/a	Not applicable.
If for	Multiple dwelling, Resid	ential care facility or Retirement	facility	
	elopment is appropriately ed within the Shire to: maximise the efficient utilisation of existing infrastructure, services and facilities; and minimise amenity impacts through the collocation of compatible uses.	A08 Multiple dwelling, Residential care facility or Retirement facility uses are located on land within 800 metres of the boundary of land within the Centre zone.	n/a	Not applicable.
or Ret develo bench	-Where Residential care facility irement facility is assessable opment additional assessment marks are provided under "for sable development".			

Perfo	ormance outcomes	Acceptable outcomes	Complies	Comments
(a) (b) (c) (d) Note— or Retii develop benchr	ings are designed to: reduce the appearance of building bulk; provide visual interest through articulation and variation; be compatible with the embedded, historical character for the locality; and be compatible with the scale of surrounding buildings -Where Residential care facility rement facility is assessable pment additional assessment marks are provided under "for sable development".	 AO9.1 External walls do not exceed 10 metres in continuous length unless including a minimum of three of the following building design features and architectural elements: (a) a change in roof profile; or (b) a change in parapet coping; or (c) a change in awning design; or (d) a horizontal or vertical change in the wall plane; or (e) a change in the exterior finishes and exterior colours of the 	n/a	Not applicable.
		development. AO9.2 For a Multiple dwelling, Residential care facility or Retirement facility, the maximum width of a garage or carport opening that faces a road is 6 metres.	n/a	Not applicable.
		AO9.3 For a Multiple dwelling, Residential care facility or Retirement facility, the building(s) include awnings with a minimum overhang of 600mm.	n/a	Not applicable.
		AO9.4 For a Multiple dwelling, Residential care facility or Retirement facility, roof forms include one or more of the following types: (a) pyramidal; (b) hip or hipped; (c) gable; (d) skillion.	n/a	Not applicable.
	Residential care facility			
PO10 The la site: (a)	ayout and design of the promotes safe and easy pedestrian, cycle	AO10.1 The development incorporates covered walkways and ramps on site for weather protection between all buildings.	n/a	Not applicable.
(b)	and mobility device movement; defines areas of pedestrian movement;	AO10.2 Pedestrian paths include navigational signage at intersections.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
and (c) assists in navigation and way finding. Note—Where Residential care facility or Retirement facility is assessable	AO10.3 Buildings, dwellings and accommodation units include identification signage at entrances.	n/a	Not applicable.
development additional assessment benchmarks are provided under "for assessable development".	AO10.4 An illuminated sign and site map is provided at the main site entry.	n/a	Not applicable.
	AO10.5 Buildings, structures and pathways associated with a Residential care facility or Retirement facility are not located on land with a gradient greater than 8%.	n/a	Not applicable.
If for Home based business			
PO11 Home based businesses are compatible with the built form, character and amenity of the surrounding area, having	AO11.1 The Home based business is located within a dwelling house or outbuilding associated with a dwelling house.	n/a	Not applicable.
regard to: (a) size and scale; (b) intensity and nature of use;	AO11.2 The Home based business does not occupy a gross floor area of more than 50m ² .	n/a	Not applicable.
 (c) number of employees; and (d) hours of operation. 	AO11.3 No more than 1 person (other than the residents of the site) is employed by the Home based business at any one time.	n/a	Not applicable.
	AO11.4 The Home based business, unless a home office, bed and breakfast or farm stay, does not operate outside the hours of 7.00 am and 6.00 pm.	n/a	Not applicable.
	AO11.5 The Home based business does not involve the public display of goods external to the building.	n/a	Not applicable.
	AO11.6 The Home based business does not involve the repair, cleaning or servicing of any motors, vehicles or other machinery.	n/a	Not applicable.
	AO11.7 Any equipment or materials associated with the Home based business are screened from public view and adjacent properties by fencing or landscaping.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO11.8 The business does not involve the use of power tools or similar noise generating devices.	n/a	Not applicable.
PO12 Home based businesses involving accommodation activities are appropriately scaled and designed to avoid	AO12.1 Home based businesses involving accommodation activities are limited to the scale specified in Table 9.3.1.3E.	n/a	Not applicable.
detrimental impacts on the amenity and privacy of surrounding residences.	AO12.2 A farm stay dwelling or accommodation unit is located within 20 metres of the primary dwelling house.	n/a	Not applicable.
	AO12.3 A farm stay is setback 100 metres from any property boundary.	n/a	Not applicable.
	 AO12.4 Entertainment and dining facilities associated with an accommodation activity are: (a) located at least 5 metres from the bedrooms of adjoining residences; and (b) located or screened so that they do not directly overlook private open space areas of adjoining properties. 	n/a	Not applicable.
If for Rural workers' accomm	odation		
PO13 The Rural workers' accommodation is directly associated with an agricultural based rural activity on the same premises and is commensurate with the scale of agricultural operations.	AO13.1 A Rural workers' accommodation building is limited to the accommodation of: (a) one rural worker for every 50 hectares; and (b) a maximum of ten rural workers in total.	n/a	Not applicable.
	AO13.2 The agricultural based rural activity is a minimum of 50 hectares in area.	n/a	Not applicable.

		Complies	Comments
PO14 Rural workers' accommodation is provided with amenities commensurate with the: (a) needs of the employees; and	AO14.1 The Rural workers' accommodation is: (a) for permanent occupation; and (b) fully self-contained. OR	n/a	Not applicable.
(b) permanent or seasonal nature of the employment.	AO14.2 The Rural workers' accommodation: (a) is for seasonal occupation (up to 3 months); (b) shares facilities with an existing Dwelling house or Caretaker's residence; and (c) is located within 100 metres of the Dwelling house or Caretaker's residence.	n/a	Not applicable.
For assessable development If for Caretaker's Accommod			
PO15	AO15	n/a	Not applicable.
The inclusion of Caretaker's accommodation on the site is necessary for the operation of the primary use, having regard to: (a) hours of operation; (b) nature of the use; (c) security requirements; (d) site location and access; and (e) proximity to other land uses.	No acceptable outcome is provided.		
If for Residential care facility	-	1	
PO16 Retirement facilities include a range of housing designs and types that: (a) meet the needs of residents; (b) allow for 'ageing in place'; (c) consider differing mobility needs; (d) accommodate differing financial situations; and (e) cater for different household types. If for Tourist park	AO16 No acceptable outcome is provided.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
approvi provi conv attrac	7 Tourist park is opriately located to de park users with enient access to tourist ctions, community ties and infrastructure.	AO17 No acceptable outcome is provided.	n/a	Not applicable.
PO18 The c acco within (a) (b) (c)		 AO18.1 Where park areas are proposed to exclusively accommodate caravans, motor homes, tents or cabins, accommodation site densities do not exceed: (a) 40 caravan or motor home sites per hectare of the nominated area(s); or (b) 60 tent sites per hectare of the nominated area(s); or (c) 10 cabins (maximum 30m² gross floor area per cabin) per hectare of the nominated area(s). 	n/a	Not applicable.
(d) (e) (f)	impact on the existing amenity of nearby uses; ensures a high level of amenity is enjoyed by residents of the site; and does not place undue pressure on environmental processes in the surrounding area.	AO18.2 Where park areas are proposed to be used for any combination of caravans, motor homes, tents or cabins, then the lowest applicable density identified by AO18.1 shall be applied to the nominated area(s).	n/a	Not applicable.
		AO19.1 A minimum of 50% of provided caravan and motor home accommodation sites have a concrete slab with a minimum length of 6 metres and a minimum width of 2.4 metres.	n/a	Not applicable.
(b) (c) (d)	to achieve sufficient separation between land uses; is consistent with the scale and character of development in the surrounding area; and to prevent amenity and privacy impacts on nearby land uses.	 AO19.2 Caravan, motor home, tent and cabin accommodation sites are set back a minimum of: (a) 2 metres from an internal road; and (b) 1.5 metres from the side and rear boundaries of the site. 	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO20 A Tourist park is provided with sufficient and appropriately located refuse	AO20.1 A central refuse collection area is provided to service all accommodation sites.	n/a	Not applicable.
collection areas.	AO20.2 The refuse collection area must be kept in a sanitary condition at all times with all refuse stored in weather-proof and securable receptacles to prevent them from attracting vermin and wildlife.	n/a	Not applicable.
	AO20.3 The refuse collection area is constructed on an impervious surface such as a concrete slab.	n/a	Not applicable.
	AO20.4 A water connection is provided within the refuse collection area to facilitate cleaning of receptacles and the collection area.	n/a	Not applicable.
	AO20.5 Refuse collection areas are located a minimum of 10 metres from any recreational areas, communal cooking facilities and accommodation sites.	n/a	Not applicable.

Use	Minimum site area	Minimum frontage
Dual occupancy	 (a) 600m² in the Medium density residential zone; or (b) 1,000m² in the Low density residential zone; or (c) 600m² in the Centre zone. 	20 metres
Home based business	600m ²	-
Multiple dwelling	800m ²	20 metres
Residential care facility	2,000m ²	30 metres
Retirement facility	2,000m ²	30 metres
Rooming accommodation	800m ²	20 metres
Short-term accommodation	800m ²	20 metres
Tourist park	1 hectare	50 metres
Caravan and motor home sites	100m ² including sufficient area for the parking of a motor vehicle.	10 metres to an internal road
Tent sites	40m ² including sufficient area for the parking of a motor vehicle.	6 metres to an internal road
Cabin sites	130m ² including sufficient area for the parking of a motor vehicle.	10 metres to an internal road

Table 9.3.1.3B – Minimum site area and minimum site frontage

Table 9.3.1.3C – Communal open space

Use	Minimum area	Minimum dimension	Design elements
Multiple dwelling	50m ²	5 metres	 Provides for clothes drying and recreational facilities; One continuous area; and Separated from any habitable room by a minimum of 3 metres.
Retirement facility or Residential care facility	Indoor communal space and communal open space as specified below.		
Rooming accommodation	Rate of 5m ² per resident	5 metres	 One continuous area; 20% shaded; and 10% of the provided area is screened for use for clothes drying.
Indoor communal space	Rate of 1m ² per resident and 40m ²	-	 Located centrally; and Provides a range of facilities.
Communal open space	30% site area and 50m ²	5 metres	Provided at ground level.

Use	Minimum area	Minimum dimension	Design elements
Short-term accommodation	50m ² and 20% site area	5 metres	 Located at ground level; One continuous area; and 10% of the provided area is screened for use for clothes drying.
Tourist park	Includes at least each of the below communal facilities.		 Located within 100 metres of the sites they serve (unless private recreation facilities are provided); and Separated from any site by a minimum of 10 metres.
Covered cooking area	50m ²	-	Including barbeque and dish washing facilities
Laundry	-	-	Including clothes drying facilities.
Recreational open space	Rate of 5m ² per site	-	Including a children's playground.

Note—Provision of communal open space for a Multiple dwelling is not required by **Table 9.3.1.3C** where more than 75% have access to ground floor private open space.

Note—For a Tourist park, the calculation of recreational open space is inclusive of pool areas, sporting facilities, such as football fields and tennis courts, and any unobstructed grassed areas having a minimum dimension of 3 metres that are provided in addition to accommodation sites for recreational purposes. Planted landscape areas and vegetated areas are excluded from the calculation.

Note—Indoor communal space may include lounge areas, a library / reading room, a TV/games/recreation room, meeting space/s, hairdresser or a convenience store.

Table 9.3.1.3D – Private open space

Use	Minimum area per dwelling or accommodation unit	Minimum dimension	Design elements
Caretaker's accommodation	As specified below	Ι.	
Ground level	50m ²	5 metres	 Provided as unobstructed area; and Directly accessible from the main living area.
Above ground level	15m ²	2.5 metres	• Provided as a balcony.
Outdoor service court	5m ²	-	Provided for clothes drying
Dual occupancy	40m ²	3 metres	 Located at ground level. 20% shaded; and Accessed from the main living area of the dwelling.

Use	Minimum area per dwelling or accommodation unit	Minimum dimension	Design elements
Dwelling house	40m ²	3 metres	 Located at ground level; 20% shaded; and Accessed from the main living area of the dwelling.
Home based business	40m ²	3 metres	 Located at ground level; 20% shaded; and Accessed from the main living area of the dwelling.
Ground level	15m ²	3 metres	 20% shaded; and Directly accessible from the main living area.
Above ground level	10m ²	3 metres	Directly accessible from the main living area.
Multiple dwelling	As specified below	Ι.	
Ground level	35m ²	3 metres	 20% shaded; and Directly accessible from the main living area.
Above ground level	15m ²	3 metres	Directly accessible from the main living area.
Residential care facility	6m ²	2 metres	 Provided as a shaded courtyard or balcony; and Directly accessible from the main living area.
Retirement facility	As specified below	/.	·
Ground level	20m ²	3 metres	 Provided as a courtyard or similar space; Grade does not exceed 5%; and Directly accessible from the main living area at ground level.

Use	Minimum area per dwelling or accommodation unit	Minimum dimension	Design elements	
Above ground level	6m ²	2 metres	 Provided as a balcony or similar space; and Directly accessible from the main living area. 	
Rooming accommodation	As specified below	Ι.		
Short-term accommodation	As specified below	Ι.		
Ground level	15m ²	3 metres	 20% shaded; and Directly accessible from the main living area. 	
Above ground level	10m ²	3 metres	Directly accessible from the main living area.	

Note—For Caretaker's accommodation, the outdoor service court may form part of the provided private open space.

Table 9.3.1.3E – Maximum scale of accommodation activities associated with a Home based business

Design	Maximum number of rooms	Maximum number of guests
Bed and breakfast	3 rooms for guest accommodation	6 guests at any one time
Farm stay	1 farm stay dwelling or accommodation unit in addition to the primary dwelling	10 guests at any one time

9.4.2 Landscaping code

9.4.2.1 Application

This code applies where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.2.2 Purpose

- (1) The purpose of the Landscaping code is to ensure all development is landscaped to a standard that:
 - (a) complements the scale and appearance of the development;
 - (b) protects and enhances the amenity and environmental values of the site;
 - (c) complements and enhances the streetscape and local landscape character; and
 - (d) ensures effective buffering of incompatible land uses to protect local amenity.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Landscaping is a functional part of development design and is commensurate with the intended use;
 - (b) Landscaping accommodates the retention of existing significant on site vegetation where appropriate and practical;
 - (c) Landscaping treatments complement the scale, appearance and function of the development;
 - (d) Landscaping contributes to an attractive streetscape;
 - (e) Landscaping enhances the amenity and character of the local area;
 - (f) Landscaping enhances natural environmental values of the site and the locality;
 - (g) Landscaping provides effective screening both on site, if required, and between incompatible land uses;
 - (h) Landscaping provides shade in appropriate circumstances;
 - (i) Landscape design enhances personal safety and reduces the potential for crime and vandalism; and
 - (j) Intensive land uses incorporate vegetated buffers to provide effective screening of buildings, structures and machinery associated with the use.

9.4.2.3 Criteria for assessment

Table 9.4.2.3A—Landscaping code - For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments
For accepted development s	sable develo	oment	
 PO1 Development, other than in the Rural zone, includes landscaping that: (a) contributes to the landscape character of the Shire; (b) compliments the character of the immediate surrounds; (c) provides an appropriate balance between built and natural elements; and (d) provides a source of visual interest. 	 AO1 Development, other than in the Rural zone, provides: (a) a minimum of 10% of the site as landscaping; (b) planting in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species; (c) for the integration of retained significant vegetation into landscaping areas; (d) on-street landscaping Works in accordance with the Design Guidelines set out in Section D9 Landscaping, of the Planning Scheme Policy 4 - FNQROC Regional Development Manual. Note—Where development exceeds a site cover of 90%, areas of landscaping may be provided above ground level to achieve a total supply of landscaping equivalent to 10% of the site area. 		Can be conditioned to comply.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
the land front (a) (b) (c) (d) (c) (d) (e) (f)	elopment, other than in Rural zone, includes scaping along site ages that: creates an attractive streetscape; compliments the character of the immediate surrounds; assists to break up and soften elements of built form; screen areas of limited visual interest or servicing; provide shade for pedestrians; and includes a range and variety of planting.	 AO2 Development, other than in the Rural zone, includes a landscape strip along any site frontage: (a) with a minimum width of 2 metres where adjoining a car parking area; (b) with a minimum width of 1.5 metres in all other locations; and (c) in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species. Note—Where development is setback from a frontage less than 1.5 metres, the setback area is provided as a landscape strip		Can be conditioned to comply.
PO3 Development includes landscaping and fencing along side and rear boundaries that: (a) screens and buffer		AO3.1 Development provides landscape treatments along side and rear boundaries in accordance with Table 9.4.2.3B.	~	Can be conditioned to comply.
(b) (c) (d) (e)	land uses; assists to break up and soften elements of built form; screens areas of limited visual interest; preserves the amenity of sensitive land uses; and includes a range and variety of planting.	 AO3.2 Shrubs and trees provided in landscape strips along side and rear boundaries: (a) are planted at a maximum spacing of 1 metre; (b) will grow to a height of at least 2 metres; (c) will grow to form a screen of no less than 2 metres in height; and (d) are mulched to a minimum depth of 0.1 metres with organic mulch. 	~	Can be conditioned to comply.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO3.3 Any landscape strip provided along a side or rear boundary is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	~	Can be conditioned to comply.
 PO4 Car parking areas are improved with a variety of landscaping that: (a) provides visual interest; (b) provides a source of shade for pedestrians; (c) assists to break up and soften elements; and (d) improves legibility. 	 AO4.1 Landscaping is provided in car parking areas which provides: (a) a minimum of 1 shade tree for every 4 parking spaces, or part thereof, where the car parking area includes 12 or more spaces; (b) a minimum of 1 shade tree for every 6 parking spaces, or part thereof, otherwise; and (c) where involving a car parking area in excess of 500m²: (i) shade structures are provided for 50% of parking spaces; and (ii) a minimum of 10% of the parking area as landscaping. 	n/a	Not applicable.
	area of the car parking area. AO4.2 Landscaping in car parking areas is designed in accordance with Planning Scheme Policy 6 - Landscaping and preferred plant species.	n/a	Not applicable.
 PO5 Landscaping areas include a range and variety of planting that: (a) is suitable for the intended purpose 	AO5.1 Plant species are selected from the Plant Schedule in Planning Scheme Policy 6 - Landscaping and preferred plant species.	~	Can be conditioned to comply.

Performance outcomes	Acceptable outcomes	Complies	Comments
 and local conditions; (b) contributes to the natural character of the Shire; (c) includes native species; (d) includes locally endemic species, where practical; and (e) does not include invasive plants or weeds. 	AO5.2 <u>A minimum of 25% of (new and existing) plants is provided as larger, advanced stock with a minimum plant height of 0.7 metres and mulched to a minimum depth of 0.1 metres with organic mulch.</u>	~	Can be conditioned to comply.
PO6 Landscaping does not impact on the ongoing provision of infrastructure and services to the Shire.	 AO6.1 Tree planting is a minimum of (a) 2 metres from any underground water, sewer, gas, electricity or telecommunications infrastructure; and (b) 4 metres from any inspection chamber. 	~	Will comply.
	AO6.2 Vegetation below or within 4 metres of overhead electricity lines and power poles has a maximum height of 3.5 metres at maturity.	~	Will comply - Underground power to service the development.
	 AO6.3 Vegetation adjoining an electricity substation boundary, at maturity, will have: (a) a height of less than 4 metres; and (b) no foliage within 3 metres of the substation boundary, unless the substation has a solid wall along any boundary. 	n/a	Not applicable.
For assessable development	-	1	1

Performance outcomes	Acceptable outcomes	Complies	Comments
PO7 Landscaping areas are designed to: (a) be easily maintained throughout the ongoing use of the site;	AO7 No acceptable outcome is provided.	~	Can be conditioned to comply.
 (b) allow sufficient area and access to sunlight and water for plant growth; (c) not cause a nuisance to occupants of the site or members of the 			
 public; and (d) maintain or enhance the safety of pedestrians through the use of Crime Prevention Through Environmental Design principles. 			

able 9.4.2.3B—Side and rear boundary landscape treatments			
Location or use	Landscape Strip Minimum Width	Screen Fencing Minimum Height	Extent of treatment
Where car parking, servicing or manoeuvring areas adjoin a side or rear boundary	1 metre	Not applicable	To the extent these areas adjoin the boundary
Where involving a use other than a dwelling house on a site with a common boundary with land in the Low density residential zone, the Medium density residential zone or the Rural residential zone:	1.5 metres	1.8 metres	Along the common boundary.
Development for an industrial activity which has a common boundary with land not within the Industry zone	2 metres	1.8 metres	Along the common boundary
 Development involving (a) Tourist park not in the Rural zone (b) Sales office (c) Multiple dwelling (d) Residential care facility; or (e) Dual occupancy 	Not applicable	1.8 metres	Along all side and rear boundaries and between dwellings for a Dual occupancy.
Development involving (a) Tourist park in the Rural zone (b) Service station (c) Car wash; or (d) Utility installation	2 metres	Not applicable	Along all side and rear boundaries
For: (a) waste storage; (b) equipment; (c) servicing areas; and (d) private open space and site facilities associated with Caretaker's accommodation.	Not applicable	1.8 metres	To prevent visibility

Table 9.4.2.3B—Side and rear boundary landscape treatments

Note—Where more than one landscape treatment is applicable to a development in the above table, the development is to provide a landscape treatment that satisfies all applicable minimum specifications.

9.4.3 Parking and access code

9.4.3.1 Application

This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.3.2 Purpose

- (1) The purpose of the Parking and access code is to ensure:
 - (a) parking areas are appropriately designed, constructed and maintained;
 - (b) the efficient functioning of the development and the local road network; and
 - (c) all development provides sufficient parking, loading/service and manoeuvring areas to meet the demand generated by the use.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Land uses have a sufficient number of parking and bicycle spaces designed in a manner to meet the requirements of the user;
 - (b) Parking spaces and associated manoeuvring areas are safe, functional and provide equitable access;
 - (c) Suitable access for all types of vehicles likely to utilise a parking area is provided in a way that does not compromise the safety and efficiency of the surrounding road network;
 - (d) Premises are adequately serviced to meet the reasonable requirements of the development; and
 - (e) End of trip facilities are provided by new major developments to facilitate alternative travel modes.

9.4.3.3 Criteria for assessment

Table 9.4.3.3A—Parking and access code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments		
For accepted development subject to requirements and assessable development					
Car parking spaces					

Performance outcomes	Acceptable outcomes	Complies	Comments
 PO1 Development provides sufficient car parking to accommodate the demand likely to be generated by the use, having regard to the: (a) nature of the use; (b) location of the site; (c) proximity of the use to public transport services; (d) availability of active transport infrastructure; and (e) accessibility of the use to community. 	AO1 The number of car parking spaces provided for the use is in accordance with Table 9.4.3.3B . Note—Car parking spaces provided for persons with a disability are to be considered in determining compliance with AO1.	~	Complies.
Vehicle crossovers		1	
 PO2 Vehicle crossovers are provided to:: (a) ensure safe and efficient access between the road and premises; (b) minimize interference with the function and operation of roads; and 	AO2.1 Vehicular access to/from Council roads is designed and constructed in accordance with the Standard drawings in Planning Scheme Policy 4 - FNQROC Regional Development Manual.		Already complies.
(c) minimise pedestrian to vehicle conflict.	AO2.2 Development on a site with two or more road frontages provides vehicular access from: (a) the primary frontage where involving Community activities or Sport and recreation activities, unless the primary road frontage is a State- controlled road; or (b) from the lowest order road in all other instances.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO2.3 Vehicular access for particular uses is provided in accordance with Table 9.4.3.3E.	~	Complies.
 PO3 Access, manoeuvring and car parking areas include appropriate pavement treatments having regard to: (a) the intensity of anticipated vehicle movements; (b) the nature of the use that they service; and (c) the character of the surrounding locality. 	AO3 Access, manoeuvring and car parking areas include pavements that are constructed in accordance with Table 9.4.3.3C.	~	Complies.
For assessable development			
Parking area location and des	sign	1	
 PO4 Car parking areas are located and designed to: (a) ensure safety and efficiency in operation; and (b) be consistent with the 	AO4.1 Car parking spaces, access and circulation areas have dimensions in accordance with AS/NZS 2890.1 Off-street car parking.	~	Complies.
character of the surrounding locality.	AO4.2 Disabled access and car parking spaces are located and designed in accordance with AS/NZS 2890.6 Parking facilities - Off-street parking for people with disabilities.	n/a	Not applicable.
	AO4.3 The car parking area includes designated pedestrian routes that provide connections to building entrances.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	 AO4.4 Parking and any set down areas are: (a) wholly contained within the site; (b) visible from the street where involving Commercial activities, Community activities, Industrial activities or a use in the Recreation and open space zone; (c) are set back behind the main building line where involving a Dual occupancy, Multiple dwelling, Residential care facility or Retirement facility; and (d) provided at the side or rear of a building in all other instances. 	n/a	Complies where relevant.
Site access and manoeuvring PO5 Access to, and manoeuvring within, the site is designed and located to: (a) ensure the safety and efficiency of the external road network; (b) ensure the safety of pedestrians; (c) provide a functional and convenient layout; and (d) accommodate all vehicles intended to use the site.	AO5.1 Access and manoeuvrability is in accordance with : (a) AS28901 – Car Parking Facilities (Off Street Parking); and (b) AS2890.2 – Parking Facilities (Off-street Parking) Commercial Vehicle Facilities. Note—Proposal plans should include turning circles designed in accordance with AP34/95 (Austroads 1995) Design Vehicles and Turning Path Templates.		Complies.

Performance outcomes	Acceptable outcomes	Complies	Comments
	AO5.2 Vehicular access has a minimum sight distance in accordance with Part 5 of AUSTROADS.	V	Complies.
	AO5.3 Vehicular access is located and designed so that all vehicles enter and exit the site in a forward gear.	~	Complies.
	 AO5.4 Pedestrian and cyclist access to the site: (a) is clearly defined; (b) easily identifiable; and (c) provides a connection between the site frontage and the entrance to buildings and end of trip facilities (where provided). 	~	Complies. Adequate pedestrian and cyclist access provided for by the proposed access driveway.
 PO6 Development that involves an internal road network ensures that it's design: (a) ensure safety and efficiency in operation; (b) does not impact on the amenity of residential uses on the site and on adjoining sites, having regard to matters of: (i) hours of operation; (ii) noise (iii) light; and (iv) odour; (c) accommodates the nature and volume of vehicle movements anticipated to be generated by the use; (d) allows for convenient access to key on-site 	AO6.1 Internal roads for a Tourist park have a minimum width of: (a) 4 metres if one way; or (b) 6 metres if two way.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
(e)	features by pedestrians, cyclists and motor vehicles; and in the Rural zone, avoids environmental degradation.	AO6.2 For a Tourist park, internal road design avoids the use of cul-de- sacs in favour of circulating roads, where unavoidable, cul-de-sacs provide a full turning circle for vehicles towing caravans having: (a) a minimum approach and departure curve radius of 12 metres; and (b) a minimum turning circle radius of 8 metres.	n/a	Not applicable.
		AO6.3 Internal roads are imperviously sealed and drained, apart from those for an Energy and infrastructure activity or Rural activity.	n/a	Not applicable.
		AO6.4 Speed control devices are installed along all internal roads, apart from those for an Energy and infrastructure activity or Rural activity, in accordance with Complete Streets.	n/a	Not applicable.
		AO6.5 Internal roads, apart from those for an Energy and infrastructure activity or Rural activity, are illuminated in accordance with AS 4282 (as amended) - Control of Obtrusive effects of outdoor lighting.	n/a	Not applicable.

Perf	ormance outcomes	Acceptable outcomes	Complies	Comments
		AO6.6 Where involving an accommodation activity, internal roads facilitate unobstructed access to every dwelling, accommodation unit, accommodation site and building by emergency services vehicles.	n/a	Not applicable.
		AO6.7 For an Energy and infrastructure activity or Rural activity, internal road gradients: (a) are no steeper than 1:5; or (b) are steeper than 1:5 and are sealed.	n/a	Not applicable.
Serv	/icing			
man	elopment provides access, euvering and servicing is on site that: accommodate a service vehicle commensurate with the likely demand generated by the use; do not impact on the safety or efficiency of internal car parking or maneuvering areas; do not adversely impact on the safety or efficiency of the road	 A07.1 All unloading, loading, service and waste disposal areas are located: (a) on the site; (b) to the side or rear of the building, behind the main building line; (c) not adjacent to a site boundary where the adjoining property is used for a sensitive use. 	~	Complies where relevant.
(d) (e)	network; provide for all servicing functions associated with the use; and are located and designed to minimise their impacts on	AO7.2 Unloading, loading, service and waste disposal areas allow service vehicles to enter and exit the site in a forward gear.	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
adjoining sensitive land uses and streetscape quality.	A07.3 Development provides a servicing area, site access and maneuvering areas to accommodate the applicable minimum servicing vehicle specified in Table 9.4.3.3B.	n/a	Not applicable.
Maintenance			
PO8 Parking areas are used and maintained for their intended purpose.	AO8.1 Parking areas are kept and used exclusively for parking and are maintained in a suitable condition for parking and circulation of vehicles.	~	Will be conditioned to comply.
	AO8.2 All parking areas will be compacted, sealed, drained, line marked and maintained until such time as the development ceases.	~	Will be conditioned to comply.
End of trip facilities		1	
PO9 Development within the Centre zone; Industry zone or Emerging community zone provides facilities for active transport users that:	AO9.1 The number of bicycle parking spaces provided for the use is in accordance with Table 9.4.3.3D.	n/a	Not applicable.
 (a) meet the anticipated demand generated from the use; (b) comprise secure and convenient bicycle parking and storage; and (c) provide end of trip facilities for all active 	AO9.2 End of trip facilities are provided in accordance with Table 9.4.3.3D.	n/a	Not applicable.
transport users. If for Educational establishm vehicle movements per day of or Tourist park			•

Performance outcomes	Acceptable outcomes	Complies	Comments
PO10 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users. If for Educational establishin vehicle movements per day of or Tourist park			•
PO11 The level of traffic generated by the development on the surrounding local road network must not result in unacceptable impacts on adjacent land and local road users.	 AO11 A traffic impact report is prepared by a suitably qualified person that identifies: (d) the expected traffic movements to be generated by the facility; (e) any associated impacts on the road network; and (f) any works that will be required to address the identified impacts. 	n/a	Not applicable.

Definition	Minimum number of Car park spaces	Minimum ing Service Vehicle Space Provision
Dual occupancy	One covered space per dwelling; and One visitor space.	Nil.

Table 9.4.3.3B—Vehicle Parking and Service Vehicle Space Requirements

Note-Any use not herein defined - as determined by Council.

Zone	Compacted Gravel Base (minimum thickness)	Surfacing Options	
All development	t other than dwe	lling house	
All zones other than the Conservation zone or the	75mm	 Reinforced concrete with a minimum thickness of: 100mm for parking areas; and 150mm for access ways. 	
Rural zone	150mm	Asphalt with a minimum thickness of 25mm	
	150mm	Two coat sprayed bitumen seal	
	150mm	Concrete pavers	
Conservation zone or Rural zone	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free	
Dwelling house			
All zones	75mm	 Reinforced concrete with a minimum thickness of: 100mm for parking areas; and 150mm for access ways. 	
	150mm	Asphalt with a minimum thickness of 25mm	
	150mm	Two coat sprayed bitumen seal	
	150mm	Concrete pavers	
	Not applicable	Minimum 150mm thickness compacted gravel suitable for all weather and dust free	

Table 9.4.3.3C—Pavement Standards for Access, Manoeuvring and Car Parking areas

Note—Where more than one surfacing option is listed, any one of the treatments listed may be provided.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities			
Commercial activities	 New or redeveloped commercial activities buildings (other than a shopping centre), provide: For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and visitor facilities: one bicycle rack space per 750m² NLA or part thereof; and bicycle parking, signposted; and adjacent to a major public entrance to the building. 	 New or redeveloped commercial activities buildings (other than a shopping centre), provide the following employee facilities, which are continually accessible to employees: accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof; changing facilities adjacent to showers; and secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users. 			
Community use	Four spaces per 1,500m ² GFA.	As determined by Council.			

Table 9.4.3.3D—Bicycle Parking and End of Trip Facility Requirements

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Educational establishment	 New or redeveloped education facilities, provide: For employees - secure bicycle storage for 8% of building staff (based on one person per 75m² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and For students: minimum of 8% of the peak number of students using the building at any one time (with 75% occupancy); and bicycle storage within 100m of the building front entrance(s); or added to the campus central bicycle storage area. 	 New or redeveloped education facilities, provide the following employee facilities, which are continually accessible to employees: accessible showers at the rate of one per 10 bicycle spaces provided or part thereof; changing facilities adjacent to showers; and secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Food & drink outlet	One space per 100m ² GFA.	As determined by Council.
Function facility	One space per 300m ² GFA.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Health care services	New or redeveloped healthcare facilities, provide the following facilities: For employees - secure bicycle storage for 5% of building staff (based on one person per 75m ² GLA). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and For visitors: facilities with in- patient accommodation provide one space per each 30 beds; facilities without in- patient accommodation provide one space per each 4 practitioners; aged care facilities provide one space per each 60 beds; In every instance above, provide a minimum of 5 bicycle parking spaces; and bicycle parking provided: in an accessible location, signposted and within 10m a major public entrance to the building.	 New or redeveloped healthcare facilities, provide the following employee facilities, which are continually accessible to employees: accessible showers at the rate of one per 10 bicycle spaces provided or part thereof; changing facilities adjacent to showers; and secure lockers in changing facilities for 20% of building staff (based on one person per 75m² GLA) to cater for cyclists, walkers and other active users.
Hospital	As determined by Council.	As determined by Council.
Indoor sport and recreation	One space per employee plus 1 space per 200m ² GFA	As determined by Council.
Park	As determined by Council.	As determined by Council.
Rooming accommodation	One space per 4 letting rooms.	As determined by Council.

Definition	Minimum number of bicycle parking spaces	Minimum end of trip facilities
Short term accommodation	One space per 4 letting rooms.	As determined by Council.
Shop or Shopping centre	 New or redeveloped shopping centres, provide: For employees - secure bicycle storage for 8% of building staff (based on one person per 60m² Gross leasable area). Secure bicycle parking involves a bicycle locker or bicycle rail in a locked compound/cage; and visitor facilities: one space per 500m² GLA or part thereof for centres under 30,000m²; or one space per 750m² GLA or part thereof for centres under 30,000m²; and bicycle parking is signposted and within 10m of a major public entrance to the building. 	 New or redeveloped shopping centres, provide the following employee facilities, which are continually accessible to employees: accessible showers at the rate of one shower per 10 bicycle spaces provided or part thereof; changing facilities adjacent to showers; and secure lockers in the changing facilities for 20% of building staff (based on one person per 60m² GLA to cater for walkers, cyclists and other active users.
Theatre	One space per 100m ² GFA.	As determined by Council.

Table 9.4.3.3E—Vehicular Access for Specific Uses

Use	Design	
Dwelling house	A secondary dwelling shares a vehicle crossover with the Dwelling house.	
Car wash	Site access involves: (a) a maximum width of 9 metres of any vehicle crossover across a footpath;	
Service station	 (b) a minimum separation of 12 metres between any vehicle crossover and a road intersection; (c) a separate entrance and exit; and (d) a minimum separation between vehicle crossovers of 14 metres. 	

Industrial activities	Each lot is provided with no more than one access point every 15 metres.	
Roadside stall	A single vehicular access point is provided to the site.	
Tourist park	 (a) a single vehicular access point is provided to the site; and (b) no accommodation site has individual vehicular access. 	

9.4.5 Works, services and infrastructure code

9.4.5.1 Application

(1) This code applies to assessing development where it is identified in the assessment benchmarks for assessable development and requirements for accepted development column of an assessment table in Part 5 of the planning scheme.

9.4.5.2 Purpose

- (1) The purpose of the Works, services and infrastructure code is to ensure that all development is appropriately serviced by physical infrastructure, public utilities and services and that work associated with development is carried out in a manner that does not adversely impact on the surrounding area.
- (2) The purpose of the code will be achieved through the following overall outcomes:
 - (a) Development provides an adequate, safe and reliable supply of potable, fire-fighting and general use water in accordance with relevant standards;
 - (b) Development provides for the treatment and disposal of wastewater and ensures there are no adverse impacts on water quality, public health, local amenity or ecological processes;
 - (c) Development provides for the disposal of stormwater and ensures that there are no adverse impacts on water quality or ecological processes;
 - (d) Development connects to the road network and any adjoining public transport, pedestrian and cycle networks while ensuring no adverse impacts on the safe, convenient and efficient operation of these networks;
 - (e) Development provides electricity and telecommunications services that meet its desired requirements;
 - (f) Development is connected to a nearby electricity network with adequate capacity without significant environment, social or amenity impact;
 - (g) Development does not affect the efficient functioning of public utility mains, services or installations;
 - (h) Infrastructure dedicated to Council is cost effective over its life cycle;
 - (i) Work associated with development does not cause adverse impacts on the surrounding area; and
 - (j) Development prevents the spread of weeds, seeds or other pests.

9.4.5.3 Criteria for assessment

Table 9.4.5.3 - Works, services and infrastructure code – For accepted development subject to requirements and assessable development

Performance outcomes	Acceptable outcomes	Complies	Comments	
For accepted development subject to requirements and assessable development				
Water supply				

Performance outcomes	Acceptable outcomes	Complies	Comments
 PO1 Each lot has an adequate volume and supply of water that: (a) meets the needs of users; (b) is adequate for fire-fighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment. 	A01.1 Development is connected to a reticulated water supply system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated water supply service area.	~	Will comply.
	 AO1.2 Development, where located outside a reticulated water supply service area and in the Conservation zone, Rural zone or Rural residential zone is provided with: (a) a bore or bores are provided in accordance with the Design Guidelines set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; or (b) on-site water storage tank/s: (i) with a minimum capacity of 90,000L; (ii) fitted with a 50mm ball valve with a camlock fitting; and (iii) which are installed and connected prior to the occupation or use of the development. 	n/a	Not applicable.
Wastewater disposal			

Performance outcomes	Acceptable outcomes	Complies	Comments
 PO2 Each lot provides for the treatment and disposal of effluent and other waste water that: (a) meets the needs of users; (b) is adequate for fire-fighting purposes; (c) ensures the health, safety and convenience of the community; and (d) minimises adverse impacts on the receiving environment. 	 AO2.1 Development is connected to a reticulated sewerage system in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual other than where located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated sewerage service area. 	v	Complies.
	 AO2.2 An effluent disposal system is provided in accordance with ASNZ 1547 On-Site Domestic Wastewater Management (as amended) where development is located: (a) in the Conservation zone, Rural zone or Rural residential zone; and (b) outside a reticulated sewerage service area. 	n/a	Not applicable.
Stormwater infrastructure	9		
PO3 Stormwater infrastructure is designed and constructed to collect and convey the design storm event to a lawful point of discharge in a manner that mitigates impacts on life and property.	AO3.1 Where located within a Priority infrastructure area or where stormwater infrastructure is available, development is connected to Council's stormwater network in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.		Will be conditioned to comply.

Performance outcomes	Acceptable outcomes	Complies	Comments
	 AO3.2 On-site drainage systems are constructed: (a) to convey stormwater from the premises to a lawful point of discharge; and (b) in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual. 	~	Will be conditioned to comply.
Electricity supply		1	
PO4 Each lot is provided with an adequate supply of electricity	A04 The premises: (a) is connected to the electricity supply network; or (b) has arranged a connection to the transmission grid; or (c) where not connected to the network, an independent energy system with sufficient capacity to service the development (at near average energy demands associated with the use) may be provided as an alternative to reticulated electricity where: (i) it is approved by the relevant regulatory authority; and (ii) it can be demonstrated that no air or noise emissions; and (iii) it can be demonstrated that no adverse impact on visual amenity will occur.		The development will be connected the electricity supply network.
Telecommunications infrast	ructure		

Performance outcomes	Acceptable outcomes	Complies	Comments
PO5 Each lot is provided with an adequate supply of telecommunication infrastructure	AO5 Development is provided with a connection to the national broadband network or telecommunication services.	~	The development will be connected to the telecommunications network.
Existing public utility ser	vices		
PO6 Development and associated works do not affect the efficient functioning of public utility mains, services or installations.		~	Will be conditioned to comply where relevant.
Excavation or filling			
PO7 Excavation or filling must not have an adverse impact on the: (a) streetscape; (b) scenic amenity; (c) environmental values; (d) slope stability;	A07.1 Excavation or filling does not occur within 1.5 metres of any site boundary.	~	Can be conditioned to comply.
	AO7.2 Excavation or filling at any point on a lot is to be no greater than 1.5 metres above or below natural ground level.	~	Can be conditioned to comply.
(e) accessibility; or (f) privacy of adjoining premises.	 AO7.3 Earthworks batters: (a) are no greater than 1.5 metres in height; (b) are stepped with a minimum width 2 metre berm; (c) do not exceed a maximum of two batters and two berms (not greater than 3.6 metres in total height) on any one lot; (d) have a slope no greater than 1 in 4; and (e) are retained. 	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
	 AO7.4 Soil used for filling or spoil from excavation is not stockpiled in locations that can be viewed from: (a) adjoining premises; or (b) a road frontage, for a period exceeding 1 month from the commencement of the filling or excavation. 	~	Can be conditioned to comply.
	A07.5 All batters and berms to be constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	n/a	Not applicable.
	AO7.6 Retaining walls have a maximum height of 1.5 metres and are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	~	Can be conditioned to comply.
	AO7.7 Excavation or filling at any point on a lot is to include measures that protect trees at the foot or top of cut or fill batters by the use of appropriate retaining methods and sensitive earth removal or placement and in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	n/a	Not applicable.
For assessable developmen	nt	I	I
Transport network			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO8 The development has access to a transport network of adequate standard to provide for the safe and efficient movement of vehicles, pedestrians and cyclists.	AO8.1 Vehicle access, crossovers, road geometry, pavement, utilities and landscaping to the frontage/s of the site are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual.	~	Will be conditioned to comply.
	AO8.2 Development provides footpath pavement treatments in accordance with Planning Scheme Policy 9 – Footpath Paving.	n/a	Not applicable.
Public infrastructure			
PO9 The design, construction and provision of any infrastructure that is to be dedicated to Council is cost effective over its life cycle and incorporates provisions to minimise adverse impacts.	AO9 Development is in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual.	~	Will be conditioned to comply.
Stormwater quality			

Performance outcomes	Acceptable outcomes	Complies	Comments
 PO10 Development has a non-worsening effect on the site and surrounding land and is designed to: (a) optimise the interception, retention and removal of waterborne pollutants, prior to the discharge to receiving waters; (b) protect the environmental values of waterbodies affected by the development, including upstream, on-site and downstream 	 AO10.1 The following reporting is prepared for all Material change of use or Reconfiguring a lot proposals: (a) a Stormwater Management Plan and Report that meets or exceeds the standards of design and construction set out in the Queensland Urban Drainage Manual (QUDM) and the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development Manual; and (b) an Erosion and Sediment Control Plan 		Can be conditioned to comply.
(c) achieve specified water quality objectives;	that meets or exceeds the Soil Erosion and Sedimentation Control Guidelines (Institute of		
(d) minimise flooding;(e) maximise the use of natural channel	Engineers Australia), including: (i) drainage control;		
(f) design principles; (f) maximise community benefit;	 (ii) erosion control; (iii) sediment control; and 		
and (g) minimise risk to public safety.	(iv) water quality outcomes.		

Performance outcomes	Acceptable outcomes	Complies	Comments
	 AO10.2 For development on land greater than 2,500m² or that result in more than 5 lots or more than 5 dwellings or accommodation units, a Stormwater Quality Management Plan and Report prepared and certified by a suitably qualified design engineer (RPEQ) is prepared that demonstrates that the development: (a) meets or exceeds the standards of design and construction set out in the Urban Stormwater Quality Planning Guideline and the Queensland Water Quality Guideline; (b) is consistent with any local area stormwater water management planning; (c) accounts for development type, construction phase, local climatic conditions and design objectives; and (d) provides for stormwater quality treatment measures reflecting land use constraints, such as soil type, landscape features (including landform), nutrient hazardous areas, acid sulfate soil and rainfall erosivity. 	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
 PO11 Storage areas for stormwater detention and retention: (a) protect or enhance the environmental values of receiving waters; (b) achieve specified water quality objectives; (c) where possible, provide for recreational use; (d) maximise community benefit; and (e) minimise risk to public safety. 	AO11 No acceptable outcome is provided.	~	Can be condtiiond to comply.
Excavation or filling PO12 Traffic generated by filling or excavation does not impact on the amenity of the surrounding area.	AO12.1 Haul routes used for transportation of fill to or from the site only use major roads and avoid residential areas.	n/a	Not applicable.
	 AO12.2 Transportation of fill to or from the site does not occur: (a) within peak traffic times; and (b) before 7am or after 6pm Monday to Friday; (c) before 7am or after 1pm Saturdays; and (d) on Sundays or Public Holidays. 	n/a	Not applicable.

Performance outcomes	Acceptable outcomes	Complies	Comments
PO13 Air pollutants, dust and sediment particles from excavation or filling, do not cause significant environmental harm or nuisance impacts.	AO13.1 Dust emissions do not extend beyond the boundary of the site.	~	Can be condtiiond to comply.
	AO13.2 No other air pollutants, including odours, are detectable at the boundary of the site.	~	Can be condtiiond to comply.
	AO13.3 A management plan for control of dust and air pollutants is prepared and implemented.	~	Can be condtiiond to comply.
PO14 Access to the premises (including driveways and paths) does not have an adverse impact on: (a) safety; (b) drainage; (c) visual amenity; and (d) privacy of adjoining premises.	 AO14 Access to the premises (including all works associated with the access): (a) must follow as close as possible to the existing contours; (b) be contained within the premises and not the road reserve, and (c) are designed and constructed in accordance with the Design Guidelines and Specifications set out in the Planning Scheme Policy 4 – FNQROC Regional Development manual. 		Complies - the sites existing reinforced concrete driveway will be used to access the units during and after construction.
Weed and pest management			
PO15 Development prevents the spread of weeds, seeds or other pests into clean areas or away from infested areas.	AO15 No acceptable outcome is provided.	~	Can be condtiiond to comply.
Contaminated land			

Performance outcomes	Acceptable outcomes	Complies	Comments
PO16 Development is located and designed to ensure that users and nearby sensitive land uses are not exposed to unacceptable levels of contaminants	AO16 Development is located where: (a) soils are not contaminated by pollutants which represent a health or safety risk to users; or (b) contaminated soils are remediated prior to plan sealing, operational works permit, or issuing of building works permit.	~	Complies.
Fire services in developm	ents accessed by common pri	vate title	
PO17 Fire hydrants are located in positions that will enable fire services to access water safely, effectively and efficiently.	 AO17.1 Fire hydrants are located in accessways or private roads held in common private title at a maximum spacing of: (a) 120 metres for residential development; and (b) 90 metres for any other development. 	n/a	Not applicable.
	AO17.2 Fire hydrants are located at all intersections of accessways or private roads held in common private title.	n/a	Not applicable.